


REVISIONS																	
LTR	DESCRIPTION							DATE				APPROVED					
A	Update references, technical data, contact information, distribution statement.							24 April 2008				Abdonasser Abdouni					
B	Updated Vendors PINs.							30 July 2009				Abdonasser Abdouni					
Prepared in accordance with ASME Y14.100 Source control drawing																	
REV																	
PAGE																	
REV STATUS	REV	B	A	A	B												
OF PAGES	PAGE	1	2	3	4												
PMIC N/A		PREPARED BY						DEFENSE SUPPLY CENTER, COLUMBUS									
		Ron Gary						COLUMBUS, OHIO 43218-3990									
Original date of drawing 20 April 2001		CHECKED BY						TITLE									
		Lee Surowiec						CONNECTOR, RECEPTACLE, ELECTRICAL, RF, SERIES TNC, FLANGE MOUNT, FOR LOW SMOKE CABLES									
		APPROVED BY															
		Rob Heber															
		SIZE	CAGE CODE					DWG. NO.				01016					
A	037Z3																
	REV	B					PAGE		1		OF		4				



NOTES:

1. Dimensions are in inches. Metric equivalents are in parenthesis.
2. Metric equivalents are given for reference purposes only.
3. All undimensioned pictorial configurations are for reference purposes only.
4. Series TNC, socket contact interface, in accordance with MIL-STD-348.

FIGURE 1. General configuration.

ENGINEERING DATA:

DEFENSE SUPPLY CENTER, COLUMBUS COLUMBUS, OH 43218-3990	SIZE A	CAGE CODE 037Z3	DWG NO. 01016
		REV A	PAGE 2

This document covers the requirements for radio frequency connectors accommodating special low smoke coaxial cables.

REQUIREMENTS:

These connectors shall conform to all the requirements of the latest issue of DSCC drawing 84148, figure 1 herein, and MIL-PRF 39012/29, and accommodate the cables listed in table I, with the following additions and exceptions.

Electrical: Shall be in accordance with MIL-PRF-39012/29.

Mechanical: Shall be in accordance with MIL-PRF-39012/29.

Environmental: Shall be in accordance with MIL-PRF-39012/29.

TABLE I. Cable accommodation.

Part or Identifying Number (PIN) <u>1/</u> <u>2/</u>	Applicable cable
01016TBSA @	M17/220-00001
01016TBSB #	M17/221-00001
01016TBSC &	M17/222-00001
01016TBSD \$	M17/223-00001
01016TBSE %	M17/224-00001
01016TBSF	M17/225-00001

1/ These connectors have captivated center contacts.

2/ These connectors are assembled using the MIL-C-22520/5 crimp tool and using the following crimp dies:

@ M22520/5-05
 # M22520/5-07
 & M22520/5-29
 \$ M22520/5-25
 % M22520/5-27

DEFENSE SUPPLY CENTER, COLUMBUS
 COLUMBUS, OH 43218-3990

SIZE

A

CAGE CODE

037Z3

REV

A

DWG NO.

01016

PAGE

3

Approved sources of supply. Approved sources of supply are listed herein. Additional sources will be added as they become available. The vendors listed below have agreed to this drawing and a certificate of compliance has been submitted to Defense Supply Center Columbus, ATTN: DSCC-VAI, P.O. Box 3990, Columbus, OH 43218-3990 or emailed to RFConnector@dla.mil.

DSCC drawing PIN	Vendor similar PIN <u>1/</u>	Vendor CAGE number
01016TBSA	(3190-1146) Superseded by 1255320A071-000	00795
01016TBSB	(3190-1167) Superseded by 1255311A071-000	
01016TBSC	(3190-1189) Superseded by 1255348A071-000	
01016TBSD	(3190-1194) Superseded by 1255300A071	
01016TBSE	(3190-1211) Superseded by 1255318A071-000	
01016TBSF	(3190-1216) Superseded by 1255319A071-000	

1/ Parts must be purchased to this DSCC PIN to assure all performance requirements and test are met.

Vendor CAGE
number

00795

Vendor name
and address

Delta Electronics
416 Cabot Street
Beverly, MA 01915

DEFENSE SUPPLY CENTER, COLUMBUS
COLUMBUS, OH 43218-3990

SIZE

A

CAGE CODE

037Z3

DWG NO.

01016

REV

B

PAGE

4