

NOTICE OF
CANCELLATION

INCH-POUND

AN806 REV 7
NOTICE 1
28 September 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD

PLUG – FLARED TUBE

AN806 REV 7, dated 17 August 1983, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS5168, "Fitting, Plug, Tube End, Flared."

Table 1 provides a detailed cross-reference of cancelled AN806 Part or Identifying Numbers (PINs) and replacement AS5168 PINs. The use of "AS" parts is preferable, but "AN" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS5168 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:
Army - AV
Navy - AS
Air Force - 99
DLA - CC

Preparing activity:
DLA - CC

(Project 4730-0912)

Review activity:
Air Force - 82

AN806 REV 7
NOTICE 1

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN806-2	.125	AS5168-02	AN806-8	.500	AS5168-08
AN806-D2	.125	AS5168D02	AN806-D8	.500	AS5168D08
AN806-J2	.125	AS5168J02	AN806-J8	.500	AS5168J08
AN806-K2	.125	AS5168K02	AN806-K8	.500	AS5168K08
AN806-S2	.125	AS5168R02	AN806-S8	.500	AS5168R08
AN806-T2	.125	AS5168T02	AN806-T8	.500	AS5168T08
AN806-W2	.125	AS5168W02	AN806-W8	.500	AS5168W08
AN806-3	.188	AS5168-03	AN806-10	.625	AS5168-10
AN806-D3	.188	AS5168D03	AN806-D10	.625	AS5168D10
AN806-J3	.188	AS5168J03	AN806-J10	.625	AS5168J10
AN806-K3	.188	AS5168K03	AN806-K10	.625	AS5168K10
AN806-S3	.188	AS5168R03	AN806-S10	.625	AS5168R10
AN806-T3	.188	AS5168T03	AN806-T10	.625	AS5168T10
AN806-W3	.188	AS5168W03	AN806-W10	.625	AS5168W10
AN806-4	.250	AS5168-04	AN806-12	.750	AS5168-12
AN806-D4	.250	AS5168D04	AN806-D12	.750	AS5168D12
AN806-J4	.250	AS5168J04	AN806-J12	.750	AS5168J12
AN806-K4	.250	AS5168K04	AN806-K12	.750	AS5168K12
AN806-S4	.250	AS5168R04	AN806-S12	.750	AS5168R12
AN806-T4	.250	AS5168T04	AN806-T12	.750	AS5168T12
AN806-W4	.250	AS5168W04	AN806-W12	.750	AS5168W12
AN806-5	.312	AS5168-05	AN806-16	1.000	AS5168-16
AN806-D5	.312	AS5168D05	AN806-D16	1.000	AS5168D16
AN806-J5	.312	AS5168J05	AN806-J16	1.000	AS5168J16
AN806-K5	.312	AS5168K05	AN806-K16	1.000	AS5168K16
AN806-S5	.312	AS5168R05	AN806-S16	1.000	AS5168R16
AN806-T5	.312	AS5168T05	AN806-T16	1.000	AS5168T16
AN806-W5	.312	AS5168W05	AN806-W16	1.000	AS5168W16
AN806-6	.375	AS5168-06	AN806-20	1.250	AS5168-20
AN806-D6	.375	AS5168D06	AN806-D20	1.250	AS5168D20
AN806-J6	.375	AS5168J06	AN806-J20	1.250	AS5168J20
AN806-K6	.375	AS5168K06	AN806-K20	1.250	AS5168K20
AN806-S6	.375	AS5168R06	AN806-S20	1.250	AS5168R20
AN806-T6	.375	AS5168T06	AN806-T20	1.250	AS5168T20
AN806-W6	.375	AS5168W06	AN806-W20	1.250	AS5168W20

AN806 REV 7
NOTICE 1

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN	Cancelled AN PIN	Tube Size	Replacement AS PIN
AN806-24	1.500	AS5168-24	AN806-32	2.000	AS5168-32
AN806-D24	1.500	AS5168D24	AN806-D32	2.000	AS5168D32
AN806-J24	1.500	AS5168J24	AN806-J32	2.000	AS5168J32
AN806-K24	1.500	AS5168K24	AN806-K32	2.000	AS5168K32
AN806-S24	1.500	AS5168R24	AN806-S32	2.000	AS5168R32
AN806-T24	1.500	AS5168T24	AN806-T32	2.000	AS5168T32
AN806-W24	1.500	AS5168W24	AN806-W32	2.000	AS5168W32
AN806-28	1.750	AS5168-28			
AN806-D28	1.750	AS5168D28			
AN806-J28	1.750	AS5168J28			
AN806-K28	1.750	AS5168K28			
AN806-S28	1.750	AS5168R28			
AN806-T28	1.750	AS5168T28			
AN806-W28	1.750	AS5168W28			