


This military standard is approved for use by the Naval Elec. Systems Cmd.
Department of the Navy and is available for use by all Departments and
Agencies of the Department of Defense.

DD FORM 672 (LIMITED COORDINATION) 1 MAY 73	Procurement Specifications NONE	SUPPLIES: Drawing 2826483, Code Ident 10001	P.A. Navy - EC Other Cust	INTERNATIONAL INTEREST	TITLE HOUSING, CONNECTOR, CASTING AND MACHINERY	MILITARY STANDARD MS14062NAVY
	PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE					
	DATE 1 OF 3	CANCELED AFTER 15 NOVEMBER 1979 USE MIL-C-28754/49				
	APPROVED 4 Sep 1975	REVISED (A) 16 Apr 76	(B) 16 NOV 79	FEDERAL SUPPLY CLASS 5985		

This military standard is approved for use by the Naval Elec. Systems Cmd.
Department of the Navy and is available for use by all Departments and
Agencies of the Department of Defense.



DATE

DESIGN STANDARD FOR USE WITH MIL-C-28754/17 (A)

NOTES:

1. Dimensions are in inches.
2. Material: ASTM B85 alloy SC 84A or QQ-A-591 alloy 380.
3. Marking and finish: Per table I.
4. Cast finish 125.
5. Unless otherwise specified, corner radii .020 R maximum and corner fillets .020 R maximum.
6.  Two surfaces to be in line within .002.
7. For design feature purposes, this standard takes precedence over procurement documents referenced herein.

TABLE I. Finish and marking.

Type	Finish	Marking	With detail A
A	Anodize per MIL-A-8625, type 2, dyed black.	Mark characters .06 inch high with white epoxy ink per MIL-C-28754	No
B	Anodize per MIL-A-8625, type 2, dyed red. Coat detail E per MIL-C-5541 class 3, type and grade optional.	Mark characters .06 inch high with black epoxy ink per MIL-C-28754	Yes
C	Anodize per MIL-A-8625, type 2, dyed black. Coat detail E per MIL-C-5541 class 3, type and grade optional.	Mark characters .06 inch high with white epoxy ink per MIL-C-28754	Yes

This military standard is approved for use by the Naval Elec. Systems Cmd. Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

P.A. Navy - EC Other Cust	INTERNATIONAL INTEREST	TITLE HOUSING, CONNECTOR, CASTING AND MACHINERY	MILITARY STANDARD MS 14062(NAVY)
Procurement Specifications NONE	SUPERSEDES: Drawing 2826483, Code Ident 10001	PAGE 3 OF 3	