

REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED

Prepared in accordance with ASME Y14.100

Ancillary drawing

REV STATUS OF PAGES	REV																	
	PAGES	1	2	3														
PMIC N/A	PREPARED BY Erika P. Baker							DESIGN ACTIVITY DEFENSE SUPPLY CENTER, COLUMBUS COLUMBUS, OH										
Original date of drawing 9 June 2009	CHECKED BY Michael A. Radecki							TITLE TERMINAL SHIELD, RELAY (For use with NSN 5945-01-034-9909 Relay)										
	APPROVED BY Michael A. Radecki																	
	SIZE A	CODE IDENT. NO. 037Z3						DWG NO. 09018										
	REV							PAGE 1 OF 3										

1. SCOPE

1.1 Scope. This drawing describes the requirements of relay terminal shield used with NSN 5945-01-034-9909 relay.

1.2 Part or Identifying Number (PIN). The complete PIN shall be as follows:

09018
|
Drawing
number

2. APPLICABLE DOCUMENTS. This section is not applicable to this drawing.


3. REQUIREMENTS

3.1 Interface and physical dimensions. The interface and physical dimensions shall be as specified herein (see figure 1).

3.2 Material. ZYTEL® 51SE-18K-40. (® - ZYTEL is a registered trademark of DuPont for its nylon resins.)

3.3 Marking. Mark "DANGER-HIGH VOLTAGE" on top with .125 inch (3.18 mm) letters.

DEFENSE SUPPLY CENTER, COLUMBUS COLUMBUS, OHIO	SIZE A	CODE IDENT NO. 037Z3	DWG NO. 09018
		REV	PAGE 2



- NOTES:
1. Dimensions are in inches.
 2. Metric equivalents are given for general information only.

Inch	mm	Inch	mm	Inch	mm
.0312	0.7925	.1875	4.7625	.3438	8.7325
.0469	1.1913	.2031	5.1587	.375	9.525
.0625	1.5875	.2188	5.5575	.5312	13.4925
.125	3.175	.2344	5.9538	.5625	14.2875
.1562	3.9675	.2812	7.1425	2.25	57.15
.1719	4.3663	.3125	7.9375		

FIGURE 1. Dimensions and configuration.