

QUALIFIED PRODUCTS LIST

OF

FSC 5905

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-R-22

RESISTOR, VARIABLE (WIREWOUND, POWER TYPE)

GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the procurement of products covered by Specifications MIL-R-22. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE SPACE AND NAVAL WARFARE SYSTEMS COMMAND. The activity designated as agent for all contacts relative to this QPL is the Defense Electronics Supply Center (DESC-EQ), Dayton, OH 45444-5000.

NOTE: When the military specification requires qualification and there are no products listed or approved for listing on the QPL or when suppliers of those products on the QPL are nonresponsive to an IFB, the qualification requirement of paragraph 3.2 of MIL-R-22 may be waived for procurement of Resistor, Variable (Wirewound, Power-Type), only by the Preparing Activity. When qualification is waived, procuring activities shall invoke first article inspection which shall consist of performing all qualification tests. The sample size and allowable defects shall be in accordance with the detail specification and MIL-R-22 qualification sampling and acceptance criteria. A copy of the test data shall be forwarded to the qualifying activity.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RP05 M22/15-00011SB thru -00181SB, M22/15-00011UD thru -00181UD W/O an electrical "Off" position, slotted shaft, standard and locking bushing types, all res. values.	RP05	22-63-70	/15	Ohmite Manufacturing Co.
RP06 M22/01-0001 thru -0024 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types SB, SH, SJ, SK, SS, UB or UD, all res.values.	RP06	22-865-62	/1	Memcor-Truohm, Inc.
RP06 M22/01-0001 thru -0024 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types SB, SH, SJ, SK, SS, UB or UD, all res.values.	RP06	22-845-62	/1	Ohmite Manufacturing Co.
RP07 M22/02-0001 thru -0024 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types SB, SH, SJ, SK, SS, UB or UD, all res.values.	RP07	22-1006-65	/2	Memcor-Truohm, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RP07 M22/02-0001 thru -0024 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types SB, SH, SJ, SK, SS, UB or UD, all res. values.	RP07	22-846-62	/2	Ohmite Manufacturing Co.
RP10 M22/03-0001 thru -0024 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP10	22-298-66	/3	Memcor-Truohm, Inc.
RP10 M22/03-0001 thru 0024 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP10	22-51-63	/3	Ohmite Manufacturing Co.
RP11 M22/04-0001 thru -0024 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP11	22-299-66	/4	Memcor-Truohm, Inc.
RP11 M22/04-0001 thru 0024 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP11	22-52-63	/4	Ohmite Manufacturing Co.
RP15 M22/05-0001 thru -0029 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP15	22-86-65	/5	Memcor-Truohm, Inc.
RP15 M22/05-0001 thru 0029 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP15	22-53-63	/5	Ohmite Manufacturing Co.
RP16 M22/06-0001 thru -0029 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP16	22-7-58	/6	Memcor-Truohm, Inc.
RP16 M22/06-0001 thru 0029 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP16	22-54-63	/6	Ohmite Manufacturing Co.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RP20 M22/07-0001 thru -0028 Electrical "Off" positions 1, 2 or 3 shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP20	22-87-65	/7	Memcor-Truohm, Inc.
RP20 M22/07-0001 thru 0028 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP20	22-55-63	/7	Ohmite Manufacturing Co.
RP25 M22/08-0001 thru -0028 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP25	22-88-65	/8	Memcor-Truohm, Inc.
RP25 M22/08-0001 thru 0028 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP25	22-56-63	/8	Ohmite Manufacturing Co.
RP30 M22/09-0001 thru -0028 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP30	22-89-65	/9	Memcor-Truohm, Inc.
RP30 M22/09-0001 thru 0028 Electrical "Off" positions 1, 2 or 3, shaft styles, lengths and bushing types FD, FH, FJ, FK, TG, SA, SD, SH, SJ, SK, UB or UG, all res. values.	RP30	22-57-63	/9	Ohmite Manufacturing Co.
RP35 M22/10-0001 thru 0025 Electrical "Off" position 1 shaft styles, lengths and bushing types FD, FH, FJ, FK, FN or FR, all res. values.	RP35	22-514-67	/10	Memcor-Truohm, Inc.
RP35 M22/10-0001 thru 0025 Electrical "Off" position 1, shaft styles, lengths and bushing types FD, FH, FJ, FK, FN or FR, all res. values.	RP35	WADC TM WCRE- TM-56-453	/10	Ohmite Manufacturing Co.
RP40 M22/11-0001 thru 0025 Electrical "Off" position 1, shaft styles, lengths and bushing types FD, FH, FJ, FK, FN or FR, all res. values.	RP40	22-866-62	/11	Memcor-Truohm, Inc.
RP40 M22/11-0001 thru 0025 Electrical "Off" position 1, shaft styles, lengths and bushing types FD, FH, FJ, FK, FN or FR, all res. values.	RP40	WCLK-TM- 57-294	/11	Ohmite Manufacturing Co.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RP45 M22/12-0001 thru 0024 Electrical "Off" position 1, shaft styles, lengths and bushing types FD, FH, FJ, FK, FN or FR, all res. values.	RP45	WADC TM WCLK- TM57-276	/12	Ohmite Manufacturing Co.
RP50 M22/13-0001 thru 0025 Electrical "Off" position 1, shaft styles, lengths and bushing types FD, FH, FJ, FK, FN or FR, all res. values.	RP50	WCLK-TM- 57-275	/13	Ohmite Manufacturing Co.
RP55 M22/14-0001 thru 0023 Electrical "Off" position 1, shaft styles, lengths and bushing types FD, FH, FJ, FK FN or FR, all res. values.	RP55	WADC TM WCLK- TM-57-257	/14	Ohmite Manufacturing Co.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE	
Memcor-Truohm, Inc. 1320 Flaxmill Road Huntington, IN 46750 Plant: Same Address	24681	
Ohmite Manufacturing Company 3601 Howard Street Skokie, IL 60076 Plant: Same Address	44655	