



QUALIFICATIONS VALIDATED
ANNUALLY

QPL-26-151
27-Jun-03
SUPERSEDING
QPL-26-150
15-Oct-02

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER PERFORMANCE SPECIFICATION
MIL-PRF-26
RESISTORS, FIXED, WIRE WOUND (POWER TYPE),
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-PRF-26. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

The activity responsible for this QPL is the Defense Supply Center Columbus (DSCC-VQ), Columbus, OH 43216-5000.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
RW20 Char. V; min. wire size 0.00175"; 0.1 ohms thru 8.2 kilohms	RW20	26-823-66	/2	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW21 Char. V; min. wire size 0.00175"; 0.1 ohms thru 16 kilohms	RW21	26-823-66	/2	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW22 Char. V; min. wire size 0.00175"; 0.1 ohms thru 36 kilohms	RW22	26-823-66	/2	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW23 Char. V; min. wire size 0.00175"; 0.1 ohms thru 51 kilohms	RW23	26-823-66	/2	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW24 Char. V; min. wire size 0.00175"; 0.1 ohms thru 75 kilohms	RW24	26-823-66	/2	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW29 Char. N; min. wire size 0.00175"; 0.1 ohms thru 2.7 kilohms	RW29N	26-45-77	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
Char. V; min. wire size 0.00175"; 0.1 ohms thru 2.7 kilohms	RW29	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW30 Char. V; min. wire size 0.00175"; 0.1 ohms thru 2.7 kilohms	RW30	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW31 Char. N; min. wire size 0.00175"; 0.1 ohms thru 3.3 kilohms	RW31N	26-45-77	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
Char. V; min. wire size 0.00175"; 0.1 ohms thru 6.8 kilohms	RW31	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW32 Char. V; min. wire size 0.00175"; 0.1 ohms thru 10 kilohms	RW32	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW33 Char. V; min. wire size 0.00175"; 0.1 ohms thru 18 kilohms	RW33	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
Char. N; min. wire size 0.00175"; 0.1 ohms thru 8.1 kilohms	RW33N	26-45-77	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
RW34				
Char. V; min. wire size 0.00175"; 0.1 ohms thru 30 kilohms	RW34	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW35				
Char. N; min. wire size 0.00175"; 0.1 ohms thru 20 kilohms	RW35N	26-45-77	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
Char. V; min. wire size 0.00175"; 0.1 ohms thru 43 kilohms	RW35	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW36				
Char. V; min. wire size 0.00175"; 0.1 ohms thru 56 kilohms	RW36	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW37				
Char. N; min. wire size 0.00175"; 0.1 ohms thru 43 kilohms	RW37N	26-45-77	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
Char. V; min. wire size 0.00175"; 0.1 ohms thru 91 kilohms	RW37	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW38				
Char. V; min. wire size 0.00175"; 0.1 ohms thru 150 kilohms	RW38	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
Char. N; min. wire size 0.00175"; 0.1 ohms thru 75 kilohms	RW38N	26-45-77	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW39				
Char. V; min. wire size 0.00175"; 0.1 ohms thru 200 kilohms	RW39	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW47				
Char. N; min. wire size 0.00175"; 0.1 ohms thru 81 kilohms	RW47N	26-45-77	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
Char. V; min. wire size 0.00175"; 0.1 ohms thru 180 kilohms	RW47	26-824-66	/3	Ohmite Manufacturing Co. (Ensenada, Mexico)
RW67				
Char. V; min. wire size 0.001"; 0.1 ohms thru 8.2 kilohms	RS-5-70, RS-5-171	26-86-81	/4	Electronica Dale de Mexico
RW68				
Char. V; min. wire size 0.001"; 0.1 ohms thru 20 kilohms	RS-10-39, RS-10-171	26-86-81	/4	Electronica Dale de Mexico
RW69				
Char. V; min. wire size 0.001"; 0.1 ohms thru 2 kilohms	RS-2C-23, RS-2C-171	26-86-81	/4	Electronica Dale de Mexico
RW55				
Char. V; min. wire size 0.00175"; 0.1 ohms thru 3.4 kilohms	26-49-90, T-7A-55, T-10-A-56	39007-440-70	/4	IRC Shallcross, Inc.
RW56				
Char. V; min. wire size 0.00175"; 0.1 ohms thru 9.1 kilohms	26-49-90, T-7A-55, T-10-A-56	39007-440-70	/4	IRC Shallcross, Inc.
RW67				
Char. V; min. wire size 0.001"; 0.1 ohms thru 8.2 kilohms	LA419	26-603-69	/4	IRC Shallcross, Inc.
RW68				
Char. V; min. wire size 0.001"; 0.1 ohms thru 20 kilohms	LA433	26-603-69	/4	IRC Shallcross, Inc.
RW69				
Char. V; min. wire size 0.001"; 0.1 ohms thru 2 kilohms	LA417	26-603-69	/4	IRC Shallcross, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
RW67				
Char. V; min. wire size 0.001"; 0.1 ohms thru 8.2 kilohms	25J	26-350-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
Char. V; min. wire size 0.001"; 0.1 ohms thru 8.2 kilohms	95J	26-351-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
Char. V; min. wire size 0.001"; 0.1 ohms thru 8.2 kilohms	85J	26-795-68, 26-349-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
RW68				
Char. V; min. wire size 0.001"; 0.1 ohms thru 20 kilohms	20J	26-350-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
Char. V; min. wire size 0.001"; 0.1 ohms thru 20 kilohms	80J	26-795-68, 26-349-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
Char. V; min. wire size 0.001"; 0.1 ohms thru 20 kilohms	90J	26-351-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
RW69				
Char. V; min. wire size 0.001"; 0.1 ohms thru 2 kilohms	23J	26-350-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
Char. V; min. wire size 0.001"; 0.1 ohms thru 2 kilohms	93J	26-351-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
Char. V; min. wire size 0.001"; 0.1 ohms thru 2 kilohms	83J	26-795-68, 26-349-87	/4	Ohmite Manufacturing Co. (Skokie, IL)
RW55				
Char. V; min. wire size 0.00175"; 0.1 ohms thru 5.1 kilohms	56AC	26-73-67	/4	Pacific Resistor Company
RW56				
Char. V; min. wire size 0.00175"; 0.1 ohms thru 9.1 kilohms	56AC	26-73-67	/4	Pacific Resistor Company
RW67				
Char. V; min. wire size 0.001"; 0.1 ohms thru 8.2 kilohms	5A	26-563-67	/4	Pacific Resistor Company
RW68				
Char. V; min. wire size 0.001"; 0.1 ohms thru 20 kilohms	10A	26-563-67	/4	Pacific Resistor Company
RW69				
Char. V; min. wire size 0.001"; 0.1 ohms thru 2 kilohms	MN1A	26-563-67	/4	Pacific Resistor Company
RW67				
Char. V; min. wire size 0.001"; 0.1 ohms thru 8.2 kilohms	RS-5-70, RS-5-171	26-179-66	/4	Vishay Dale Electronics, Inc.
RW68				
Char. V; min. wire size 0.001"; 0.1 ohms thru 20 kilohms	RS-10-39, RS-10-171	26-719-66	/4	Vishay Dale Electronics, Inc.
RW69				
Char. V; min. wire size 0.001"; 0.1 ohms thru 2 kilohms	RS-2C-23, RS-2C-171	26-719-66	/4	Vishay Dale Electronics, Inc.
RW70				
Char. U; tol. F; min. wire size 0.0001"; 0.1 ohms thru 1.21 kilohms	RS-1A-300, RS-1A-125	26-85-81	/5	Electronica Dale de Mexico
RW74				
Char. U; tol. F; min. wire size 0.001"; 0.1 ohms thru 9.09 kilohms	RS-5-69, RS-5-125	26-020-97	/5	Electronica Dale de Mexico
RW78				
Char. U; tol. F; min. wire size 0.001"; 0.1 ohms thru 26.7 kilohms	RS-10-38, RS-10-125	26-020-97	/5	Electronica Dale de Mexico

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
RW79				
Char. U; tol. F; min. wire size 0.0001"; 0.1 ohms thru 2.43 kilohms	RS-2B-300, RS-2B-125	26-85-81	/5	Electronica Dale de Mexico
Char. U; tol. F; min. wire size 0.001"; 0.1 ohms thru 2.43 kilohms	RS-2B-300, RS-2B-125	26-022-97	/5	Electronica Dale de Mexico
RW70				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 3.16 kilohms	LA449	26-972-71	/5	IRC Shallcross, Inc.
RW74				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 38.3 kilohms	LA446	26-971-71	/5	IRC Shallcross, Inc.
RW78				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 90.9 kilohms	LA433	26-971-71	/5	IRC Shallcross, Inc.
RW79				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 10.5 kilohms	LA461	26-972-71	/5	IRC Shallcross, Inc.
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 10.5 kilohms	LM261 TM-2B-79	39007-1372-85	/5	IRC Shallcross, Inc.
RW70				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 3.16 kilohms	81B	26-348-87	/5	Ohmite Manufacturing Co. (Skokie, IL)
RW74				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 38.3 kilohms	85B	23-347-87	/5	Ohmite Manufacturing Co. (Skokie, IL)
RW78				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 90.9 kilohms	80B	23-347-87	/5	Ohmite Manufacturing Co. (Skokie, IL)
RW79				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 10.5 kilohms	83B	26-348-87	/5	Ohmite Manufacturing Co. (Skokie, IL)
RW70				
Char. U; tol. F; min. wire size 0.0008"; 0.1 ohms thru 3.16 kilohms	15A	26-75-67	/5	Pacific Resistor Company
RW74				
Char. U; tol. F; min. wire size 0.001"; 0.1 ohms thru 12.1 kilohms	5AV	26-74-67	/5	Pacific Resistor Company
RW78				
Char. U; tol. F; min. wire size 0.001"; 0.1 ohms thru 40.2 kilohms	10AV	26-74-67	/5	Pacific Resistor Company
RW79				
Char. U; tol. F; min. wire size 0.0008"; 0.1 ohms thru 6.04 kilohms	N1A	26-75-67	/5	Pacific Resistor Company
RW70				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 2.74 kilohms	RS-1A-300, RS-1A-125	26-208-66	/5	Vishay Dale Electronics, Inc.
RW74				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 24.3 kilohms	RS-5-69, RS-5-125	26-207-66	/5	Vishay Dale Electronics, Inc.
RW78				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 71.5 kilohms	RS-10-38, RS-10-125	26-207-66	/5	Vishay Dale Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
RW79				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 6.49 kilohms	RS-2B-300, RS-2B-125	26-208-66	/5	Vishay Dale Electronics, Inc.
Char. U; tol. F; min. wire size 0.0008"; 0.1 ohms thru 6.49 kilohms	RS-2B-300, RS-2B-125	26-1060-76	/5	Vishay Dale Electronics, Inc.
RW80				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 3.16 kilohms	LA49, LM249 TM-1-80	26-475-72, 39007-1076-87, 39007-1371-70	/6	IRC Shallcross, Inc.
RW81				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 1 kilohms	LA68, LA268, LM268 TM-1/2-A81	26-475-72, 39007-1076-87, 39007-1371-70	/6	IRC Shallcross, Inc.
RW80				
Char. U; tol. F; min. wire size 0.0008"; 0.1 ohms thru 3.16 kilohms	B3	26-76-67	/6	Pacific Resistor Company
RW81				
Char. U; tol. F; min. wire size 0.0008"; 0.1 ohms thru 649 ohms	B1	26-76-67	/6	Pacific Resistor Company
RW80				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 2.74 kilohms	G-3-125, G-3-380	26-209-66	/6	Vishay Dale Electronics, Inc.
RW81				
Char. U; tol. B, D, F; min. wire size 0.0008"; 0.1 ohms thru 1 kilohms	G-1-125, G-1-380	26-209-66	/6	Vishay Dale Electronics, Inc.

Manufacturer and Supplier Location Information

Manufacturer: IRC Shallcross, Inc. (CAGE Code: 54294)

Location: US Highway East, Smithfield, NC 27577, US

Plant Location: Same Address as Manufacturer

Manufacturer: Ohmite Manufacturing Company (CAGE Code: 44655)

Location: 3601 Howard Street, Skokie, IL 60076, US

Plant Locations:

1. Same Address as Manufacturer
2. Ohmite Manufacturing Co. (Ensenada, Mexico), Baja Oriente, S.A. de C.V. - Ohmite Manufacturing, Calle 8 Esq. Calle 4ta. S/N Parque Industrial Fondepot, El Sauzal de Rodriguez, 22760, Ensenada, B. Cfa., Mexico

Manufacturer: Pacific Resistor Company (CAGE Code: 06416)

Location: 18300 Oxnard Street, Tarzana, CA 91356, US

Plant Location: Same Address as Manufacturer

Manufacturer: Vishay Dale Electronics, Inc. (CAGE Code: 91637)

Location: P. O. Box 609, 1122 23rd Street, Columbus, NE 68601, US

Plant Locations:

1. Same Address as Manufacturer
2. Electronica Dale de Mexico, S.A. de CV, Avenue de las Torres #1950, Colonia Torres del Sur, Cd. Juarez, Chihuahua, Mexico C.P. 32170