



QUALIFICATIONS VALIDATED
ANNUALLY

QPL-123-30
23-Oct-03
SUPERSEDING
QPL-123-29
19-Mar-02

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER PERFORMANCE SPECIFICATION
MIL-PRF-123
CAPACITORS, FIXED, CERAMIC DIELECTRIC
(TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY,
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-PRF-123. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE DEFENSE SUPPLY CENTER COLUMBUS (DSCC-VQ), COLUMBUS, OH 43216-5000.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CKS05				
4.7 thru 10000pF; tols. C, D, F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. C	MR05	123-197-02	/1	AVX Avio Excelente SA de CV
4.7 thru 10000pF; tols. C, D, F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. C	MR05	123-392-89	/1	AVX Corporation (Myrtle Beach, SC)
4.7 thru 10000pF; tols. C, D, F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. C	C052Z	123-178-85	/1	Kemet Electronics Corp
CKS06				
270 thru 470000pF; tols. F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. C	MR06	123-197-02	/2	AVX Avio Excelente SA de CV
270 thru 470000pF; tols. F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. C	MR06	123-393-89	/2	AVX Corporation (Myrtle Beach, SC)
270 thru 470000pF; tols. F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. C	C062Z	123-179-85 123-078-99	/2	Kemet Electronics Corp
CKS07				
2700 thru 1000000pF; tols. F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. C	C512Z	123-996-87 123-838-93	/3	Kemet Electronics Corp
CKS11				
4.7 thru 4700pF; tols. C, D, F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. W	MA10	123-395-89	/4	AVX Corporation (Myrtle Beach, SC)
CKS12				
110 thru 10000pF; tols. F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. W	MA20	123-396-89	/5	AVX Corporation (Myrtle Beach, SC)
CKS14				
240 thru 3900pF; tols. F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. W	MA40	123-397-89	/6	AVX Corporation (Myrtle Beach, SC)
CKS15				
1100 thru 180000pF; tols. F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. W	MA50	123-398-89	/7	AVX Corporation (Myrtle Beach, SC)

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CKS16				
2400 thru 1000000pF; tols. F, J, K; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. W	MA60	123-399-89	/8	AVX Corporation (Myrtle Beach, SC)
CKS22				
1 thru 4700pF; tols. F, J, K, M; in 50, 100 volts; BP, BX rated temp. and volt. temp. limits; term. C	MD10	123-418-90	/16	AVX Corporation (Myrtle Beach, SC)
CKS23				
560 thru 220000pF; tols. F, J, K, M; in 50, 100, 200 volts; BP, BX rated temp. and volt. temp. limits; term. C	MD02	123-419-90	/17	AVX Corporation (Myrtle Beach, SC)
CKS24				
120000 thru 470000pF; tols. K, M; in 50, 100 volts; BR rated temp. and volt. temp. limits; term. C	MD03	123-420-90	/18	AVX Corporation (Myrtle Beach, SC)
CKS51				
1 thru 4700pF; tols. C, F, J, K; in 50 volts; BP, BX rated temp. and volt. temp. limits; term. G, M, S	0805-CKS51	123-260-84	/10	AVX Corporation (Olean, NY)
1 thru 4700pF; tols. C, F, J, K; in 50 volts; BP, BX rated temp. and volt. temp. limits; term. S, W	C0805Z	123-1002-87	/10	Kemet Electronics Corp
1 thru 4700pF; tols. C, F, J, K; in 50 volts; BX rated temp. and volt. temp. limits; term. M	CKS51	123-020-99	/10	Periferico Alianza
CKS52				
300 thru 47000pF; tols. F, J, K; in 50 volts; BP, BX rated temp. and volt. temp. limits; term. G, M, S	1210-CKS52	123-261-84	/11	AVX Corporation (Olean, NY)
300 thru 47000pF; tols. F, J, K; in 50 volts; BP, BX rated temp. and volt. temp. limits; term. S, W	C1210Z	123-1003-87	/11	Kemet Electronics Corp
CKS53				
300 thru 1000pF; tols. F, J, K; in 50 volts; BP rated temp. and volt. temp. limits; term. S	1808-CKS53	123-747-03	/12	AVX Corporation (Olean, NY)
300 thru 47000pF; tols. F, J, K; in 50 volts; BP, BX rated temp. and volt. temp. limits; term. S, W	C1808Z	123-1004-87	/12	Kemet Electronics Corp
CKS54				
1100 thru 470000pF; tols. F, J, K; in 50 volts; BP, BX rated temp. and volt. temp. limits; term. S	222-CKS54	123-748-03	/13	AVX Corporation (Olean, NY)
1100 thru 470000pF; tols. F, J, K; in 50 volts; BP, BX rated temp. and volt. temp. limits; term. S, W	C2223Z	123-1005-87	/13	Kemet Electronics Corp

Manufacturer and Supplier Location Information

Manufacturer: AVX Avio Excelente SA de CV (CAGE Code: S9915)

Location: Area Riberena, APDO Post 1709, 32310 Ciudad, Juarez, Chihuahua, Mexico

Plant Location: Same Address as Manufacturer

Manufacturer: AVX Corporation (Myrtle Beach, SC) (CAGE Code: 04222)

Location: 17 Avenue South, Myrtle Beach, SC 29577, US

Plant Location: 8021 Highway 501 /west, Conway, SC 29526, US

Manufacturer: AVX Corporation (Olean, NY) (CAGE Code: 96095)

Location: P.O. Box 493, Seneca Avenue, Olean, NY 14760, US

Plant Location: Same Address as Manufacturer

Manufacturer: Kemet Electronics Corp (CAGE Code: 31433)

Location: P.O. Box 5928, Greenville, SC 29606, US

Plant Location: Periferico Alianza, Jose Arresse #10, Matamoros, Mexico, Mexico

Manufacturer: Presidio Components, Inc. (CAGE Code: 60212)

Location: 7169 Construction Court, San Diego, CA 92121, US

Plant Location: Same Address as Manufacturer