

DLA Land and Maritime - VQ
Supplemental Information Sheet for Electronic QPL-10304

Date: 6/27/2013

Specification Details:

Specification: MIL-PRF-10304
 Title: Meters, Electrical Indicating, Panel Type, Ruggedized
 Federal Supply Class (FSC): 6625
 Conventional: Yes
 Specification contains quality assurance program: No
 MIL-STD-790 Established Reliability & High Reliability: No
 MIL-STD-690 Failure Rate Sampling Plans & Procedures: No
 Weibull Graded: No
 Specification contains space level reliability requirements: No
 Specification allows test optimization: No

Contact Information:

Office of Primary Involvement: Hybrid Devices Branch, DLA Land and Maritime - VQH
 Primary Qualifying Activity Contact: 614-692-0505, e-mail: vqh.arw@dla.mil
 Secondary Qualifying Activity Contact: 614-692-0594, e-mail: vqh.kr@dla.mil

Notes:

* COLOR

** USED WITH EXTERNAL TRANSFORMER

*** USED WITH EXTERNAL RESISTOR

**** USED WITH EXTERNAL SHUNT

Part Configuration:

MR13P001DCMAR

Style	Color Scheme	Full-Scale Value	Type of Current	Electrical Units	Ruggedized Construction
MR13	P	001	DC	MA	R

PART LISTINGS

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR05* DCUAR 100 thru 500 microamperes *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR05* DCVVR 1 thru 100 volts *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR05* 5T5DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR05* 1H1DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR05* 5H5DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR05* 5D5DCMAR *Color: A, B, F, P, W	S-100	10304-798-74	/30	Ideal Precision Meter Company
MR05* 1U1DCMAR *Color: A, B, F, P, W	S-100	10304-798-74	/30	Ideal Precision Meter Company
MR05* 5T5DCMAR *Color: A, B, F, P, W	S-100	10304-798-74	/30	Ideal Precision Meter Company
MR05* 1H1DCMAR *Color: A, B, F, P, W	S-100	10304-798-74	/30	Ideal Precision Meter Company
MR05* 5D5DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR05* 5T5DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR05* 10T10DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR05* 25T25DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR05* 50T50DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR05* DCMAR 1 thru 500 milliamperes *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR05* DCMAR 50 thru 500 milliamperes *Color: B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR05* DCUAR 100 thru 500 microamperes *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR05* DCVVR 1 thru 100 volts *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR05* 5D5DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR05* 1U1DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR05* 5T5DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR05* 1H1DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR05* 5D5DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR05* 5T5DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR05* 10T10DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR05* 25T25DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR05* 50T50DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR05* 5T5DCUAR *Color: A, B, F, P, W	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR05* 1H1DCUAR *Color: A, B, F, P, W	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR05* 5H5DCUAR *Color: A, B, F, M, P, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR06* DCMAR 1 thru 500 milliamperes *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR06* DCUAR 100 thru 500 microamperes *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR06* DCVVR 1 thru 100 volts *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR06* 5D5DCMAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR06* 1U1DCMAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR06* 5T5DCMAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR06* 1H1DCMAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR06* 5T5DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR06* 1H1DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR06* 5H5DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR06* 5D5DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR06* 5T5DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR06* 10T10DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR06* 25T25DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR06* 50T50DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR06* DCMAR 1 thru 500 milliamperes *Color: B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR06* DCUAR 100 thru 500 microamperes *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR06* DCVVR 1 thru 100 volts *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR06* 5D5DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR06* 1U1DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR06* 5T5DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR06* 1H1DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR06* 5T5DCUAR *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR06* 1H1DCUAR *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR06* 5H5DCUAR *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR06* 5D5DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR06* 5T5DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR06* 10T10DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR06* 25T25DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR06* 50T50DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR07* DCMAR 1 thru 500 milliamperes *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR07* DCUAR 100 thru 500 microamperes *Color: A, B, F, M, P, W, Y	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR07* DCVVR 1 thru 100 volts *Color: A, B, F, P, W	S-100	10304-798-74; 10304687-87	/32	Ideal Precision Meter Company
MR07* 5D5DCMAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR07* 1U1DCMAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR07* 5T5DCMAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR07* 1H1DCMAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/30	Ideal Precision Meter Company
MR07* 5T5DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR07* 1H1DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR07* 5H5DCUAR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/31	Ideal Precision Meter Company
MR07* 5D5DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR07* 5T5DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR07* 10T10DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR07* 25T25DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR07* 50T50DCVVR *Color: A, B, F, P, W	S-100	10304-687-87; 10304-798-74	/32	Ideal Precision Meter Company
MR07* DCMAR 1 thru 500 milliamperes *Color: B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR07* DCUAR 100 thru 500 microamperes *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR07* DCVVR 1 thru 100 volts *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR07* 5D5DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR07* 1U1DCMAR *Color: A, B, F, P, W	608	10304-687-87	/30	Phaostron Instrument and Electronic Company, Inc.
MR07* 5T5DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR07* 1H1DCMAR *Color: A, B, F, P, W	608	10304-800-74	/30	Phaostron Instrument and Electronic Company, Inc.
MR07* 5T5DCUAR *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR07* 1H1DCUAR *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR07* 5H5DCUAR *Color: A, B, F, M, P, W, Y	608	10304-800-74	/31	Phaostron Instrument and Electronic Company, Inc.
MR07* 5D5DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR13* DCMAR 10 thru 1000 milliamperes *Color: A, B, F, M, P, W, Y W/zero adj.	135	10304-1203-87; 10304-203-87; 10304-796-87	/24	A & M Instruments, Inc.
MR13* DCMAR .5 thru 10 milliamperes *Color: A, B, F, M, P, W, Y W/zero adj.	135	10304-1203-87; 10304-203-87; 10304-796-87	/24	A & M Instruments, Inc.
MR13* DCUAR 50 thru 99 microamperes *Color: A, B, F, M, P, W, Y W/zero adj.	135	10304-1203-87; 10304-203-87; 10304-796-87	/24	A & M Instruments, Inc.
MR13* DCUAR 100 thru 499 microamperes *Color: A, B, F, M, P, W, Y W/zero adj.	135	10304-1203-87; 10304-203-87; 10304-796-87	/24	A & M Instruments, Inc.
MR13* 200DCVVR *Color: A, B, F, M, P, W, Y W/zero adj.	135	10304-1203-87; 10304-203-87; 10304-796-87	/21	A & M Instruments, Inc.
MR13* 300DCVVR *Color: A, B, F, M, P, W W/o zero adj.	MR-131	10304-198-79; 10304-688-87	/21	Ideal Precision Meter Company
MR13* 300DCVVR *Color: A, B, F, M, P, W W/zero adj.	MR-131	10304-198-79; 10304-688-87	/13	Ideal Precision Meter Company
MR13* DCUAR 50 thru 499 microamperes *Color: A, B, F, M, P, W W/zero adj.	R-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* 001DCMAR *Color: A, B, F, M, P, W W/zero adj.	R-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* 500DCUAR *Color: A, B, F, M, P, W W/zero adj.	R-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* 500DCUAR *Color: A, B, F, M, P, W Wo zero adj.	R-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* 001DCMAR *Color: A, B, F, M, P, W W/o zero adj.	R-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* DCUAR 50 thru 499 microamperes *Color: A, B, F, M, P, W W/o zero adj.	S-131	10304-198-79; 10304-688-79	/24	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR13* 001DCMAR *Color: A, B, F, M, P, W W/ zero adj.	S-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* 500DCUAR *Color: A, B, F, M, P, W W/zero adj.	S-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* 300DCVVR *Color: A, B, F, M, P, W W/o zero adj.	S-131	10304-198-79; 10304-688-87	/21	Ideal Precision Meter Company
MR13* 500DCUAR *Color: A, B, F, M, P, W W/o zero adj.	S-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* 300DCVVR *Color: A, B, F, M, P, W W/zero adj.	S-131	10304-198-79; 10304-688-87	/13	Ideal Precision Meter Company
MR13* 001DCMAR *Color: A, B, F, M, P, W W/o zero adj.	S-131	10304-198-79; 10304-688-87	/24	Ideal Precision Meter Company
MR13* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCUAR 50 thru 99 microamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCUAR 50 thru 499 microamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5H5DCUAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1128-85	/21	Phaostron Instrument and Electronic Company, Inc.
MR13* 010DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 030DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 050DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 100DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 200DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 300DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 500DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR13* 1T1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 3T3DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5T5DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 10T10DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 20T20DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 30T30DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 50T50DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 001DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 005DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 010DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 050DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 100DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 200DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 500DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1U1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5H5DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1T1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 10T10DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 50T50DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR13* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCUAR 50 thru 499 microamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 010DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 030DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 050DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 100DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 200DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 300DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 500DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1T1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 3T3DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5T5DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 10T10DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 20T20DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 30T30DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 50T50DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 001DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 005DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR13* 010DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 050DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 100DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 200DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 500DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1U1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5U5DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1T1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 10T10DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 50T50DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	611V	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCUAR 50 thru 99 microamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCUAR 50 thru 499 microamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5H5DCUAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1128-85	/21	Phaostron Instrument and Electronic Company, Inc.
MR13* 030DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 050DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 100DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR13* 200DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 300DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 500DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1T1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 3T3DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5T5DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 10T10DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 20T20DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 30T30DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 50T50DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 001DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 005DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 010DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 050DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 100DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 200DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 500DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1U1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5U5DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR13* 1T1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 10T10DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 50T50DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 010DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCUAR 50 thru 499 microamperes *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5H5DCUAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-353-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1128-85	/21	Phaostron Instrument and Electronic Company, Inc.
MR13* 010DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 030DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 050DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 100DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 200DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 300DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 500DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1T1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 3T3DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5T5DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR13* 10T10DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 20T20DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 30T30DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 50T50DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 001DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 005DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 010DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 050DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 100DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 200DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 500DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1U1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 5U5DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 1T1DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 10T10DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR13* 50T50DCMAR *Color: A, B, F, M, P, W, Y W/o zero adj.	618E	10304-1056-87	/24	Phaostron Instrument and Electronic Company, Inc.
MR24* DCMAR 1 thru 10 milliamperes *Color: A, B, F, M, P, W, Y	2452	10304-1204-87; 10304-796-87	/37	A & M Instruments, Inc.
MR24* DCUAR 200 thru 500 microamperes *Color: A, B, F, M, P, W, Y	2452	10304-1204-87; 10304-796-87	/37	A & M Instruments, Inc.
MR24* DCVVR 1.5 thru 500 volts *Color: A, B, F, M, P, W, Y	2452	10304-1204-87; 10304-796-87	/37	A & M Instruments, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR24* DCMAR 1 thru 10 milliamperes *Color: A, B, F, M, P, W, Y	623	10304-1057-87	/37	Phaostron Instrument and Electronic Company, Inc.
MR24* DCUAR 200 thru 500 microamperes *Color: A, B, F, M, P, W, Y	623	10304-1057-87	/37	Phaostron Instrument and Electronic Company, Inc.
MR24* DCVVR 1.5 thru 500 volts *Color: A, B, F, M, P, W, Y	623	10304-1057-87	/37	Phaostron Instrument and Electronic Company, Inc.
MR26* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* DCAAR 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/4	A & M Instruments, Inc.
MR26* DCMAR 10 thru 500 microamperes *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* DCUAR 50 thru 99 microamperes *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* DCUAR 100 thru 500 microamperes *Color: B, W	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/4	A & M Instruments, Inc.
MR26* 500DCVVR*** *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/4	A & M Instruments, Inc.
MR26* 1T1DCAAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 1U1DCAAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 5U5DCAAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 1H1DCMAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 5H5DCMAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 1T1DCMAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 5T5DCMAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 1U1DCMAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 5U5DCMAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 1H1DCUAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 3H3DCUAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 3T3DCUAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 5H5DCUAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 5T5DCUAR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 1H1DCVVR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/4	A & M Instruments, Inc.
MR26* 2H2DCVVR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/4	A & M Instruments, Inc.
MR26* 5T5DCVVR *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/4	A & M Instruments, Inc.
MR26* DCVVR 50 thru 500 volts *Color: A, B, F, M, P, W, Y	265	10304-1204-87; 10304-204-87; 10304-796-87	/26	A & M Instruments, Inc.
MR26* DCUAR 50 thru 100 microamperes *Color: A, B, F, M, P, W, Y	265E	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* AFAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/7	A & M Instruments, Inc.
MR26* ACAAR 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/7	A & M Instruments, Inc.
MR26* AFAAR 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/7	A & M Instruments, Inc.
MR26* ACMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/7	A & M Instruments, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* AFMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/7	A & M Instruments, Inc.
MR26* ACVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/6	A & M Instruments, Inc.
MR26* ACVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/6	A & M Instruments, Inc.
MR26* AFVVR*** 500 thru 800 volts *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/6	A & M Instruments, Inc.
MR26* AFVVR*** 500 thru 800 volts *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/6	A & M Instruments, Inc.
MR26* ACAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	266	10304-1204-87; 10304-204-87; 10304-797-87	/7	A & M Instruments, Inc.
MR26* DCUAR 50 thru 100 microamperes *Color: A, B, F, M, P, W, Y	267	10304-1204-87; 10304-204-87; 10304-796-87	/5	A & M Instruments, Inc.
MR26* 1H1DCMAR *Color: A, B, F, M, P, W, Y	R230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* 5H5DCMAR *Color: A, B, F, M, P, W, Y	R230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* 1U1DCMAR *Color: A, B, F, M, P, W, Y	R230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* 5U5DCMAR *Color: A, B, F, M, P, W, Y	R230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* 1T1DCMAR *Color: A, B, F, M, P, W, Y	R230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* 5T5DCMAR *Color: A, B, F, M, P, W, Y	R230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* ARVVR 2 thru 500 volts *Color: A, B, F, P, W	R-230	10304-307-81; 10304-689-87	/25	Ideal Precision Meter Company
MR26* ARKVR*** 1 thru 30 kilovolts *Color: A, B, F, P, W	R-230	10304-307-81; 10304-689-87	/25	Ideal Precision Meter Company
MR26* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W	R-230	10304-311-72; 10304-689-87; 10304-81-61	/5	Ideal Precision Meter Company
MR26* DCAAR 1 thru 30 amperes *Color: A, B, F, P, W	R-230	10304-155-64; 10304-311-72; 10304-689-87	/5	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* DCKAR*** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W	R-230	10304-310-87; 10304-689-87; 10304-81-61	/5	Ideal Precision Meter Company
MR26* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W	R-230	10304-154-64; 10304-310-72; 10304-689-87	/4	Ideal Precision Meter Company
MR26* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W	R-230	10304-310-72; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W	R-230	10304-154-64; 10304-310-72; 10304-689-87	/5	Ideal Precision Meter Company
MR26* DCUAR 20 thru 500 microamperes *Color: A, B, F, M, P, W	R-230	10304-321-72; 10304-689-87; 10304-78-61; 10304-88-61	/5	Ideal Precision Meter Company
MR26* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W	R-230	10304-310-72; 10304-689-87; 10304-77-61	/4	Ideal Precision Meter Company
MR26* 500DCVVR*** *Color: A, B, F, M, P, W	R-230	10304-154-64; 10304-310-72; 10304-689-87	/4	Ideal Precision Meter Company
MR26* 1T1DCAAR *Color: A, B, F, P, W	R-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 1T3DCAAR**** *Color: A, B, F, P, W	R-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 2T2DCAAR**** *Color: A, B, F, P, W	R-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 3T3DCAAR**** *Color: A, B, F, P, W	R-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 5U5DCAAR *Color: A, B, F, P, W	R-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 5T5DCUAR *Color: A, B, F, M, P, W, Y	R-230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* 5H5DCUAR *Color: A, B, F, M, P, W, Y	R-230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* 1H1DCUAR *Color: A, B, F, M, P, W, Y	R-230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/9	Ideal Precision Meter Company
MR26* 5T5DCVVR *Color: A, B, F, M, P, W	R-230	10304-689-87; 10304-77-61	/4	Ideal Precision Meter Company
MR26* 1H1DCVVR *Color: A, B, F, M, P, W	R-230	10304-689-87; 10304-77-61	/4	Ideal Precision Meter Company
MR26* 2H2DCVVR *Color: A, B, F, M, P, W	R-230	10304-689-87; 10304-77-61	/4	Ideal Precision Meter Company
MR26* 105SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 106SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 107SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 108SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 109SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 110SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 111SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 112SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 113SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 114SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 115SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 116SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 118SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 119SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 152SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 153SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 154SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 155SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 156SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 158SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 159SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 160SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 161SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 162SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 163SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 164SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 165SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 157SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 166SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 167SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 168SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 169SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 297SPECR *Color: M Special Features Per DSCC Drawing	R-230	10304-689-87; 10304-87-61	/9	Ideal Precision Meter Company
MR26* 1H1DCMAR *Color: A, B, F, M, P, W, Y	S230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* 5H5DCMAR *Color: A, B, F, M, P, W, Y	S230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* 1U1DCMAR *Color: A, B, F, M, P, W, Y	S230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 5U5DCMAR *Color: A, B, F, M, P, W, Y	S230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* 1T1DCMAR *Color: A, B, F, M, P, W, Y	S230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* 5T5DCMAR *Color: A, B, F, M, P, W, Y	S230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* ARVVR 2 thru 500 volts *Color: A, B, F, P, W	S-230	10304-307-81; 10304-689-87	/25	Ideal Precision Meter Company
MR26* ARKVR*** 1 thru 30 kilovolts *Color: A, B, F, P, W	S-230	10304-307-81; 10304-689-87	/25	Ideal Precision Meter Company
MR26* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W	S-230	10304-311-72; 10304-689-87; 10304-81-61	/5	Ideal Precision Meter Company
MR26* DCAAR 1 thru 30 amperes *Color: A, B, F, P, W	S-230	10304-155-64; 10304-311-72; 10304-689-87	/5	Ideal Precision Meter Company
MR26* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W	S-230	10304-310-87; 10304-689-87; 10304-81-61	/5	Ideal Precision Meter Company
MR26* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W	S-230	10304-154-64; 10304-310-72; 10304-689-87	/4	Ideal Precision Meter Company
MR26* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W	S-230	10304-310-72; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W	S-230	10304-154-64; 10304-310-72; 10304-689-87	/5	Ideal Precision Meter Company
MR26* DCUAR 20 thru 500 microamperes *Color: A, B, F, M, P, W	S-230	10304-321-72; 10304-689-87; 10304-78-61; 10304-88-61	/5	Ideal Precision Meter Company
MR26* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W	S-230	10304-310-72; 10304-689-87; 10304-77-61	/4	Ideal Precision Meter Company
MR26* 500DCVVR*** *Color: A, B, F, M, P, W	S-230	10304-154-64; 10304-310-72; 10304-689-87	/4	Ideal Precision Meter Company
MR26* 1T1DCAAR *Color: A, B, F, P, W	S-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 1T3DCAAR**** *Color: A, B, F, P, W	S-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 2T2DCAAR**** *Color: A, B, F, P, W	S-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 3T3DCAAR**** *Color: A, B, F, P, W	S-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company
MR26* 5U5DCAAR *Color: A, B, F, P, W	S-230	10304-1082-64; 10304-689-87	/5	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 5T5DCUAR *Color: A, B, F, M, P, W, Y	S-230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* 5H5DCUAR *Color: A, B, F, M, P, W, Y	S-230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* 1H1DCUAR *Color: A, B, F, M, P, W, Y	S-230	10304-1082-64; 10304-1083-64; 10304-689-87; 10304-79-61	/5	Ideal Precision Meter Company
MR26* 5T5DCVVR *Color: A, B, F, M, P, W	S-230	10304-689-87; 10304-77-61	/4	Ideal Precision Meter Company
MR26* 1H1DCVVR *Color: A, B, F, M, P, W	S-230	10304-689-87; 10304-77-61	/4	Ideal Precision Meter Company
MR26* 2H2DCVVR *Color: A, B, F, M, P, W	S-230	10304-689-87; 10304-77-61	/4	Ideal Precision Meter Company
MR26* 105SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 106SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 107SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 108SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 109SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 110SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 111SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 112SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 113SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 114SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 115SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 116SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 118SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 119SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 152SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 153SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 154SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-1082-64; 10304-689-87	/9	Ideal Precision Meter Company
MR26* 155SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 156SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 157SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 158SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 159SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 160SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 161SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 162SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 163SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1080-64; 10304-1081-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 164SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 165SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 166SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 167SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 168SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 169SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	S-230	10304-1080-64; 10304-1081-64; 10304-1082-64; 10304-689-87; 10304-77-61	/9	Ideal Precision Meter Company
MR26* 297SPECR *Color: M Special Features Per DSCC Drawing	S-230	10304-689-87; 10304-87-61	/9	Ideal Precision Meter Company
MR26* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	621	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	621	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	621	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	621	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	621	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	621	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCUAR 50 thru 500 microamperes *Color: A, B, F, M, P, W, Y	621	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCUAR 100 thru 500 microamperes *Color: A, B, F, M, P, W, Y	621	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	621	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 500DCVVR*** *Color: A, B, F, M, P, W, Y	621	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 5U5DCAAR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T1DCAAR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1U1DCMAR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCMAR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 5U5DCMAR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T1DCMAR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCMAR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5H5DCMAR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCUAR *Color: A, B, F, M, P, W, Y	621	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCUAR *Color: A, B, F, M, P, W, Y	621	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 5H5DCUAR *Color: A, B, F, M, P, W, Y	621	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCVVR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCVVR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 2H2DCVVR *Color: A, B, F, M, P, W, Y	621	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 105SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 106SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 107SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 114SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 115SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 116SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 118SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 119SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 152SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 153SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 154SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 161SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 162SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 163SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 297SPECR *Color: M Special Features Per DSCC Drawing	621	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	621V	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	621V	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	621V	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W	621V	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	621V	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	621V	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCUAR 50 thru 500 microamperes *Color: A, B, F, M, P, W, Y	621V	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 500DCVVR*** *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 5U5DCAAR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T1DCAAR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 1U1DCMAR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCMAR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5U5DCMAR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T1DCMAR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCMAR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5H5DCMAR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCUAR *Color: A, B, F, M, P, W, Y	621V	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCUAR *Color: A, B, F, M, P, W, Y	621V	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 5H5DCUAR *Color: A, B, F, M, P, W, Y	621V	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCVVR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCVVR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 2H2DCVVR *Color: A, B, F, M, P, W, Y	621V	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 105SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 106SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 107SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 114SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 115SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 116SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 117SPECR*** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 118SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 119SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 152SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 153SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 154SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 161SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 162SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 163SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 297SPECR *Color: M Special Features Per DSCC Drawing	621V	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* ACAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* 800ACVVR*** *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* AFVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 800AFVVR*** *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* AEVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* 800AEVVR*** *Color: A, B, F, M, P, W, Y	627	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* ACAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* 800ACVVR*** *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* AFVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* 800AFVVR*** *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* AEVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* 800AEVVR*** *Color: A, B, F, M, P, W, Y	627V	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* ARVVR 2 thru 500 volts *Color: A, B, F, P, W	628	10304-1139-85	/25	Phaostron Instrument and Electronic Company, Inc.
MR26* ARKVR*** 1 thru 30 kilovolts *Color: A, B, F, P, W	628	10304-1139-85	/25	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	628	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	628	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	628	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W	628	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	628	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	628	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCUAR 50 thru 500 microamperes *Color: A, B, F, M, P, W, Y	628	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCUAR 100 thru 500 microamperes *Color: A, B, F, M, P, W, Y	628	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	628	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 500DCVVR*** *Color: A, B, F, M, P, W, Y	628	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 5U5DCAAR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T1DCAAR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1U1DCMAR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCMAR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5U5DCMAR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T1DCMAR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCMAR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5H5DCMAR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCUAR *Color: A, B, F, M, P, W, Y	628	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 1H1DCUAR *Color: A, B, F, M, P, W, Y	628	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 5H5DCUAR *Color: A, B, F, M, P, W, Y	628	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCVVR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCVVR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 2H2DCVVR *Color: A, B, F, M, P, W, Y	628	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 105SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 106SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 107SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 114SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 115SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 116SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 117SPECR*** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 118SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 119SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 152SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 153SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 154SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 161SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 162SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 163SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 297SPECR *Color: M Special Features Per DSCC Drawing	628	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	628E	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	628E	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	628E	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W	628E	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	628E	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	628E	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCUAR 50 thru 500 microamperes *Color: A, B, F, M, P, W, Y	628E	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCUAR 100 thru 500 microamperes *Color: A, B, F, M, P, W, Y	628E	10304-1058-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* DCVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 500DCVVR*** *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 5U5DCAAR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T1DCAAR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1U1DCMAR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCMAR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5U5DCMAR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 1T1DCMAR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 5T5DCMAR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5H5DCMAR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCUAR *Color: A, B, F, M, P, W, Y	628E	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCUAR *Color: A, B, F, M, P, W, Y	628E	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 5H5DCUAR *Color: A, B, F, M, P, W, Y	628E	10304-356-87	/5	Phaostron Instrument and Electronic Company, Inc.
MR26* 5T5DCVVR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 1H1DCVVR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 2H2DCVVR *Color: A, B, F, M, P, W, Y	628E	10304-149-83	/4	Phaostron Instrument and Electronic Company, Inc.
MR26* 105SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 106SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 107SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 114SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 115SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 116SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 118SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 119SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 152SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 153SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 154SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR26* 161SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 162SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 163SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* 297SPECR *Color: M Special Features Per DSCC Drawing	628E	10304-149-83	/9	Phaostron Instrument and Electronic Company, Inc.
MR26* ACAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEAAR** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AFMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* AEMAR 5 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/7	Phaostron Instrument and Electronic Company, Inc.
MR26* ACVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* 800ACVVR*** *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* AFVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* 800AFVVR*** *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* AEVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.
MR26* 800AEVVR*** *Color: A, B, F, M, P, W, Y	629	10304-1058-87	/6	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR34* DCVVR*** 1 thru 30 volts *Color: A, B, F, M, P, W, Y	345	10304-1205-87; 10304-796-87	/22	A & M Instruments, Inc.
MR34* DCMAR 1 thru 10 milliamperes *Color: A, B, F, M, P, W, Y	345	10304-1205-87; 10304-796-87	/22	A & M Instruments, Inc.
MR34* DCUAR 200 thru 500 microamperes *Color: A, B, F, M, P, W, Y	345	10304-1205-87; 10304-796-87	/22	A & M Instruments, Inc.
MR34* DCVVR 1.5 thru 500 volts *Color: A, B, F, M, P, W, Y	345	10304-1205-87; 10304-796-87	/22	A & M Instruments, Inc.
MR34* DCMAR 1 thru 10 milliamperes *Color: A, B, F, M, P, W, Y	3452	10304-1205-87; 10304-796-87	/22	A & M Instruments, Inc.
MR34* DCUAR 200 thru 500 microamperes *Color: A, B, F, M, P, W, Y	3452	10304-1205-87; 10304-796-87	/22	A & M Instruments, Inc.
MR34* DCVVR 1.5 thru 500 volts *Color: A, B, F, M, P, W, Y	3452	10304-1205-87; 10304-796-87	/22	A & M Instruments, Inc.
MR34* DCVVR*** 1 thru 30 volts *Color: A, B, F, M, P, W, Y	633	10304-1060-87	/22	Phaostron Instrument and Electronic Company, Inc.
MR34* DCMAR 1 thru 10 milliamperes *Color: A, B, F, M, P, W, Y	633	10304-1060-87	/22	Phaostron Instrument and Electronic Company, Inc.
MR34* DCUAR 200 thru 500 microamperes *Color: A, B, F, M, P, W, Y	633	10304-1060-87	/22	Phaostron Instrument and Electronic Company, Inc.
MR34* DCVVR 1 thru 500 volts *Color: A, B, F, M, P, W, Y	633	10304-1060-87	/22	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* DCAAR 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/11	A & M Instruments, Inc.
MR36* DCMAR 50 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* DCUAR 50 thru 100 microamperes *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* DCUAR 100 thru 500 microamperes *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* DCVVR 2 thru 800 volts *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/11	A & M Instruments, Inc.
MR36* 1T1DCAAR**** *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 5T5DCAAR**** *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 5U5DCAAR**** *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 1H1DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 1T1DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 3T3DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 1U1DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 2H2DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 3H3DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 5H5DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 5T5DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 5U5DCMAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 1H1DCUAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 2H2DCUAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 3H3DCUAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 5H5DCUAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 3T3DCUAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 5T5DCUAR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/12	A & M Instruments, Inc.
MR36* 1H1DCVVR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/11	A & M Instruments, Inc.
MR36* 2H2DCVVR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/11	A & M Instruments, Inc.
MR36* 3T3DCVVR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/11	A & M Instruments, Inc.
MR36* 5T5DCVVR *Color: A, B, F, M, P, W, Y	365	10304-1205-87; 10304-205-87; 10304-796-87	/11	A & M Instruments, Inc.
MR36* ACAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/14	A & M Instruments, Inc.
MR36* ACAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/14	A & M Instruments, Inc.
MR36* AFAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/14	A & M Instruments, Inc.
MR36* AFAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/14	A & M Instruments, Inc.
MR36* ACMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/14	A & M Instruments, Inc.
MR36* AFMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/14	A & M Instruments, Inc.
MR36* ACVVR 1 thru 300 volts *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/13	A & M Instruments, Inc.
MR36* AFVVR 1 thru 300 volts *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/13	A & M Instruments, Inc.
MR36* ACVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/13	A & M Instruments, Inc.
MR36* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	36.1924	10304-689-87; 10304-690-87	/12	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* DCVVR 2 thru 800 volts *Color: A, B, F, P, W W/zero adj.	MR-330	10304-310-72; 10304-690-87	/11	Ideal Precision Meter Company
MR36* DCVVR 2 thru 800 volts *Color: A, B, F, P, W W/o zero adj.	MR-330	10304-310-72; 10304-690-87	/11	Ideal Precision Meter Company
MR36* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W	R-230	10304-311-72; 10304-690-87; 10304-97-61	/12	Ideal Precision Meter Company
MR36* ARVVR 2 thru 500 volts *Color: A, B, F, M, P, W, Y	R-330	10304-307-81; 10304-690-87	/26	Ideal Precision Meter Company
MR36* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W	R-330	10304-311-72; 10304-415-64; 10304-690-87	/12	Ideal Precision Meter Company
MR36* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W	R-330	10304-156-64; 10304-310-72; 10304-690-87	/11	Ideal Precision Meter Company
MR36* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	R-330	10304-310-72; 10304-690-87; 10304-96-61	/12	Ideal Precision Meter Company
MR36* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W	R-330	10304-310-72; 10304-690-87	/12	Ideal Precision Meter Company
MR36* DCUAR 50 thru 300 microamperes *Color: A, B, F, M, P, W	R-330	10304-269-64; 10304-312-72; 10304-690-87; 10304-98-61	/12	Ideal Precision Meter Company
MR36* 5U5DCAAR *Color: A, B, F, M, P, W, Y	R-330	10304-66-69; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 1T1DCAAR *Color: A, B, F, M, P, W, Y	R-330	10304-66-69; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	R-330	10304-66-69; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	R-330	10304-66-69; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	R-330	10304-66-69; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 1H1DCMAR *Color: A, B, F, M, P, W, Y	R-330	10304-1085-64; 10304-65-59; 10304-66-59; 10304-690-87	/12	Ideal Precision Meter Company
MR36* 5U5DCMAR *Color: A, B, F, M, P, W, Y	R-330	10304-1085-64; 10304-65-59; 10304-66-59; 10304-690-87	/12	Ideal Precision Meter Company
MR36* 1T1DCMAR *Color: A, B, F, M, P, W, Y	R-330	10304-1085-64; 10304-65-59; 10304-66-59; 10304-690-87	/12	Ideal Precision Meter Company
MR36* 1U1DCMAR *Color: A, B, F, M, P, W, Y	R-330	10304-1085-64; 10304-65-59; 10304-66-59; 10304-690-87	/12	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 5T5DCMAR *Color: A, B, F, M, P, W, Y	R-330	10304-1085-64; 10304-65-59; 10304-66-59; 10304-690-87	/12	Ideal Precision Meter Company
MR36* 5H5DCMAR *Color: A, B, F, M, P, W, Y	R-330	10304-1085-64; 10304-65-59; 10304-66-59; 10304-690-87	/12	Ideal Precision Meter Company
MR36* 1H1DCUAR *Color: A, B, F, M, P, W, Y	R-330	10304-1084-64; 10304-1085-64; 10304-690-87	/12	Ideal Precision Meter Company
MR36* 5H5DCUAR *Color: A, B, F, M, P, W, Y	R-330	10304-1084-64; 10304-1085-64; 10304-690-87	/12	Ideal Precision Meter Company
MR36* 5T5DCUAR *Color: A, B, F, M, P, W, Y	R-330	10304-1084-64; 10304-1085-64; 10304-690-87	/12	Ideal Precision Meter Company
MR36* 1H1DCVVR *Color: A, B, F, M, P, W	R-330	10304-1079-64; 10304-690-87	/11	Ideal Precision Meter Company
MR36* 2H2DCVVR *Color: A, B, F, M, P, W	R-330	10304-1079-64; 10304-690-87	/11	Ideal Precision Meter Company
MR36* 5T5DCVVR *Color: A, B, F, M, P, W	R-330	10304-1079-64; 10304-690-87	/11	Ideal Precision Meter Company
MR36* 105SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 106SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 107SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 108SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 109SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 110SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 111SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 112SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 113SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 114SPEC**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 115SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 116SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 118SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 119SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 152SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 153SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 154SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 155SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 156SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 157SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 158SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 159SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 160SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 161SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 162SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 163SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 164SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 165SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 166SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 167SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 168SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* 169SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	R-330	10304-1077-64; 10304-1078-64; 10304-1079-64; 10304-66-59; 10304-690-87	/16	Ideal Precision Meter Company
MR36* AFVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	366	10304-1205-87; 10304-205-87; 10304-797-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* ARVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	631	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* 500ARVVR*** *Color: A, B, F, M, P, W, Y	631	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCVVR 2 thru 800 volts *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCUAR 50 thru 500 microamperes *Color: A, B, F, M, P, W, Y	631	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T1DCAAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCAAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 1T1DCAAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCAAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1U1DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T1DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3H3DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5U5DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5H5DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCMAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCUAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCUAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3H3DCUAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCUAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5H5DCUAR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCVVR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCVVR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCVVR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCVVR *Color: A, B, F, M, P, W, Y	631	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 115SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 119SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 115SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 119SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 125SPECR *Color: Y Special Features Per DSCC Drawing	631	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631	10304-150-83	/16	Phaostron Instrument and Electronic Company, Inc.
MR36* DCVVR 2 thru 800 volts *Color: A, B, F, M, P, W, Y	631E	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	631E	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	631G	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	631G	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	631G	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* ARKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	631R	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKAR*** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCUAR 50 thru 500 microamperes *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCVVR 2 thru 800 volts *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* DCVVR 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	631V	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 5U5DCAAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5U5DCAAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1U1DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T1DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3H3DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5U5DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5H5DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCMAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCUAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3H3DCUAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCUAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5H5DCUAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCUAR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCVVR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCVVR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCVVR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCVVR *Color: A, B, F, M, P, W, Y	631V	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 114SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631V	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 118SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631V	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 116SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631V	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 114SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631V	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 118SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631V	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 116SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631V	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 125SPECR *Color: Y Special Features Per DSCC Drawing	631V	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	631V	10304-150-83	/16	Phaostron Instrument and Electronic Company, Inc.
MR36* ARKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	631VR	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* ARVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	631VR	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* 500ARVVR*** *Color: A, B, F, M, P, W, Y	631VR	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* ACAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	637	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	637	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	637	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	637	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AEAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	637	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AEAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	637	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	637	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	637	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* AEMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	637	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACVVR 1.5 thru 300 volts *Color: A, B, F, M, P, W, Y	637E	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* ACVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	637E	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AFVVR 1.5 thru 300 volts *Color: A, B, F, M, P, W, Y	637E	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AFVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	637E	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AEVVR 1.5 thru 300 volts *Color: A, B, F, MP, W, Y	637E	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AEVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	637E	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* ACAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	637V	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	637V	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	637V	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	637V	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AEAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	637V	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AEAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	637V	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	637V	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	637V	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACVVR 1.5 thru 300 volts *Color: A, B, F, M, P, W, Y	637V	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AEMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	637V	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	637V	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AFVVR 1.5 thru 300 volts *Color: A, B, F, M, P, W, Y	637V	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* AFVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	637V	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AEVVR 1.5 thru 300 volts *Color: A, B, F, M, P, W, Y	637V	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AEVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	637V	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* ARVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	638	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* 500ARVVR*** *Color: A, B, F, M, P, W, Y	638	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKAR**** 1 thru 1.2 kiloamperes *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCUAR 50 thru 500 microamperes *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCVVR 2 thru 800 volts *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	638	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T1DCAAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCAAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2T2DCAAR**** *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T1DCAAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCAAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5U5DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 2H2DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5H5DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1U1DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T1DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3H3DCMAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCUAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5H5DCUAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCUAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCUAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3H3DCUAR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCVVR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCVVR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCVVR *Color: A, B, F, M, P, W, Y	638	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 115SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 119SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 117SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 115SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 119SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 125SPECR *Color: Y Special Features Per DSCC Drawing	638	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638	10304-150-83	/16	Phaostron Instrument and Electronic Company, Inc.
MR36* ARKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	638E	10304-361-87	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* ARVVR 2 thru 300 volts *Color: A, B, F, M, P, W, Y	638E	10304-361-87	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* 500ARVVR*** *Color: A, B, F, M, P, W, Y	638E	10304-361-87	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR 1 thru 30 amperes *Color: A, B, F, M, P, W, Y	638E	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCAAR**** 50 thru 500 amperes *Color: A, B, F, M, P, W, Y	638E	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	638E	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 1 thru 5 milliamperes *Color: A, B, F, M, P, W, Y	638E	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	638E	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCUAR 50 thru 500 microamperes *Color: A, B, F, M, P, W, Y	638E	10304-1059-87	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* DCVVR 2 thru 800 volts *Color: A, B, F, M, P, W, Y	638E	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* DCKVR 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	638E	10304-1059-87	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5U5DCAAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T3DCAAR**** *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5U5DCAAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCAAR**** *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5H5DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3T3DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 1H1DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1U1DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1T1DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3H3DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5U5DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCMAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5H5DCUAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 1H1DCUAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 5T5DCUAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 3H3DCUAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCUAR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/12	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCVVR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCVVR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCVVR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 2H2DCVVR *Color: A, B, F, M, P, W, Y	638E	10304-1059-87; 10304-150-83	/11	Phaostron Instrument and Electronic Company, Inc.
MR36* 116SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638E	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 114SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638E	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 118SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638E	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 116SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638E	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 114SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638E	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 118SPECR**** *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638E	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.
MR36* 125SPECR *Color: Y Special Features Per DSCC Drawing	638E	10304-150-83	/10	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR36* 131SPECR *Color: A, B, F, M, P, W, Y Special Features Per DSCC Drawing	638E	10304-150-83	/16	Phaostron Instrument and Electronic Company, Inc.
MR36* ARKVR*** 1 thru 30 kilovolts *Color: A, B, F, M, P, W, Y	638R	10304-1135-85	/26	Phaostron Instrument and Electronic Company, Inc.
MR36* ACVVR 1.5 thru 300 volts *Color: A, B, F, M, P, W, Y	639	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* ACVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	639	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AFVVR 1.5 thru 300 volts *Color: A, B, F, M, P, W, Y	639	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AFVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	639	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AEVVR 1.5 thru 300 volts *Color: A, B, F, M, P, W, Y	639	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* AEVVR*** 500 thru 1000 volts *Color: A, B, F, M, P, W, Y	639	10304-1133-85; 10304-359-87	/13	Phaostron Instrument and Electronic Company, Inc.
MR36* ACAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	639E	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	639E	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	639E	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	639E	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AEAAR 1 thru 50 amperes *Color: A, B, F, M, P, W, Y	639E	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AEAAR** 100 thru 500 amperes *Color: A, B, F, M, P, W, Y	639E	10304-1059-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* ACMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	639E	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AFMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	639E	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR36* AEMAR 10 thru 500 milliamperes *Color: A, B, F, M, P, W, Y	639E	10304-1134-85; 10304-360-87	/14	Phaostron Instrument and Electronic Company, Inc.
MR44* 001DCMAR *Color: A, B, F, M, P, W, Y	643	10304-1061-87	/23	Phaostron Instrument and Electronic Company, Inc.
MR44* DCVVR 1 thru 500 volts *Color: A, B, F, M, P, W, Y	643	10304-102-67	/23	Phaostron Instrument and Electronic Company, Inc.

PART LISTINGS				
GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
MR46* 001DCMAR *Color: W	465	10304-1343-77; 10304-95-82	/17	A & M Instruments, Inc.
MR46* 001DCMAR *Color: W	4652	10304-1343-77; 10304-95-82	/17	A & M Instruments, Inc.
MR46* 050DCUAR *Color: W	4652	10304-796-87	/17	A & M Instruments, Inc.
MR46* 001DCMAR *Color: W	R-430	10304-313-72; 10304-386-66	/17	Ideal Precision Meter Company
MR46* 050DCUAR *Color: W	R-430	10304-313-72; 10304-387-66	/17	Ideal Precision Meter Company
MR46* 050DCUAR *Color: W	(Taud Band)	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 001DCMAR *Color: W	641	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 050DCUAR *Color: W	641	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 001DCMAR *Color: W	641V	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 050DCUAR *Color: W	641V	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 050DCUAR *Color: W	644T	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 050DCUAR *Color: W	644VT	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 001DCMAR *Color: W	648	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 050DCUAR *Color: W	648	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 001DCMAR *Color: W	648E	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR46* 050DCUAR *Color: W	648E	10304-1062-87	/17	Phaostron Instrument and Electronic Company, Inc.
MR70* 5T5DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR70* 10T10DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR70* 25T25DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.
MR70* 50T50DCVVR *Color: A, B, F, P, W	608	10304-800-74	/32	Phaostron Instrument and Electronic Company, Inc.

Manufacturer and Supplier Location Information

Manufacturer: A & M Instruments, Inc. (CAGE Code: 15309)

Location: 920 Candia Road, Manchester, NH 03109, US

Plants:

1. Plant: Same Address as Manufacturer

Manufacturer: Ideal Precision Meter Company (CAGE Code: 11707)

Location: 5816 Creedmoor Road, Raleigh, NC 27612, US

Plants:

1. Plant: Same Address as Manufacturer
2. Ideal Precision Meter Company, 12 Gana Street, Heliopolis, Cairo, Egypt

Manufacturer: Phaostron Instrument and Electronic Company, Inc. (CAGE Code: 77221)

Location: 717 North Coney Avenue, Azsuzza, CA 91702, US

Plants:

1. Plant: Same Address as Manufacturer