

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-R-10509
RESISTOR, FIXED, FILM (HIGH STABILITY)
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-R-10509. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE DEFENSE SUPPLY CENTER COLUMBUS (DSCC-VQ), COLUMBUS, OH 43216-5000.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFI- CATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RN50 Chars. C and E, res. values 10 ohms thru 0.100 megohm, res. tols. B, C, D, and F.	CMF50	10509-1120-77	/8	Dale Electronics, Inc. (1)
RN50 Char. C, res. values 10 ohms thru 0.100 megohm, res. tol. F.	T2-50	10509-587-82	/8	IRC, Inc.
RN55 Char. D, res. values 10 ohms thru 0.301 megohm, res. tol. F; Chars. C and E, res. values 49.9 ohms thru 0.100 megohm, res. tols. B, C, D, and F.	CMF-55	10509-579-90	/7	Dale Electronics, Inc. (1)
RN55 Char. C, res. values 49.9 ohms thru 0.100 megohm, res. tol. F.	NC55	10509-150-97 10509-151-97	/7	Dale Electronics, Inc. (2)
RN55 Char. D, res. values 49.9 ohms thru 0.301 megohm, res. tol. F.	CT55	10509-150-97 10509-151-97	/7	Dale Electronics, Inc. (2)
RN55 Char. E, res. values 154 ohms thru 0.100 megohm, res. tol. F.	NE55	10509-150-97 10509-151-97	/7	Dale Electronics, Inc. (2)
RN55 Char. D, res. values 10 ohms thru 0.301 megohm, res. tol. F.	T0-55	10509-217-68	/7	IRC, Inc.
RN55 Chars. C and E, res. values 49.9 ohms thru 0.100 megohm, res. tols. B, C, D, and F.	T9-55 T2-55	10509-17-70	/7	IRC, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFI- CATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RN55 Char. D, res. values 10 ohms thru 0.301 megohm, res. tol. F.	MF55	10509-883-77	/7	KOA Speer Electronics, Inc.
RN55 Char. C, res. values 49.9 ohms thru 0.100 megohm; res. tols. D and F.	MC55	10509-335-79	/7	KOA Speer Electronics, Inc.
RN55 Chars. C and E, res. values 49.9 ohms thru 0.100 megohm, res. tols. B, C, D, and F.	9847-2	55182-929-75	/7	Vamistor Corp.
RN55 Char. G, res. values 24.9 ohms thru 0.200 megohm, res. tol. F.	HS47G	55182-928-75	/7	Vamistor Corp.
RN60 Char. D, res. values 10 ohms thru 1.000 megohm, res. tol. F; Chars. C and E, res. values 49.9 ohms thru 0.499 megohm, res. tol. B, C, D, and F.	CMF-60	10509-1670-86	/1	Dale Electronics, Inc. (1)
RN60 Char. D, res. values 10 ohms thru 1.000 megohm, res. tol. F.	T0-60	10509-160-72	/1	IRC, Inc.
RN60 Chars. C and E, res. values 49.9 ohms thru 0.499 megohm, res. tols. B, C, D, and F.	T9-60 T2-60	10509-18-70	/1	IRC, Inc.
RN60 Char. D, res. values 10 ohms thru 1.000 megohm, res. tol. F.	MF60	10509-884-77	/1	KOA Speer Electronics, Inc.
RN60 Char. C, res. values 49.9 ohms thru 0.499 megohm; res. tols. D and F.	MC60	10509-336-79	/1	KOA Speer Electronics, Inc.
RN60 Chars. C and E, res. values 49.9 ohms thru 0.499 megohm, res. tols. B, C, D, and F.	9848-2	55182-931-75	/1	Vamistor Corp.
RN60 Char. G, res. values 24.9 ohms thru 0.499 megohm, res. tol. F.	HS48G	55182-930-75	/1	Vamistor Corp.
RN65 Chars. C and E, res. values 49.9 ohms thru 1.000 megohm, res. tols. B, C, D, and F.	CMF-65	10509-1030-71	/2	Dale Electronics, Inc. (1)
RN65 Char. D, res. values 10 ohms thru 2.000 megohms, res. tol. F.	CMF-65	10509-1029-71	/2	Dale Electronics, Inc. (1)
RN65 Char. D, res. values 10 ohms thru 1.000 megohm, res. tol. F.	T0-65	10509-1052-71	/2	IRC, Inc.
RN65 Char. C, res. values 49.9 ohms thru 1.000 megohm, res. tols. B, C, D, and F.	T2-65	55182-869-78	/2	IRC, Inc.
RN65 Chars. C and E, res. values 49.9 ohms thru 1.000 megohm, res. tols. B, C, D, and F.	T9-65	55182-869-78	/2	IRC, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFI- CATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RN65 Chars. C and E, res. values 49.9 ohms thru 1.000 megohm, res. tols. B, C, D, and F.	9855-2	55182-933-75	/2	Vamistor Corp.
RN65 Chars. D and F, res. values 49.9 ohms thru 1.000 megohm, char. D, res. tol. F; char. F, res. tols. B, C, D, and F.	9855-4	55182-933-75	/2	Vamistor Corp.
RN65 Char. G, res. values 24.9 ohms thru 1.000 megohm, res. tol. F.	HS55G	55182-932-75	/2	Vamistor Corp.
RN70 Chars. C and E, res. values 24.9 ohms thru 1.000 megohm, res. tols. B, C, D, and F.	CMF-70	10509-393-87	/3	Dale Electronics, Inc. (1)
RN70 Char. D, res. values 10 ohms thru 2.490 megohms, res. tol. F.	CMF-70	10509-394-87	/3	Dale Electronics, Inc. (1)
RN70 Chars. C and E, res. values 24.9 ohms thru 48.7 ohms; res. tol. F, res. values 49.9 ohms thru 1.000 megohm, res. tols. B, C, D, and F.	9852-2	55182-935-75	/3	Vamistor Corp.
RN70 Chars. F and D, res. values 24.9 ohms thru 48.7 ohms; res. tol. F, res. values 49.9 ohms thru 1.000 megohm, char. D, res. tol. F, char. F, res. tols. B, C, D, and F.	9852-4	55182-935-75	/3	Vamistor Corp.
RN70 Char. G, res. values 24.9 ohms thru 1.500 megohms, res. tol. F.	HS52G	55182-934-75	/3	Vamistor Corp.
RN75 Chars. C and E, res. values 49.9 ohms thru 2.000 megohms, res. tols. B, C, D, and F.	9850-2	55182-937-75	/5	Vamistor Corp.
RN75--TX Chars. C and E, res. values 49.9 ohms thru 2.000 megohms, res. tols. B, C, D, and F.	9850-2	55182-937-75	/13 (USAF)	Vamistor Corp.
RN75 Char. B, res. values 24.9 ohms thru 2.000 megohms, res. tol. F.	9850-2	55182-937-75	/5	Vamistor Corp.
RN75--TX Char. B, res. values 24.9 ohms thru 2.000 megohms, res. tol. F.	9850-2	55182-937-75	/13 (USAF)	Vamistor Corp.
RN80 Chars. B and G, res. values 30.1 ohms thru 5.000 megohms, res. tols. B, C, D, and F.	VX80	10509-125-85	/6	Vamistor Corp.
RN80--TX Chars. B and G, res. values 30.1 ohms thru 5.000 megohms, res. tols. B, C, D, and F.	VX80	10509-125-85	/14	Vamistor Corp.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE	
Dale Electronics, Inc. 1122 23rd Street P.O. Box 609 Columbus, NE 68601 Plants: 1. 2300 Riverside Blvd. Norfolk, NE 2. Dale Israel Emek-Sara "B" Industrial Park Be'er Sheva, Israel	91637	
IRC, Inc. International Resistive Company, Inc. P.O. Box 1860 Boone, NC 28607 Plant: Greenway Road Boone, NC	11502	
KOA Spear Electronics, Inc. Bolivar Drive Bradford, PA 16701 Plant: KOA Denko Company, Ltd. Ina City, Nagano Prefecture, Japan	09021	
Vamistor Corporation 144 River Bend Drive Sevierville, TN 37862 Plant: Same Address	56856	