QUALIFICATIONS VALIDATED
EVERY 18 MONTHS

QPL-26482-79
22-Jan-01
SUPERSEDING
QPL-26482-78
08-Mar-00

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-C-26482
CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT,
ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS
GENERAL SPECIFICATION FOR

MIL-C-26482G has been declared "Inactive for New Design" by a separate notice, dated 15 December 1998, and is no longer used, except for replacement purposes.

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-C-26482. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

The activity responsible for this QPL is the Defense Supply Center Columbus (DSCC-VQ), Columbus, OH 43216-5000.

All parts listed on this QPL are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized distributors. Names and addresses of authorized assembly plants are listed on the last page of this QPL.

The qualified products are listed in tabular form for each manufacturer. Connectors are qualified to any combination of class and style shown. The insert arrangement number applicable to the designation which identifies the connector is as shown below:

CONNECTORS

MS3110	F	12	3	P	W
MS NUMBER	CLASS	SHELL SIZE	INSERT ARRANGEMENT NUMBER	CONTACT STYLE	ALTERNATE INSERT POSITION

HERMETIC (CLASS H)

MS3113	H	12	C	10	P	W
MS NUMBER	CLASS	SHELL SIZE	TERMINATION SHELL MATERIAL SHELL AND CONTACT	INSERT ARRANGEMENT NUMBER	CONTACT STYLE	ALTERNATE INSERT POSITION

COVERS

MS3180	12C	A	L
MS NUMBER	DASH NO.	FINISH	LENGTH

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Supplier: Array Connector Corp.
Government Designation: MS3110
Manufacturer's Designation: PW00 ( )
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Array Connector Corp.
Government Designation: MS3110
Manufacturer's Designation: BT00 ( )
Class: P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3110
Manufacturer's Designation: KPT00 ( )
Class: E, F, P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.
Government Designation: MS3110
Manufacturer's Designation: BT00 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.
Government Designation: MS3110
Manufacturer's Designation: 85-00 ( )
Class: E, F, P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83, 26482-361-84
Class Code JC is used for the military class J

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3110
Manufacturer's Designation: PT00 ( )
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 8, 10
Shell: 14 Insert: 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: VEAM
Government Designation: MS3110
Manufacturer's Designation: VPT00 ( )
Class: E, P, J, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 26, 30
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: FCI, Framatome Group
Government Designation: MS3111
Manufacturer's Designation: BT01 ( )
Class: P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3111
Manufacturer's Designation: PT01 ( )
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: VEAM
Government Designation: MS3111
Manufacturer's Designation: VPT01 ( )
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: FCI, Framatome Group
Government Designation: MS3111
Manufacturer's Designation: BT01 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.
Government Designation: MS3111
Manufacturer's Designation: PW01 ( )
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3111
Manufacturer's Designation: KPT01 ( )
Class: E, F, P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Framatome Connectors France (Champagne)
Government Designation: MS3111
Manufacturer's Designation: 85-01 ( )
Class: E, F, P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83, 26482-361-84
Class Code JC is used for the military class J.

Supplier: Array Connector Corp.
Government Designation: MS3112
Manufacturer's Designation: PW02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3112
Manufacturer's Designation: KPT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: FCI, Framatome Group
Government Designation: MS3112
Manufacturer's Designation: BT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3112
Manufacturer's Designation: PT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: VEAM
Government Designation: MS3112
Manufacturer's Designation: VPT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: Framatome Connectors France (Champagne)
Government Designation: MS3112
Manufacturer's Designation: 85-02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83, 26482-361-84

Supplier: Sealtron, Inc.
Government Designation: MS3113
Manufacturer's Designation: 8312 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-652-84
Term Types A and B added due to proof of tooling.

Supplier: Hermetic Seal Corporation
Government Designation: MS3113
Manufacturer's Designation: HR-SS7002 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3113
Manufacturer's Designation: PT1 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
Government Designation: MS3113
Manufacturer's Designation: KPT1H ( )
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 34, 61
Test or Qualification Reference: 26482-80-84

Supplier: Deutsch (Municipal Airport)
Government Designation: MS3113
Manufacturer's Designation: 22628 ( )
Class: H
Terminal Type: A, C, Y
Contact Style: P
Shell: 8 Insert: 3, 4
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

Supplier: Glasseal Products, Inc.
Government Designation: MS3113
Manufacturer's Designation: GB1H ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 34, 61
Test or Qualification Reference: 26482-880-84

Supplier: ITT Cannon
Government Designation: MS3114
Manufacturer's Designation: KPT7H ( )
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3114
Manufacturer's Designation: KPT07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Framatome Connectors France (Champagne)
Government Designation: MS3114
Manufacturer's Designation: 85-07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83, 26483-361-84

Supplier: Sealtron, Inc.
Government Designation: MS3114
Manufacturer's Designation: 8315 ( )
Class: h
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-652-84
Term Types A and B added due to proof of tooling.

Supplier: Hermetic Seal Corporation
Government Designation: MS3114
Manufacturer's Designation: HR-SS7202 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 11, 30, 32, 85, 88
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Glasseal Products, Inc.
Government Designation: MS3114
Manufacturer's Designation: GB7H ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 34, 61
Test or Qualification Reference: 26482-880-84

Supplier: FCI, Framatome Group
Government Designation: MS3114
Manufacturer's Designation: BT07 ( )
Class: P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.
Government Designation: MS3114
Manufacturer's Designation: PW07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Deutsch (Municipal Airport)
Government Designation: MS3114
Manufacturer's Designation: MS3114
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 3, 4
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

Supplier: FCI, Framatome Group
Government Designation: MS3114
Manufacturer's Designation: BT07 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3114
Manufacturer's Designation: PT07 ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3114
Manufacturer's Designation: PT07 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: VEAM
Government Designation: MS3114
Manufacturer's Designation: VPT07 ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3115
Manufacturer's Designation: PVS15 ( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-92-85

Supplier: Array Connector Corp.
Government Designation: MS3115
Manufacturer's Designation: PW15 ( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-012-98

Supplier: Deutsch (Municipal Airport)
Government Designation: MS3114
Manufacturer's Designation: 22702 ( )
Class: H
Terminal Type: A
Contact Style: A
Shell: 16 Insert: 8, 26
Test or Qualification Reference: 26482-626-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3115
Manufacturer's Designation: 10-263999-( )
Finish: L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-1548-85

Supplier: Glenair, Inc.
Government Designation: MS3115
Manufacturer's Designation: 650D001 ( )
Finish: A, C, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-227-83

Supplier: Framatome Connectors France (Champagne)
Government Designation: MS3116
Manufacturer's Designation: 85-06 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83, 26482-361-84
Class Code JC, is used for the military class J.

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3116
Manufacturer's Designation: PT06
Class: E, P, F, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: FCI, Framatome Group
Government Designation: MS3116
Manufacturer's Designation: BT06 ( )
Class: J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 16482-1281-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3116
Manufacturer's Designation: KPT06 ( )
Class: P, J, E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84
Class Code JC is used for the military class J.

Supplier: Array Connector Corp.
Government Designation: MS3119
Manufacturer's Designation: PWB ( )
Class: E
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-117-98

Supplier: FCI, Framatome Group
Government Designation: MS3116
Manufacturer's Designation: BT06 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 16482-1281-81

Supplier: Array Connector Corp.
Government Designation: MS3116
Manufacturer's Designation: PW06 ( )
Class: E, F, P, J
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: VEAM
Government Designation: MS3116
Manufacturer's Designation: VPT06 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3119
Manufacturer's Designation: KPTB ( )
Class: E
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: VEAM
Government Designation: MS3120
Manufacturer's Designation: VPT00S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: FCI, Framatome Group
Government Designation: MS3120
Manufacturer's Designation: L ( ) ONA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-013-98

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3121
Manufacturer's Designation: PT01S ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3120
Manufacturer's Designation: PT005 ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3120
Manufacturer's Designation: KPSE00 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.
Government Designation: MS3120
Manufacturer's Designation: PWF00 ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: Array Connector Corp.
Government Designation: MS3121
Manufacturer's Designation: PWF01 ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: FCI, Framatome Group
Government Designation: MS3121
Manufacturer's Designation: L ( ) 1NA
Class: E, F, P
Contact Style: P, S
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: VEAM
Government Designation: MS3121
Manufacturer's Designation: VPT01S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26842-348-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3122
Manufacturer's Designation: KPSE02 ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3122
Manufacturer's Designation: PT02S ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3121
Manufacturer's Designation: KPSE01 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: FCI, Framatome Group
Government Designation: MS3122
Manufacturer's Designation: L ( ) 2NA
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: Array Connector Corp.
Government Designation: MS3122
Manufacturer's Designation: PWF02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: VEAM
Government Designation: MS3122
Manufacturer's Designation: VPT02S ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3124
Manufacturer's Designation: PT07S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: FCI, Framatome Group
Government Designation: MS3124
Manufacturer's Designation: L ( ) 4NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: VEAM
Government Designation: MS3124
Manufacturer's Designation: VPT07S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3126
Manufacturer's Designation: PT06S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Array Connector Corp.
Government Designation: MS3124
Manufacturer's Designation: PWF07 ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3124
Manufacturer's Designation: KPSE07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3126
Manufacturer's Designation: KPSE06 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.
Government Designation: MS3126
Manufacturer's Designation: PWF06 ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: VEAM
Government Designation: MS3126
Manufacturer's Designation: VPT06S ( )
Class: E, P, F
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-348-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3127
Manufacturer's Designation: MF02S ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3127
Manufacturer's Designation: KP27 ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: FCI, Framatome Group
Government Designation: MS3128
Manufacturer's Designation: L ( ) 8NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: FCI, Framatome Group
Government Designation: MS3126
Manufacturer's Designation: L ( ) 6NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: FCI, Framatome Group
Government Designation: MS3127
Manufacturer's Designation: L 9 0 7NA
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3128
Manufacturer's Designation: MF00S ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3128
Manufacturer's Designation: KP28 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3180
Manufacturer's Designation: PVS80 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-92-85

Supplier: Sunbank Electronics, Inc.
Government Designation: MS3180
Manufacturer's Designation: SE91E ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-852-83

Supplier: Array Connector Corp.
Government Designation: MS3180
Manufacturer's Designation: PW80 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: L
Test or Qualification Reference: 26482-011-98

Supplier: VEAM
Government Designation: MS3180
Manufacturer's Designation: VE3180 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-348-84

Supplier: Array Connector Corp.
Government Designation: MS3181
Manufacturer's Designation: PW81 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N
Finish: A
Length: L
Test or Qualification Reference: 26482-011-98

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3181
Manufacturer's Designation: PVS81 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-92-85

Supplier: Southwest Connector Technologies, Inc.
Government Designation: MS3180
Manufacturer's Designation: ST80 ( )
Dash Number: 8c, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-024-98

Supplier: Glenair, Inc.
Government Designation: MS3180
Manufacturer's Designation: 660-008G ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-1169-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3180
Manufacturer's Designation: 10-570301, 10-257935
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R, 10R, 12R, 14R, 16R, 18R, 20R, 22R, 24R
Finish: A
Length: std, L
Test or Qualification Reference: NAC 03.02/04-14-81

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3181
Manufacturer's Designation: 10-570302, 10-257937
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N, 8R, 10R, 12R, 14R, 16R, 18R, 20F 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: NAC 03.02/04-14-81, 26482-1548-85

Supplier: Glenair, Inc.
Government Designation: MS3181
Manufacturer's Designation: 660-009G
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N, 8R, 10R, 12R, 14R, 16R, 18R, 20F 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-1170-83

Supplier: Sunbank Electronics, Inc.
Government Designation: MS3181
Manufacturer's Designation: SE91E ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8R3, 12F 14R, 16R, 18R, 20R, 22R, 24R, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N 24N
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-852-83

Supplier: VEAM
Government Designation: MS3181
Manufacturer's Designation: VE3181 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-348-84

Supplier: Framatome Connectors France (Champagne)
Government Designation: MS3440
Manufacturer's Designation: 85262
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

Supplier: Deutsch (Municipal Airport)
Government Designation: MS3440
Manufacturer's Designation: DBC50 ( ), P-5122
Class: H
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3440
Manufacturer's Designation: HR-SS9A ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Southwest Connector Technologies, Inc.
Government Designation: MS3181
Manufacturer's Designation: ST81 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C, 8N, 10N, 12N, 14N, 16N, 18N, 20N, 22N, 24N, 8R, 10R, 12R, 14R, 16R, 18R, 20F 22R, 24R
Finish: A
Length: STD, L
Test or Qualification Reference: 26482-024-98

Supplier: Sealtron, Inc.
Government Designation: MS3440
Manufacturer's Designation: 6313-( ), SP-M13 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

Supplier: Glasseal Products, Inc.
Government Designation: MS3440
Manufacturer's Designation: 440 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Deutsch (Municipal Airport)
Government Designation: MS3442
Manufacturer's Designation: DBC58 ( )
Class: H
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Glasseal Products, Inc.
Government Designation: MS3442
Manufacturer's Designation: 442 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Sealtron, Inc.
Government Designation: MS3442
Manufacturer's Designation: 442 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

Supplier: Sealtron, Inc.
Government Designation: MS3443
Manufacturer's Designation: 6312-( ), SP-M13 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3442
Manufacturer's Designation: HR-SS10A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3443
Manufacturer's Designation: HR-SS11A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Glasseal Products, Inc.
Government Designation: MS3443
Manufacturer's Designation: 443 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Deutsch (Municipal Airport)
Government Designation: MS3443
Manufacturer's Designation: DBC53 ( )
Class: H
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Shell: 10B Insert: 6
Test or Qualification Reference: 26482-626-84

Supplier: Framatome Connectors France (Champagne)
Government Designation: MS3449
Manufacturer's Designation: 85267 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

Supplier: Hermetic Seal Corporation
Government Designation: MS3449
Manufacturer's Designation: HR-SS12A-( )
Class: H
Terminal Type: A, C, B
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Framatome Connectors France (Champagne)
Government Designation: MS3443
Manufacturer's Designation: 85261 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

Supplier: Glasseal Products, Inc.
Government Designation: MS3449
Manufacturer's Designation: 449 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Sealtron, Inc.
Government Designation: MS3449
Manufacturer's Designation: 6315-( ), SP-M134
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-599-84

Supplier: Deutsch (Municipal Airport)
Government Designation: MS3449
Manufacturer's Designation: DBC54 ( )
Class: H
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26486-626-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3470
Manufacturer's Designation: PV70 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 12
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3470
Manufacturer's Designation: PTS00DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Framatome Connectors France (Champagne)
O/E/N
Government Designation: MS3470
Manufacturer's Designation: 8526-O ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3470
Manufacturer's Designation: MB10 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09, 16-23,18-11,18-30,20-24,22-12,22-19,22-32,2
95,24-19,24-31

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3470
Manufacturer's Designation: AE770 ( )
Class: A, L, W
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Deutsch
Government Designation: MS3470
Manufacturer's Designation: AFD50- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3471
Manufacturer's Designation: PTS01DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Deutsch
Government Designation: MS3471
Manufacturer's Designation: AFD51- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3471
Manufacturer's Designation: AE771 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3471
Manufacturer's Designation: MB13 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22 95,24-19,24-31

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3471
Manufacturer's Designation: PV71 ( )
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3472
Manufacturer's Designation: AE772 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Deutsch
Government Designation: MS3472
Manufacturer's Designation: AFD58- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3472
Manufacturer's Designation: MB11 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3472
Manufacturer's Designation: PV72
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3472
Manufacturer's Designation: PTPS00DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Hermetic Seal Corporation
Government Designation: MS3473
Manufacturer's Designation: HR-S15A-( )
Class: N
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Deutsch
Government Designation: MS3474
Manufacturer's Designation: AFD54- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3474
Manufacturer's Designation: PTS07DRL
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3474
Manufacturer's Designation: AE774 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 23, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Framatome Connectors France (Champagne)
Government Designation: MS3474
Manufacturer's Designation: 8526-7 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3474
Manufacturer's Designation: MB14
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22 95,24-19,24-34

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3474
Manufacturer's Designation: PV74 ( )
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3475
Manufacturer's Designation: AE775 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83, 26482-958-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3475
Manufacturer's Designation: MB18 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98

Supplier: Framatome Connectors France (Champagne)
O/E/N
Government Designation: MS3475
Manufacturer's Designation: 8526-5 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83, 26482-078-96

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3476
Manufacturer's Designation: AE776 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3475
Manufacturer's Designation: 118-28 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-376-84

Supplier: Deutsch
Government Designation: MS3475
Manufacturer's Designation: AFD57- ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3475
Manufacturer's Designation: PV75 ( )
Class: L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3476
Manufacturer's Designation: PV76 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

Supplier: Deutsch
Government Designation: MS3476
Manufacturer's Designation: AFD56- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3476
Manufacturer's Designation: MB16 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-102-98

Supplier: Hermetic Seal Corporation
Government Designation: MS3479
Manufacturer's Designation: HR-S18A-( )
Class: N
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Framatome Connectors France (Champagne)
O/E/N
Government Designation: MS3476
Manufacturer's Designation: 8526-6 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3476
Manufacturer's Designation: PTS06DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Hermetic Seal Corporation
Government Designation: MS3477
Manufacturer's Designation: HR-S16A-( )
Class: N
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Manufacturer: Aero Electric Connector, Inc. (CAGE Code: 59976)
Location: 16207 Carmenita Road, Cerritos, CA 90701, US

Plant Location: Same Address as Manufacturer

Assembly Plant Locations:
1. Airtechnics, Inc., 230 Ida, Wichita, KS 67211, US
2. Avnet EMG, 2200 William D. Tate Avenue, Grapevine, TX 76051, US
3. Avnet/Electro Air, 500 Lake Ridge Drive S.E., Smyrna, GA 30082, US
4. Avnet/Time Electronics, 10A Centennial Drive, Peabody, MA 01960, US
5. BTC Electronic Components, Inc., 5809 Departure Drive, Raleigh, NC 27604, US
6. Benchmark Connector Corp., 4503 N.W. 103rd Avenue, Bay 4, Sunrise, FL 33351, US
7. Cherokee Nation Distributors, Inc., Highway 51 West, P.O. Box 1130, Stilwell, OK 74960, US
8. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US
9. Electronic Connector Corp., 6332 S. Central Avenue, Chicago, IL 60638, US
10. Mid Continent Connector Systems, 601 S. M291 Highway, 3001 W. Grospace Drive, Independence, MO 64056, US
11. Mobile Electronics, Inc., 2025 Sparkman Drive, Huntsville, AL 35810, US

Manufacturer: Amphenol Aerospace (CAGE Code: 77820)
Location: 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Plant Locations:
1. Amphenol Aerospace (Mexico), Products de Memoria S.A. de C.V., Carretera International, Terrazas del cid Km 7.5, Nogales, Sonora, Mexico
2. Amphenol Aerospace Matrix Business Unit, 7077 Consolidated Way, Suite H, San Diego, CA 92121, US
3. Amphenol Aerospace/Amphenol Connectors, Same Address as Manufacturer
4. Amphenol Aerospace/Matrix Connectors, Same Address as Manufacturer

Assembly Plant Locations:
1. Arrow PEMCO, (for Amphenol Connectors and Matrix Connectors), 9801 Legler Road, Lenexa, KS 66219, US
2. Avnet, (for Amphenol Connectors), 10-A Centennial Drive, Peabody, MA 01960, US
3. Avnet, (for Amphenol Connectors), 11333 Pagemill Drive, Dallas, TX 75266, US
4. Avnet, (for Amphenol Connectors), 10912 Washington Boulevard, Culver City, CA 90230, US
5. Avnet, (for Amphenol Connectors), 5 Hub Drive, Melville, LI, NY 11747, US
6. Avnet, (for Amphenol Connectors), 50 Tower Office Park, Woburn, MA 01801, US
7. Avnet EMG, (for Amphenol Connectors and Matrix Connectors), 2200 William D. Tate Avenue, Grapevine, TX 76051, US
8. Nippon Interconnect Co., Ltd., (for Amphenol Connectors), 689-1 Aza Nogami Iseochi, Ritto-Cho, Shiga 520-30, Japan
9. Powell Electronics, Inc., (for Amphenol Connectors and Matrix Connectors), P.O. Box 8765, South Island Road, Philadelphia, PA 19101, US
10. Powell Electronics, Inc., (for Amphenol Connectors), 3540 West Prospect Field Road, Fort Lauderdale, FL 33309, US
11. T.T.I., Inc., (for Amphenol Connectors and Matrix Connectors), 4033 East Belknap Street, Fort Worth, TX 76111, US

Manufacturer: Array Connector Corp. (CAGE Code: 0J4E7)
Location: 12555 S.W. 130 Street, Miami, FL 33186, US

Plant Location: Same Address as Manufacturer

Assembly Plant Locations:
1. Alatec Products, Inc., 21123 Nordoff Street, Chatsworth, CA 91311, US
2. Avio-Diepen bv, J. Keplerweg 16, 2400 AN Alphen an der Rijn, The Netherlands
3. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US
4. Koehlke Components, Inc., 9400 Lebanon Pike, Centerville, OH 45458, US
5. TRI-COM, Inc., 359 E. Madison Avenue, Clifton Heights, PA 19018, US

Manufacturer: Deutsch (CAGE Code: 11139)
Location: Engineered Connecting Devices, 5733 W. Whittier Avenue, Hemet, CA 92545, US

Plant Locations:
1. Same Address as Manufacturer
2. Deutsch (Municipal Airport), Municipal Airport, Oceanside, CA 92054, US

Assembly Plant Locations:
1. Airtechnics, Inc., 230 Ida, Wichita, KS 67211, US
2. Bell Milgray Electronics, 77 Schmitt Boulevard, Farmingdale, NY 11735, US
3. Deutsch Dagan, Ltd., P.O. Box 5010, Ashkelon, 78150, Israel
4. Hellerman Deutsch, Ltd., Imberhorne Way, East Grinstead, West Sussex RH IRW, England

5. Hellermann do Brasil, Industria e Comercio Ltda., Avda. Marginal Direita do Tiete, 800 Vila Anastacio, CEP 05120, Sao Paulo, Brazil
6. Nihon-Deutsch, Ltd., Okasan Sakuragaoka Bldg., 6F, 31-14, Sakuragaoka-Cho, Shibuya- 150, Japan
7. Richey Cypress Electronics, Inc., 10871 La Tuna Canyon Road, Sun Valley, CA 91352, US
8. U.S. Department of Justice, Unicor, Federal Prison Industries, Box 1880, Black Canyon Road, Phoenix, AZ 85029, US

Manufacturer: FCI, Framatome Goup (CAGE Code: 09922)
Location: 25 Grumbacher Road, York, PA 17402, US

Plant Locations:
1. Same Address as Manufacturer
2. Zona Franca Industrial, Apartado 64-2, Santago De Los Caballeros, Dominican Republic

Assembly Plant Locations:
1. Capstone Electronics (Aurora, CO), 3254 Fraser Street, Aurora, CO 80011, US
2. Connector Technology, Inc., 9 Veronica Avenue, Somerset, NJ 08873, US
3. Connectors Plus, 63 E. Broad Street, Hatfield, PA 19440, US
4. Electro Enterprises, 3601 N. Interstate 35, Oklahoma City, OK 73136, US
5. Iris Electronics, 150 Schmitt Boulevard, Farmingdale, NY 11735, US
6. Lectronix, 13760 Shoreline Drive, Earth City, MO 63045, US
7. National Connect-Tronix, 4801 Spring Valley Road, Dallas, TX 75244, US
8. Spec Connector, 25371 Joy Boulevard, Mt. Clemens, MI 48095, US
9. Summit Distributors, 916 Main Street, Buffalo, NY 14202, US
10. West Air International, 3655 C. Street N.E., Auburn, WA 98002, US
11. Wings Electro Sales Company, Inc., 11300 Fortune Circle, Wellington, FL 33414, US

Manufacturer: Framatome Connectors France (CAGE Code: F0323)
Location: 145-147 rue Yves Le Coz, 78000 Versailles, France

Plant Locations:
1. Framatome Connectors France (Champagne), Route National 23, 72470 Champagne, France
2. O/E/N, Vettickal Post Mulanthuruthy, Cochin 682 314, Kerala, India

Assembly Plant Locations:
1. Air Electro Supply, Inc., 92452 DeSoto Avenue, Chatsworth, CA 91313, US
2. Arrow Richey Electronics, 9801 Legler Road, Lenexa, KS 66219, US
3. Connector Technology, Inc., 9 Veronica Avenue, Somerset, NJ 08873, US
4. Wings Electro Sales Company, Inc., 11300 Fortune Circle, Wellington, FL 33414, US

Distributor Location: FCI Connectors Hungary Kft, 2800 Tatabanya, Gyori u 23, Hungary

Manufacturer: Glasseal Products, Inc. (CAGE Code: 10025)
Location: P.O. Box 978, 485 Oberlin, Lakewood, NJ 08701, US

Plant Location: Same Address as Manufacturer

Assembly Plant Location: Sealtron, Inc., 9705 Reading Road, Cincinnati, OH 45215, US

Manufacturer: Glenair, Inc. (CAGE Code: 06324)
Location: 1211 Air Way, Glendale, CA 91201, US

Plant Location: Same Address as Manufacturer

Manufacturer: Hermetic Seal Corporation (CAGE Code: 04820)
Location: 4232 Temple City Boulevard, Rosemead, CA 91770, US

Plant Location: Same Address as Manufacturer

Manufacturer: ITT Cannon (CAGE Code: 71468)
Location: 666 East Dyer Road, Santa Ana, CA 90602, US

Plant Locations:
1. Same Address as Manufacturer
2. ITT Cannon (Mexico), Prolongacion, Avenieda Obregon #3673, Nogales, Sonora, Mexico

Assembly Plant Locations:
1. Astrex, Inc., 205 Express Street, Plainview, LI, NY 11803, US
2. Avnet EMG, 2200 William D. Tate Avenue, Grapevine, TX 76051, US
3. Avnet/Electro Air, 500 Lake Ridge Drive, S.E., Smyrna, GA 30082, US
4. Avnet/Time Electronics-Arizona, 1301 West Geneva Drive, Tempe, AZ 85282, US
5. Avnet/Time Electronics-New England, 10 Centennial Drive, Peabody, MA 01960, US
6. Electronic Connector Corp., 6332 S. Central Avenue, Chicago, IL 60638, US
7. Harrison Equipment Company, Inc., 13715 Murphy Road, Stafford, TX 77477, US
8. PEI-Genesis Electronics, 1915 N. Bendix Drive, South Bend, IN 46628, US
9. Pan Pacific Electronics, Inc., 17985 N.E. 65th Street, Redmond, WA 98052, US

Manufacturer: Sealtron, Inc. (CAGE Code: 97814)
Location: 9705 Reading Road, Cincinnati, OH 45215-3592, US

Plant Location: Same Address as Manufacturer

Manufacturer: Southwest Connector Technologies, Inc. (CAGE Code: 086M0)
Location: P.O. Box 1192, Weatherford, TX 76086, US

Plant Location: 3577 N. FM Road 51, Weatherford, TX 76088, US

Manufacturer: Sunbank Electronics, Inc. (CAGE Code: 07418)
Location: 1740 Commerce Way, Paso Robles, CA 93446, US

Plant Location: Same Address as Manufacturer

Manufacturer: VEAM (CAGE Code: 55561)
Location: Division of Litton Systems, Inc., 100 New Wood Road, Watertown, CT 06795, US

Plant Locations:
1. Same Address as Manufacturer
2. VEAM-S. P. A., Via Statuto, 2, I - 20020 Arese, Milan, Italy