**Specification Details:** **Date: 7/21/2011**

Specification: MIL-DTL-26482
Title: Connectors, Electrical, (Circular, Miniature, Quick Disconnect, Environment Resisting), Receptacles and Plugs
Federal Supply Class (FSC): 5935
Conventional: Yes
Specification contains quality assurance program: No
MIL-STD-790 Established Reliability & High Reliability: Yes
MIL-STD-690 Failure Rate Sampling Plans & Procedures: No
Weibull Graded: No
Specification contains space level reliability requirements: No
Specification allows test optimization: No

**Contact Information:**

Office of Primary Involvement: Passive Devices Branch, DLA Land and Maritime - VQP
Primary Qualifying Activity Contact: 614-692-8367, e-mail: vqp.es@dla.mil
Secondary Qualifying Activity Contact: 614-692-2867, e-mail: vqp.ab@dla.mil

**Notes:**

All parts listed are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized distributors. Names and addresses of authorized assembly plants are listed on the last page of this listing.

The qualified products are listed in tabular form for each manufacturer. Connectors are qualified to any combination of class and style shown. The insert arrangement number applicable to the designation which identifies the connector.

**Part Configuration:**

Connectors: MS3110F123PW

| MS Number | Class | Shell | Insert Arrangement | Contact Style | Alternate Insert Position |
|---|---|---|---|---|---|
| MS3110 | F | 12 | 3 | P | W |

Hermetic (Class H): MS3113H12C10PW

| MS Number | Class | Shell | Termination Shell Material Shell/Contact | Insert Arrangement | Contact Style | Alternate Insert Position |
|---|---|---|---|---|---|---|
| MS3113 | H | 12 | C | 10 | P | W |

Covers: MS318012CAL

| MS Number | Dash Number | Finish | Length |
|---|---|---|---|
| MS3180 | 12C | A | L |

## PART LISTINGS

**Supplier: Amphenol Aerospace/Amphenol Connectors**

Government Designation: MS3110
Manufacturer Designation: PT00 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Array Connector Corp.**

Government Designation: MS3110
Manufacturer Designation: PW00 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3110
Manufacturer Designation: KPT00 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Souriau USA, Inc.**
Government Designation: MS3110
Manufacturer Designation: BT00 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3111
Manufacturer Designation: PT01 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3111
Manufacturer Designation: KPT01 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Souriau**
Government Designation: MS3110
Manufacturer Designation: 851-00( )
Class: E, F, J, P, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 35
Shell: 24 Insert: 61
Test or Qualification Reference: 26492-1159-83

**Supplier: Souriau USA, Inc.**
Government Designation: MS3110
Manufacturer Designation: BT00 ( )
Class: J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

**Supplier: Array Connector Corp.**
Government Designation: MS3111
Manufacturer Designation: PW01 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: Souriau**
Government Designation: MS3111
Manufacturer Designation: 85-01 ( )
Class: E, F, J, P, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84
***Class Code JC is used for the military class J.***

**Supplier: Souriau USA, Inc.**
Government Designation: MS3111
Manufacturer Designation: BT01 ( )
Class: J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3112
Manufacturer Designation: PT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3112
Manufacturer Designation: KPT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Souriau USA, Inc.**
Government Designation: MS3112
Manufacturer Designation: BT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

**Supplier: Souriau USA, Inc.**
Government Designation: MS3111
Manufacturer Designation: BT01 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

**Supplier: Array Connector Corp.**
Government Designation: MS3112
Manufacturer Designation: PW02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: Souriau**
Government Designation: MS3112
Manufacturer Designation: 85-02 ( )
Class: E, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3113
Manufacturer Designation: PT1 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Deutsch ECD**
Government Designation: MS3113
Manufacturer Designation: 22628 ( )
Class: H
Terminal Type: A, C, Y
Contact Style: P
Shell: 8 Insert: 3, 4
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3113
Manufacturer Designation: HR-SS7002 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3113
Manufacturer Designation: 8312 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-652-84
***Term Types A and B added due to proof of tooling.***

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3114
Manufacturer Designation: PT07 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Glasseal Products, Inc.**
Government Designation: MS3113
Manufacturer Designation: GB1H ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 34, 61
Test or Qualification Reference: 26482-880-84

**Supplier: ITT Cannon**
Government Designation: MS3113
Manufacturer Designation: KPT1H ( )
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 34, 61
Test or Qualification Reference: 26482-80-84

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3114
Manufacturer Designation: PT07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Array Connector Corp.**
Government Designation: MS3114
Manufacturer Designation: PW07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: Deutsch ECD**
Government Designation: MS3114
Manufacturer Designation: 22702 ( )
Class: H
Terminal Type: A
Contact Style: A
Shell: 16 Insert: 8, 26
Test or Qualification Reference: 26482-626-84

**Supplier: Deutsch ECD**
Government Designation: MS3114
Manufacturer Designation: MS3114
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

**Supplier: Glasseal Products, Inc.**
Government Designation: MS3114
Manufacturer Designation: GB7H ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 34, 61
Test or Qualification Reference: 26482-880-84

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3114
Manufacturer Designation: HR-SS7202 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 11, 30, 32, 85, 88
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: ITT Cannon**
Government Designation: MS3114
Manufacturer Designation: KPT7H ( )
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3114
Manufacturer Designation: KPT07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3114
Manufacturer Designation: 8315 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-652-84
***Term Types A and B added due to proof of tooling.***

**Supplier: Souriau**
Government Designation: MS3114
Manufacturer Designation: 85-07 ( )
Class: E, F, P, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26483-361-84

**Supplier: Souriau USA, Inc.**
Government Designation: MS3114
Manufacturer Designation: BT07 ( )
Class: P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

**Supplier: Souriau USA, Inc.**
Government Designation: MS3114
Manufacturer Designation: BT07 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3115
Manufacturer Designation: 10-263999-( )
Finish: L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-1548-85

**Supplier: Array Connector Corp.**
Government Designation: MS3115
Manufacturer Designation: PW15 ( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-012-98

**Supplier: Glenair, Inc.**
Government Designation: MS3115
Manufacturer Designation: 650D001 ( )
Finish: A, C, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-227-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3115
Manufacturer Designation: PVS15 ( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-92-85

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3116
Manufacturer Designation: PT06
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Array Connector Corp.**
Government Designation: MS3116
Manufacturer Designation: PW06 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3116
Manufacturer Designation: KPT06 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84
***Class Code JC is used for the military class J.***

**Supplier: Souriau**
Government Designation: MS3116
Manufacturer Designation: 85-06 ( )
Class: E, F, J, P, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84
***Class Code JC, is used for the military class J.***

**Supplier: Souriau USA, Inc.**
Government Designation: MS3116
Manufacturer Designation: BT06 ( )
Class: J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 16482-1281-83

**Supplier: Array Connector Corp.**
Government Designation: MS3119
Manufacturer Designation: PWB ( )
Class: E
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-117-98

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3120
Manufacturer Designation: PT005 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3120
Manufacturer Designation: KPSE00 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Souriau USA, Inc.**
Government Designation: MS3116
Manufacturer Designation: BT06 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 16482-1281-81

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3119
Manufacturer Designation: KPTB ( )
Class: E
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Array Connector Corp.**
Government Designation: MS3120
Manufacturer Designation: PWF00 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Souriau USA, Inc.**
Government Designation: MS3120
Manufacturer Designation: L ( ) 0NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-013-98

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3121
Manufacturer Designation: PT01S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3121
Manufacturer Designation: KPSE01 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3122
Manufacturer Designation: PT02S ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3122
Manufacturer Designation: KPSE02 ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Array Connector Corp.**
Government Designation: MS3121
Manufacturer Designation: PWF01 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Souriau USA, Inc.**
Government Designation: MS3121
Manufacturer Designation: L ( ) 1NA
Class: E, F, P
Contact Style: P, S
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

**Supplier: Array Connector Corp.**
Government Designation: MS3122
Manufacturer Designation: PWF02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Souriau USA, Inc.**
Government Designation: MS3122
Manufacturer Designation: L ( ) 2NA
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3124
Manufacturer Designation: PT07S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3124
Manufacturer Designation: KPSE07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3126
Manufacturer Designation: PT06S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3126
Manufacturer Designation: KPSE06 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Array Connector Corp.**
Government Designation: MS3124
Manufacturer Designation: PWF07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Souriau USA, Inc.**
Government Designation: MS3124
Manufacturer Designation: L ( ) 4NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

**Supplier: Array Connector Corp.**
Government Designation: MS3126
Manufacturer Designation: PWF06 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Souriau USA, Inc.**
Government Designation: MS3126
Manufacturer Designation: L ( ) 6NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3127
Manufacturer Designation: MF02S ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Souriau USA, Inc.**
Government Designation: MS3127
Manufacturer Designation: L 9 0 7NA
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3128
Manufacturer Designation: KP28 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3180
Manufacturer Designation: AE1580 ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Test or Qualification Reference: 26482-3126-11

**Supplier: Glenair, Inc.**
Government Designation: MS3180
Manufacturer Designation: 660-008G ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1169-83

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3127
Manufacturer Designation: KP27 ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3128
Manufacturer Designation: MF00S ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Souriau USA, Inc.**
Government Designation: MS3128
Manufacturer Designation: L ( ) 8NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

**Supplier: Array Connector Corp.**
Government Designation: MS3180
Manufacturer Designation: PW80 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: L
Test or Qualification Reference: 26482-011-98

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3180
Manufacturer Designation: PVS80 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-92-85

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3180
Manufacturer Designation: 10-257935, 10-570301
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: NAC 03.02/04-14-81

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3181
Manufacturer Designation: AE1581 ( )
Dash Number: 8C, 8N, 8R, 8R, 10C, 10C, 10N, 10R, 10R, 12C, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Test or Qualification Reference: 26482-3126-11

**Supplier: Array Connector Corp.**
Government Designation: MS3181
Manufacturer Designation: PW81 ( )
Dash Number: 8C, 8N, 10C, 10N, 12C, 12N, 14C, 14N, 16C, 16N, 18C, 18N, 20C, 20N, 22C, 22N, 24C, 24N
Finish: A
Length: L
Test or Qualification Reference: 26482-011-98

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3181
Manufacturer Designation: PVS81 ( )
Dash Number: 8C, 8N, 10C, 10N, 12C, 12N, 14C, 14N, 16C, 16N, 18C, 18N, 20C, 20N, 22C, 22N, 24C, 24N
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-92-85

**Supplier: Deutsch ECD**
Government Designation: MS3440
Manufacturer Designation: DBC50 ( ), P-5122
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Sunbank Electronics, Inc.**
Government Designation: MS3180
Manufacturer Designation: SE91E ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-852-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3181
Manufacturer Designation: 10-257937, 10-570302
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 2
24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1548-85; NAC 03.02/04-14-81

**Supplier: Glenair, Inc.**
Government Designation: MS3181
Manufacturer Designation: 660-009G
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 2
24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1170-83

**Supplier: Sunbank Electronics, Inc.**
Government Designation: MS3181
Manufacturer Designation: SE91E ( )
Dash Number: 8C, 8N, 8R, 10C, 10N, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 2
24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-852-83

**Supplier: Glasseal Products, Inc.**
Government Designation: MS3440
Manufacturer Designation: 440 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3440
Manufacturer Designation: HR-SS9A ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3440
Manufacturer Designation: 6313-( ), SP-M13 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

**Supplier: Souriau**
Government Designation: MS3440
Manufacturer Designation: 85262
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

**Supplier: Deutsch ECD**
Government Designation: MS3442
Manufacturer Designation: DBC58 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Glasseal Products, Inc.**
Government Designation: MS3442
Manufacturer Designation: 442 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3442
Manufacturer Designation: HR-SS10A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3442
Manufacturer Designation: 442 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

**Supplier: Deutsch ECD**
Government Designation: MS3443
Manufacturer Designation: DBC53 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 4, 33, 98
Shell: 10C Insert: 6
Shell: 10B Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3443
Manufacturer Designation: HR-SS11A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Souriau**
Government Designation: MS3443
Manufacturer Designation: 85261 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

**Supplier: Glasseal Products, Inc.**
Government Designation: MS3449
Manufacturer Designation: 449 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

**Supplier: Glasseal Products, Inc.**
Government Designation: MS3443
Manufacturer Designation: 443 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

**Supplier: Sealtron, Inc.**
Government Designation: MS3443
Manufacturer Designation: 6312-( ), SP-M13 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

**Supplier: Deutsch ECD**
Government Designation: MS3449
Manufacturer Designation: DBC54 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26486-626-84

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3449
Manufacturer Designation: HR-SS12A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3449
Manufacturer Designation: 6315-( ), SP-M134
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-599-84

**Supplier: Souriau**
Government Designation: MS3449
Manufacturer Designation: 85267 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3470
Manufacturer Designation: AE770 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3470
Manufacturer Designation: PTS00DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3470
Manufacturer Designation: MB10 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 14-09, 16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31***

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3470
Manufacturer Designation: CJ0970 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: Deutsch**
Government Designation: MS3470
Manufacturer Designation: AFD50- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3470
Manufacturer Designation: PV70 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 12
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3471
Manufacturer Designation: AE771 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3471
Manufacturer Designation: MB13 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31***

**Supplier: Deutsch**
Government Designation: MS3471
Manufacturer Designation: AFD51- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Souriau**
Government Designation: MS3470
Manufacturer Designation: 8526-O ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3471
Manufacturer Designation: PTS01DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3471
Manufacturer Designation: CJ0971 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3471
Manufacturer Designation: PV71 ( )
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3472
Manufacturer Designation: AE772 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3472
Manufacturer Designation: MB11 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31***

**Supplier: Deutsch**
Government Designation: MS3472
Manufacturer Designation: AFD58- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3473
Manufacturer Designation: HR-S15A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3472
Manufacturer Designation: PTPS00DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3472
Manufacturer Designation: CJ0972 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3472
Manufacturer Designation: PV72
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3474
Manufacturer Designation: AE774 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3474
Manufacturer Designation: PTS07DRL
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3474
Manufacturer Designation: MB14
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-34***

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3474
Manufacturer Designation: CJ0974 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: Deutsch**
Government Designation: MS3474
Manufacturer Designation: AFD54- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3474
Manufacturer Designation: PV74 ( )
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

**Supplier: Souriau**
Government Designation: MS3474
Manufacturer Designation: 8526-7 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3475
Manufacturer Designation: AE775 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83; 26482-958-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3475
Manufacturer Designation: 118-28 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-376-84

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3475
Manufacturer Designation: MB18 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 14-09, 16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31***

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3475
Manufacturer Designation: CJ0975 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-975-04

**Supplier: Deutsch**
Government Designation: MS3475
Manufacturer Designation: AFD57- ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3475
Manufacturer Designation: PV75 ( )
Class: L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

**Supplier: Souriau**
Government Designation: MS3475
Manufacturer Designation: 8526-5 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-078-96; 26482-1165-83

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3476
Manufacturer Designation: AE776 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace/Amphenol Connectors**
Government Designation: MS3476
Manufacturer Designation: PTS06DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3476
Manufacturer Designation: MB16 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3476
Manufacturer Designation: CJ0976 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: ITT Cannon**
**ITT Cannon (Mexico)**
Government Designation: MS3476
Manufacturer Designation: PV76 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3477
Manufacturer Designation: HR-S16A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Deutsch**
Government Designation: MS3476
Manufacturer Designation: AFD56- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Souriau**
Government Designation: MS3476
Manufacturer Designation: 8526-6 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

**Supplier: Hermetic Seal Corporation**
Government Designation: MS3479
Manufacturer Designation: HR-S18A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Manufacturer: Aero Electric Connector, Inc. (CAGE Code: 59976)**
Location: 2280 208th Street, Torrance, CA 90501, US

Assemby Plants:
1. A. E. Petsche Company, Inc., 2112 West Division, Arlington, TX 76012, US
2. Astrex Electronics, 205 Express Street, Plainview, NY 11803, US
3. Avnet, Inc., Mariposa Industrial Park #1, 1481 N. Industrial Park, Suite #2, Nogales, AZ 85621, US
4. Benchmark Connector Corp., 4501 N.W. 103rd Avenue, Suite 101, Sunrise, FL 33351, US
5. BTC Electronic Components, Inc., 2709 Connector Drive, Wake Forest, NC 27587, US
6. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US
7. Conesys Europe, Aero Electric Connectors, Symbol F, 20 Avenue Jean Monnet, 31770 Colomiers, France
8. Electronic Connector Corp., 6332 S. Central Avenue, Chicago, IL 60638, US
9. Interstate Connecting Components, Inc., 120 Mount Holly Bypass, Lumberton, NJ 08048, US
10. Wesco Aircraft (Symbol: A), 3851 N. Webb Road, Wichita, KS 67226, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Amphenol Aerospace/Amphenol Connectors (CAGE Code: 77820)**
Location: 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Assemby Plants:
1. Aeroflite Enterprises, Inc., 261 Gemini Avenue, Brea, CA 92821, US
2. Amphenol Japan, Ltd., Symbol: APJ, 471-1 Deba, Ritto-shi 520-3041, Japan
3. Arrow PEMCO, (for Amphenol Connectors and Matrix Connectors), 9801 Legler Road, Lenexa, KS 66219, US
4. Avnet EMG, Calzada Industrial Nuevo Nogales entre Av. Libre Comercio y Av. De la Tecnologia #1601, Colonia: Nuevo Nogales, Fraccionamineto: Parque Industrial Nuevo Nogales C.P. 84094, Mexico
5. Avnet, Inc., Mariposa Industrial Park #1, 1481 N. Industrial Park, Suite #2, Nogales, AZ 85621, US
6. PEI Genesis, 4747 W. Cleveland Road, South Bend, IN 46628, US
7. Powell Electronics, Inc., (for Amphenol Connectors and Matrix Connectors), Symbol: *, 200 Commodore Drive, Logan Township, NJ 08085-1270, US
8. T.T.I., Inc., 2601 Sylvania Cross Drive, Fort Worth, TX 76137, US

Plants:
1. Plant: Same Address as Manufacturer
2. Amphenol Aerospace (Mexico), Products de Memoria S.A. de C.V., Carretera International, Terrazas del cid Km 7.5, Nogales, Sonora, Mexico

Authorized Distributors:
1. Wesco Aircraft, Electronic Products Group, 3851 N. Webb Road, Wichita, KS 67226, US

**Manufacturer: Amphenol Aerospace/Matrix (CAGE Code: 14283)**
Location: 40-60 Delaware Street, Sidney, NY 13838-1395, US

Plants:
1. Plant: Same Address as Manufacturer
2. Amphenol Matrix (Mexico), Productos de Memoria, S.A., de C.V., Parque Industrial San Ramon, APDO Postal 205-A, Nogales, Sonora, Mexico 84000

Authorized Distributors:
1. BJG Electronics, Inc., Symbol: BJG, 141 Remington Boulevard, Ronkonkoma, NY 11779-6911, US
2. Quittner & Schimek, s.r.o., Symbol: QSC, Komenskeho 304, 50901 Nova Paka, Czech Republic,
3. Wesco Aircraft, Electronic Products Group, 3851 N. Webb Road, Wichita, KS 67226, US

**Manufacturer: Array Connector Corp. (CAGE Code: 0J4E7)**
Location: 12555 130th Street, Miami, FL 33186, US

Assemby Plants:
1. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US
2. CPN/DENELEX Group, 4880 N. Hiatus Road, Sunrise, FL 33351, US
3. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US
4. Koehlke Components, Inc., 1201 Commerce Center Drive, Franklin, OH 45005, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Corsair Electrical Connectors, Inc. (CAGE Code: 1R6R9)**
Location: 16752 Millikan Avenue, Irvine, CA 92606, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Corsair Electrical Connectors, Inc. (CAGE Code: 1R6R9)**
Location: 16752 Millikan Avenue, Irvine, CA 92606, US

Authorized Distributors:
1. Air Electro, Inc., P.O. Box 2231, 9452 DeSoto Avenue, Chatsworth, CA 91313-2231, US
2. BJG Electronics, Inc., 141 Remington Boulevard, Ronkonkoma, NY 11779, US
3. Brandex Components, Inc., 10440 NW 50th Street, Sunrise, FL 33351, US
4. CDM Electronics, Inc., 130 American Boulevard, Turnesville, NJ 08012, US
5. Compaero, Inc., 379 Timber Road, Mooresville, NC 28115, US
6. Connective Design, Inc., 3010 S. Tech Boulevard, Miamisburg, OH 45342, US
7. CPN/DENELEX Group, 4880 N. Hiatus Road, Sunrise, FL 33351, US
8. DA-GREEN Electronics, Ltd., 37 Main Street, South River, NJ 08882, US
9. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US
10. Gemini Electronic Components, Inc., 420 Columbus Avenue, Valhalla, NY 10595, US
11. J&K Connectors, LLLP., 19209 Des Moines Way South, Seattle, WA 98148-2239, US
12. Spacecraft Components Corp., 3040 North Clayton Street, North Las Vegas, NV 89032, US

**Manufacturer: Deutsch ECD (CAGE Code: 11139)**
Location: Engineered Connecting Devices, 250 Eddie Jones Way, Oceanside, CA 92058, US

Assemby Plants:
1. Arrow Electronics, Inc., Symbol: X, Blvd. Luis Donaldo Colosio, #1179 Interior Entre Calle 5 de Febreo y Calle General, Victoriano Huerta, Nogales, Sonora, Mexico CP 84048
2. Astrex Electronics, Inc., 205 Express Street, Plainview, NY 11803, US
3. Deutsch Electronics Components Marketing, Symbol: DECM, P.O. Box 5010, 2 Haofe Street, South Industrial Zone, Ashkelon, 78150, Israel
4. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US
5. Hellerman Deutsch, Ltd., Imberhorne Way, East Grinstead, West Sussex RH IRW, England

Plants:
1. Plant: Same Address as Manufacturer
2. Deutsch ECD, Kilometer 127.86 Mexicali Tecate Federal Road, Tecate, Baja California, Mexico

Authorized Distributors:
1. CPN/DENELEX Group, 4880 N. Hiatus Road, Sunrise, FL 33351, US

**Manufacturer: Glasseal Products, Inc. (CAGE Code: 10025)**
Location: P.O. Box 978, 485 Oberlin, Lakewood, NJ 08701, US

Assemby Plants:
1. Sealtron, Inc., 9705 Reading Road, Cincinnati, OH 45215, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Glenair, Inc. (CAGE Code: 06324)**
Location: 1211 Air Way, Glendale, CA 91201, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Hermetic Seal Corporation (CAGE Code: 04820)**
Location: 4232 Temple City Boulevard, Rosemead, CA 91770-1592, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: ITT Cannon (CAGE Code: 71468)**
Location: 666 East Dyer Road, Santa Ana, CA 92705-5612, US

Assemby Plants:
1. Arrow Pemco, 9801 Legler Road, Lenexa, KS 66219, US
2. Astrex, Inc., 205 Express Street, Plainview, LI, NY 11803, US
3. Avnet, Inc., Mariposa Industrial Park #1, 1481 N. Industrial Park, Suite #2, Nogales, AZ 85621, US
4. Electronic Connector Corp., 6332 S. Central Avenue, Chicago, IL 60638, US
5. Pan Pacific Electronics, Inc., 17985 N.E. 65th Street, Redmond, WA 98052, US
6. PEI Genesis, 4747 W. Cleveland Road, South Bend, IN 46628, US

Plants:
1. Plant: Same Address as Manufacturer
2. ITT Cannon de Mexico, SA de CV, Avenida del Libre Comercio S/N, Entre Calzada Industrial Nuevo Nogales y Calzada del Raquet Club, Col.

**Manufacturer: ITT Cannon (CAGE Code: 71468)**
Location: 666 East Dyer Road, Santa Ana, CA 92705-5612, US

Parque Industrial Nuevo Nogales, Nogales, Sonora C.P. 84093, Mexico

**Manufacturer: Joslyn Sunbank Company (CAGE Code: 07418)**
Location: 1740 Commerce Way, Paso Robles, CA 93446-3620, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Sealtron, Inc. (CAGE Code: 97814)**
Location: 9705 Reading Road, Cincinnati, OH 45215-3592, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Souriau (CAGE Code: F0225)**
Location: 9, rue de la Porte de Buc, 78000 Versailles, France

Assemby Plants:
1. A.E. Petsche Company, Inc., 2112 West Division, Arlington, TX 76012, US
2. Air Electro Supply, Inc., 9452 DeSoto Avenue, Chatsworth, CA 91313, US
3. Arrow Electronics, Inc., Symbol: X, Blvd. Luis Donaldo Colosio, #1179 Col. Obreras, Nogales, Sonora, Mexico CP 84048
4. BJG Electronics, Inc., 160 Gary Way, Ronkonkoma, NY 11779, US
5. Connector Technology, Inc., 135 Industry Court, Kalispell, MT 59901-7991, US
6. Hiconnex (PTY) Ltd. (Symbol: HCX), 93 Adriana Crescent, Gateway Industrial Park, Centurion 0157, South Africa
7. Souriau Morocco Facility, Symbol: T, Bat. A, Ilot 13, Lot 12, Zone Franche Aeroportuaire de Tanger, Route de Rabat, 90000, Tanger, Morocco
8. Spacecraft Components Corp., 3040 Clayton Street, N. Las Vegas, NV 89032, US
9. TTI, Inc., 2601 Sylvania Cross, Fort Worth, TX 76137, US
10. Wings Electro Sales Company, Inc., 11300 Fortune Circle, Wellington, FL 33414, US

Plants:
1. Souriau, Route National 23, 72470 Champagne, France

**Manufacturer: Souriau USA, Inc. (CAGE Code: 09922)**
Location: 25 Grumbacher Road, York, PA 17402, US

Assemby Plants:
1. A.E. Petsche Company, 2112 West Division, Arlington, TX 76012, US
2. Air Electro Supply, Inc., 9452 DeSoto Avenue, Chatsworth, TX 91313, US
3. Arrow Electronic, Inc., Symbol: X, Blvd. Luis Donaldo Colosio, #1179 Col. Obreras, Nogales, Sonora, Mexico CP 84048
4. BJG Electronics, Inc., 141 Remington Boulevard, Ronkonkoma, NY 11779, US
5. Connector Technology, Inc., 135 Industry Court, Kalispell, MT 59901-7991, US
6. Wings Electro Sales Company, Inc., 11300 Fortune Circle, Wellington, FL 33414, US

Plants:
1. Plant: Same Address as Manufacturer
2. Souriau Dominican Republic, LTD, Zona Franca Industrial, Apartado 64-2, Santiago de Los Caballeros, Dominican Republic,