Specification Details: **Date: 2/16/2012**

Specification: MIL-DTL-26482
Title: Connectors, Electrical, (Circular, Miniature, Quick Disconnect, Environment Resisting), Receptacles and Plugs
Federal Supply Class (FSC): 5935
Conventional: Yes
Specification contains quality assurance program: No
MIL-STD-790 Established Reliability & High Reliability: Yes
MIL-STD-690 Failure Rate Sampling Plans & Procedures: No
Weibull Graded: No
Specification contains space level reliability requirements: No
Specification allows test optimization: No

Contact Information:

Office of Primary Involvement: Passive Devices Branch, DLA Land and Maritime - VQP
Primary Qualifying Activity Contact: 614-692-8367, e-mail: vqp.es@dla.mil
Secondary Qualifying Activity Contact: 614-692-2867, e-mail: vqp.ab@dla.mil

Notes:

All parts listed are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized distributors. Names and addresses of authorized assembly plants are listed on the last page of this listing.

The qualified products are listed in tabular form for each manufacturer. Connectors are qualified to any combination of class and style shown. The insert arrangement number applicable to the designation which identifies the connector.

Part Configuration:

Connectors: MS3110F123PW

MS Number	Class	Shell	Insert Arrangement	Contact Style	Alternate Insert Position
MS3110	F	12	3	P	W

Hermetic (Class H): MS3113H12C10PW

MS Number	Class	Shell	Termination Shell Material Shell/Contact	Insert Arrangement	Contact Style	Alternate Insert Position
MS3113	H	12	C	10	P	W

Covers: MS318012CAL

MS Number	Dash Number	Finish	Length
MS3180	12C	A	L

PART LISTINGS

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3110
Manufacturer Designation: PT00 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Array Connector Corp.
Government Designation: MS3110
Manufacturer Designation: PW00 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3110
Manufacturer Designation: KPT00 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Souriau USA, Inc.
Government Designation: MS3110
Manufacturer Designation: BT00 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3111
Manufacturer Designation: PT01 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3111
Manufacturer Designation: KPT01 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Souriau
Government Designation: MS3110
Manufacturer Designation: 851-00( )
Class: E, F, J, P, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 35
Shell: 24 Insert: 61
Test or Qualification Reference: 26492-1159-83

Supplier: Souriau USA, Inc.
Government Designation: MS3110
Manufacturer Designation: BT00 ( )
Class: J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.
Government Designation: MS3111
Manufacturer Designation: PW01 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Souriau
Government Designation: MS3111
Manufacturer Designation: 85-01 ( )
Class: E, F, J, P, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84
Class Code JC is used for the military class J.

Supplier: Souriau USA, Inc.
Government Designation: MS3111
Manufacturer Designation: BT01 ( )
Class: J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3112
Manufacturer Designation: PT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3112
Manufacturer Designation: KPT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Souriau USA, Inc.
Government Designation: MS3112
Manufacturer Designation: BT02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Souriau USA, Inc.
Government Designation: MS3111
Manufacturer Designation: BT01 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.
Government Designation: MS3112
Manufacturer Designation: PW02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Souriau
Government Designation: MS3112
Manufacturer Designation: 85-02 ( )
Class: E, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3113
Manufacturer Designation: PT1 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Deutsch ECD
Government Designation: MS3113
Manufacturer Designation: 22628 ( )
Class: H
Terminal Type: A, C, Y
Contact Style: P
Shell: 8 Insert: 3, 4
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3113
Manufacturer Designation: HR-SS7002 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Sealtron, Inc.
Government Designation: MS3113
Manufacturer Designation: 8312 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-652-84
Term Types A and B added due to proof of tooling.

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3114
Manufacturer Designation: PT07 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Glasseal Products, Inc.
Government Designation: MS3113
Manufacturer Designation: GB1H ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 34, 61
Test or Qualification Reference: 26482-880-84

Supplier: ITT Cannon
Government Designation: MS3113
Manufacturer Designation: KPT1H ( )
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 34, 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3114
Manufacturer Designation: PT07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Array Connector Corp.
Government Designation: MS3114
Manufacturer Designation: PW07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Deutsch ECD
Government Designation: MS3114
Manufacturer Designation: 22630 ( )
Class: H
Terminal Type: A
Contact Style: A
Shell: 16 Insert: 8, 26
Test or Qualification Reference: 26482-626-84

Supplier: Deutsch ECD
Government Designation: MS3114
Manufacturer Designation: 22630 ( )
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

Supplier: Glasseal Products, Inc.
Government Designation: MS3114
Manufacturer Designation: GB7H ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 34, 61
Test or Qualification Reference: 26482-880-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3114
Manufacturer Designation: HR-SS7202 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 11, 30, 32, 85, 88
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: ITT Cannon
Government Designation: MS3114
Manufacturer Designation: KPT7H ( )
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3114
Manufacturer Designation: KPT07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Sealtron, Inc.
Government Designation: MS3114
Manufacturer Designation: 8315 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-652-84
Term Types A and B added due to proof of tooling.

Supplier: Souriau
Government Designation: MS3114
Manufacturer Designation: 85-07 ( )
Class: E, F, P, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26483-361-84

Supplier: Souriau USA, Inc.
Government Designation: MS3114
Manufacturer Designation: BT07 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3115
Manufacturer Designation: 10-263999-( )
Finish: L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-1548-85

Supplier: Glenair, Inc.
Government Designation: MS3115
Manufacturer Designation: 650D001 ( )
Finish: A, C, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-227-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3116
Manufacturer Designation: PT06
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3116
Manufacturer Designation: KPT06 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84
Class Code JC is used for the military class J.

Supplier: Souriau USA, Inc.
Government Designation: MS3114
Manufacturer Designation: BT07 ( )
Class: P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1281-83

Supplier: Array Connector Corp.
Government Designation: MS3115
Manufacturer Designation: PW15 ( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-012-98

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3115
Manufacturer Designation: PVS15 ( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-92-85

Supplier: Array Connector Corp.
Government Designation: MS3116
Manufacturer Designation: PW06 ( )
Class: E, F, J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

Supplier: Souriau
Government Designation: MS3116
Manufacturer Designation: 85-06 ( )
Class: E, F, J, P, Z
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84
Class Code JC, is used for the military class J.

Supplier: Souriau USA, Inc.
Government Designation: MS3116
Manufacturer Designation: BT06 ( )
Class: E, F
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 27, 39, 41
Shell: 22 Insert: 21, 32, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 16482-1281-81

Supplier: Array Connector Corp.
Government Designation: MS3119
Manufacturer Designation: PWB ( )
Class: E
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-117-98

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3120
Manufacturer Designation: PT005 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3120
Manufacturer Designation: KPSE00 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Souriau USA, Inc.
Government Designation: MS3116
Manufacturer Designation: BT06 ( )
Class: J, P
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 16482-1281-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3119
Manufacturer Designation: KPTB ( )
Class: E
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.
Government Designation: MS3120
Manufacturer Designation: PWF00 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: Souriau USA, Inc.
Government Designation: MS3120
Manufacturer Designation: L ( ) 0NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-013-98

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3121
Manufacturer Designation: PT01S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3121
Manufacturer Designation: KPSE01 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3122
Manufacturer Designation: PT02S ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3122
Manufacturer Designation: KPSE02 ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.
Government Designation: MS3121
Manufacturer Designation: PWF01 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: Souriau USA, Inc.
Government Designation: MS3121
Manufacturer Designation: L ( ) 1NA
Class: E, F, P
Contact Style: P, S
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: Array Connector Corp.
Government Designation: MS3122
Manufacturer Designation: PWF02 ( )
Class: E
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: Souriau USA, Inc.
Government Designation: MS3122
Manufacturer Designation: L ( ) 2NA
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3124
Manufacturer Designation: PT07S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3124
Manufacturer Designation: KPSE07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3126
Manufacturer Designation: PT06S ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3126
Manufacturer Designation: KPSE06 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Array Connector Corp.
Government Designation: MS3124
Manufacturer Designation: PWF07 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: Souriau USA, Inc.
Government Designation: MS3124
Manufacturer Designation: L ( ) 4NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: Array Connector Corp.
Government Designation: MS3126
Manufacturer Designation: PWF06 ( )
Class: E, F, P
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

Supplier: Souriau USA, Inc.
Government Designation: MS3126
Manufacturer Designation: L ( ) 6NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3127
Manufacturer Designation: MF02S ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau USA, Inc.
Government Designation: MS3127
Manufacturer Designation: L 9 0 7NA
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3128
Manufacturer Designation: KP28 ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3180
Manufacturer Designation: AE1580 ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Test or Qualification Reference: 26482-3126-11

Supplier: Array Connector Corp.
Government Designation: MS3180
Manufacturer Designation: PW80 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: L
Test or Qualification Reference: 26482-011-98

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3127
Manufacturer Designation: KP27 ( )
Class: E
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-80-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3128
Manufacturer Designation: MF00S ( )
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

Supplier: Souriau USA, Inc.
Government Designation: MS3128
Manufacturer Designation: L ( ) 8NA
Class: E, F, P
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 9, 12, 15, 19
Shell: 16 Insert: 8, 14, 26
Shell: 18 Insert: 11, 32, 85
Shell: 20 Insert: 16, 39, 41, 90
Shell: 22 Insert: 19, 21, 41, 55, 95
Shell: 24 Insert: 27, 61
Test or Qualification Reference: 26482-1282-83

Supplier: Amphenol Interconnect India Pvt. Ltd.
Government Designation: MS3180
Manufacturer Designation: IMB3180( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-2992-10

Supplier: Glenair, Inc.
Government Designation: MS3180
Manufacturer Designation: 660-008G ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1169-83

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3180
Manufacturer Designation: PVS80 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-92-85

Supplier: Sunbank Electronics, Inc.
Government Designation: MS3180
Manufacturer Designation: SE91E ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-852-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3181
Manufacturer Designation: 10-257937, 10-570302
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1548-85; NAC 03.02/04-14-81

Supplier: Glenair, Inc.
Government Designation: MS3181
Manufacturer Designation: 660-009G
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1170-83

Supplier: Sunbank Electronics, Inc.
Government Designation: MS3181
Manufacturer Designation: SE91E ( )
Dash Number: 8C, 8N, 8R, 10C, 10N, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-852-83

Supplier: Glenair, Inc.
Government Designation: MS3186
Manufacturer Designation: GS3186 ( )
Dash Number: 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130
Finish: A, B, C, E, N, P, T, W
Test or Qualification Reference: 38999-138-98

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3180
Manufacturer Designation: 10-257935, 10-570301
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: NAC 03.02/04-14-81

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3181
Manufacturer Designation: AE1581 ( )
Dash Number: 8C, 8N, 8R, 8R, 10C, 10C, 10N, 10R, 10R, 12C, 12C, 1 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Test or Qualification Reference: 26482-3126-11

Supplier: Array Connector Corp.
Government Designation: MS3181
Manufacturer Designation: PW81 ( )
Dash Number: 8C, 8N, 10C, 10N, 12C, 12N, 14C, 14N, 16C, 16N, 18C 18N, 20C, 20N, 22C, 22N, 24C, 24N
Finish: A
Length: L
Test or Qualification Reference: 26482-011-98

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3181
Manufacturer Designation: PVS81 ( )
Dash Number: 8C, 8N, 10C, 10N, 12C, 12N, 14C, 14N, 16C, 16N, 18C 18N, 20C, 20N, 22C, 22N, 24C, 24N
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-92-85

Supplier:
Government Designation: MS3181
Manufacturer Designation: IMB3181( )
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-2992-10

Supplier: Deutsch ECD
Government Designation: MS3440
Manufacturer Designation: DBC50 ( ), P-5122
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Glasseal Products, Inc.
Government Designation: MS3440
Manufacturer Designation: 440 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Sealtron, Inc.
Government Designation: MS3440
Manufacturer Designation: 6313-( ), SP-M13 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

Supplier: Deutsch ECD
Government Designation: MS3442
Manufacturer Designation: DBC58 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3442
Manufacturer Designation: HR-SS10A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3440
Manufacturer Designation: HR-SS9A ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Souriau
Government Designation: MS3440
Manufacturer Designation: 85262
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

Supplier: Glasseal Products, Inc.
Government Designation: MS3442
Manufacturer Designation: 442 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Sealtron, Inc.
Government Designation: MS3442
Manufacturer Designation: 442 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

Supplier: Deutsch ECD
Government Designation: MS3443
Manufacturer Designation: DBC53 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 4, 33, 98
Shell: 10C Insert: 6
Shell: 10B Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3443
Manufacturer Designation: HR-SS11A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Souriau
Government Designation: MS3443
Manufacturer Designation: 85261 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

Supplier: Glasseal Products, Inc.
Government Designation: MS3449
Manufacturer Designation: 449 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Glasseal Products, Inc.
Government Designation: MS3443
Manufacturer Designation: 443 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-944-85

Supplier: Sealtron, Inc.
Government Designation: MS3443
Manufacturer Designation: 6312-( ), SP-M13 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

Supplier: Deutsch ECD
Government Designation: MS3449
Manufacturer Designation: DBC54 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26486-626-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3449
Manufacturer Designation: HR-SS12A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Sealtron, Inc.
Government Designation: MS3449
Manufacturer Designation: 6315-( ), SP-M134
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-599-84

Supplier: Souriau
Government Designation: MS3449
Manufacturer Designation: 85267 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3470
Manufacturer Designation: AE770 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3470
Manufacturer Designation: PTS00DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3470
Manufacturer Designation: MB10 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09, 16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31

Supplier: Corsair Electrical Connectors, Inc.
Government Designation: MS3470
Manufacturer Designation: CJ0970 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

Supplier: Deutsch
Government Designation: MS3470
Manufacturer Designation: AFD50- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3470
Manufacturer Designation: PV70 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 12
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3471
Manufacturer Designation: AE771 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3471
Manufacturer Designation: MB13 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31

Supplier: Deutsch
Government Designation: MS3471
Manufacturer Designation: AFD51- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Souriau
Government Designation: MS3470
Manufacturer Designation: 8526-O ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3471
Manufacturer Designation: PTS01DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Corsair Electrical Connectors, Inc.
Government Designation: MS3471
Manufacturer Designation: CJ0971 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3471
Manufacturer Designation: PV71 ( )
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3472
Manufacturer Designation: AE772 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3472
Manufacturer Designation: MB11 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31

Supplier: Deutsch
Government Designation: MS3472
Manufacturer Designation: AFD58- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Hermetic Seal Corporation
Government Designation: MS3473
Manufacturer Designation: HR-S15A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3472
Manufacturer Designation: PTPS00DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Corsair Electrical Connectors, Inc.
Government Designation: MS3472
Manufacturer Designation: CJ0972 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3472
Manufacturer Designation: PV72
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3474
Manufacturer Designation: AE774 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3474
Manufacturer Designation: PTS07DRL
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3474
Manufacturer Designation: MB14
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09,16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-34

Supplier: Corsair Electrical Connectors, Inc.
Government Designation: MS3474
Manufacturer Designation: CJ0974 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

Supplier: Deutsch
Government Designation: MS3474
Manufacturer Designation: AFD54- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3474
Manufacturer Designation: PV74 ( )
Class: A, L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-80-84

Supplier: Souriau
Government Designation: MS3474
Manufacturer Designation: 8526-7 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3475
Manufacturer Designation: AE775 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83; 26482-958-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3475
Manufacturer Designation: 118-28 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-376-84

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3475
Manufacturer Designation: MB18 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
Style S Only: 14-09, 16-23,18-11,18-30,20-24,22-12,22-19,22-32,22-95,24-19,24-31

Supplier: Corsair Electrical Connectors, Inc.
Government Designation: MS3475
Manufacturer Designation: CJ0975 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-975-04

Supplier: Deutsch
Government Designation: MS3475
Manufacturer Designation: AFD57- ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3475
Manufacturer Designation: PV75 ( )
Class: L, W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

Supplier: Souriau
Government Designation: MS3475
Manufacturer Designation: 8526-5 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-078-96; 26482-1165-83

Supplier: Aero Electric Connector, Inc.
Government Designation: MS3476
Manufacturer Designation: AE776 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS3476
Manufacturer Designation: PTS06DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

Supplier: Amphenol Aerospace/Matrix Connectors
Government Designation: MS3476
Manufacturer Designation: MB16 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98

Supplier: Corsair Electrical Connectors, Inc.
Government Designation: MS3476
Manufacturer Designation: CJ0976 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

Supplier: ITT Cannon
ITT Cannon (Mexico)
Government Designation: MS3476
Manufacturer Designation: PV76 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-950-83

Supplier: Hermetic Seal Corporation
Government Designation: MS3477
Manufacturer Designation: HR-S16A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Supplier: Deutsch
Government Designation: MS3476
Manufacturer Designation: AFD56- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

Supplier: Souriau
Government Designation: MS3476
Manufacturer Designation: 8526-6 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

Supplier: Hermetic Seal Corporation
Government Designation: MS3479
Manufacturer Designation: HR-S18A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

Manufacturer: Aero Electric Connector, Inc. (CAGE Code: 59976)
Location: 2280 208th Street, Torrance, CA 90501, US

Assemby Plants:
1. A. E. Petsche Company, Inc., 2112 West Division, Arlington, TX 76012, US
2. Astrex Electronics, 205 Express Street, Plainview, NY 11803, US
3. Avnet, Inc., Calzada Industrial Nuevo Nogales, Av. Libre Comercio y Av. De La Technologia, #1601 Parque Industrial Nuevo Nogales, Nogales, Sonora, Mexico C.P. 84094
4. Benchmark Connector Corp., 4501 N.W. 103rd Avenue, Suite 101, Sunrise, FL 33351, US
5. BTC Electronic Components, Inc., 2709 Connector Drive, Wake Forest, NC 27587, US
6. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US
7. Conesys Europe, Aero Electric Connectors, Symbol F, 20 Avenue Jean Monnet, 31770 Colomiers, France
8. Electronic Connector Corp., 6332 S. Central Avenue, Chicago, IL 60638, US
9. Interstate Connecting Components, Inc., 120 Mount Holly Bypass, Lumberton, NJ 08048, US
10. Wesco Aircraft (Symbol: A), 3851 N. Webb Road, Wichita, KS 67226, US

Plants:
1. Plant: Same Address as Manufacturer

Manufacturer: Amphenol Aerospace/Amphenol Connectors (CAGE Code: 77820)
Location: 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Plants:
1. Plant: Same Address as Manufacturer
2. Amphenol Aerospace/Amphenol Optimize (Mexico), Calle Los Gavilanes #51, Parque Industrial San Ramon, Nogales, Sonora, Mexico CP 84094

Authorized Distributors:
1. Amphenol Japan, Ltd., 471-1 Deba, Ritto-shi, 520-3041, Shiga, Japan
2. Arrow Electronics, Boulevard Luis Donaldo Colosio #1179, Colonia Obrera, Nogales, Sonora, Mexico CP 84048
3. Avnet, Inc., Calzada Industrial Nuevo Nogales, Entre Ave. Libre Comercio y Ave. De la Tecnologia #1061, Nogales, Sonora, Mexico CP 84094
4. Avnet, Inc., Mariposa Industrial Park #1, 1481 N. Industrial Park, Suite #2, Nogales, AZ 85621, US
5. PEI Genesis, 4747 W. Cleveland Road, South Bend, IN 46628, US
6. Powell Electronics, Inc., 200 Commodore Drive, Logan Township, NJ 08085-1270, US
7. TTI, 2601 Sylvania Cross Drive, Fort Worth, TX 76137, US
8. Wesco Aircraft, Electronic Products Group, 3851 N. Webb Road, Wichita, KS 67226, US

Manufacturer: Amphenol Aerospace/Matrix (CAGE Code: 14283)
Location: 40-60 Delaware Street, Sidney, NY 13838-1395, US

Plants:
1. Plant: Same Address as Manufacturer
2. Amphenol Aerospace/Amphenol Optimize (Mexico), Calle Los Gavilanes #51, Parque Industrial San Ramon, Nogales, Sonora, Mexico CP 84094

Authorized Distributors:
1. Aeroflite Enterprises, Inc., 261 Gemini Avenue, Brea, CA 92821, US
2. Arrow Electronics, Boulevard Luis Donaldo Colosio #1179, Colonia Obrera, Nogales, Sonora, Mexico CP 84048
3. Avnet, Inc., Mariposa Industrial Park #1, 1481 N. Industrial Park, Suite #2, Nogales, AZ 85621, US
4. BJG Electronics, Inc., Symbol: BJG, 141 Remington Boulevard, Ronkonkoma, NY 11779-6911, US
5. Powell Electronics, Inc., 200 Commodore Drive, Logan Township, NJ 08085, US
6. Quittner & Schimek, s.r.o., Symbol: QSC, Komenskeho 304, 509 01 Nova Paka, Czech Republic,
7. TTI, 2601 Sylvania Cross Drive, Fort Worth, TX 76137, US
8. Wesco Aircraft, Electronic Products Group, 3851 N. Webb Road, Wichita, KS 67226, US

Manufacturer: Amphenol Interconnect India Pvt. Ltd. (CAGE Code: SF116)
Location: 105 Bhosari Industrial Estate, PUNE, 411 026, India

Assemby Plants:
1. AssemblyPlant: Same Address as Manufacturer

Manufacturer: Array Connector Corp. (CAGE Code: 0J4E7)
Location: 12555 130th Street, Miami, FL 33186, US

Assemby Plants:
1. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US
2. CPN/DENELEX Group, 4880 N. Hiatus Road, Sunrise, FL 33351, US
3. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US
4. Koehlke Components, Inc., 1201 Commerce Center Drive, Franklin, OH 45005, US

Manufacturer: Array Connector Corp. (CAGE Code: 0J4E7)
Location: 12555 130th Street, Miami, FL 33186, US

Plants:
1. Plant: Same Address as Manufacturer

Manufacturer: Corsair Electrical Connectors, Inc. (CAGE Code: 1R6R9)
Location: 16752 Millikan Avenue, Irvine, CA 92606, US

Plants:
1. Plant: Same Address as Manufacturer

Authorized Distributors:
1. Air Electro, Inc., P.O. Box 2231, 9452 DeSoto Avenue, Chatsworth, CA 91313-2231, US
2. BJG Electronics, Inc., 141 Remington Boulevard, Ronkonkoma, NY 11779, US
3. Brandex Components, Inc., 10440 NW 50th Street, Sunrise, FL 33351, US
4. CDM Electronics, Inc., 130 American Boulevard, Turnesville, NJ 08012, US
5. Compaero, Inc., 379 Timber Road, Mooresville, NC 28115, US
6. Connective Design, Inc., 3010 S. Tech Boulevard, Miamisburg, OH 45342, US
7. CPN/DENELEX Group, 4880 N. Hiatus Road, Sunrise, FL 33351, US
8. DA-GREEN Electronics, Ltd., 37 Main Street, South River, NJ 08882, US
9. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US
10. J&K Connectors, LLLP., 19209 Des Moines Way South, Seattle, WA 98148-2239, US
11. Spacecraft Components Corp., 3040 North Clayton Street, North Las Vegas, NV 89032, US

Manufacturer: Deutsch ECD (CAGE Code: 11139)
Location: Engineered Connecting Devices, 250 Eddie Jones Way, Oceanside, CA 92058, US

Assemby Plants:
1. Arrow Electronics, Inc., Symbol: X, Blvd. Luis Donaldo Colosio, #1179 Interior Entre Calle 5 de Febreo y Calle General, Victoriano Huerta, Nogales, Sonora, Mexico CP 84048
2. Astrex Electronics, Inc., 205 Express Street, Plainview, NY 11803, US
3. Deutsch Electronics Components Marketing, Symbol: DECM, P.O. Box 5010, 2 Haofe Street, South Industrial Zone, Ashkelon, 78150, Israel
4. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US
5. Hellerman Deutsch, Ltd., Imberhorne Way, East Grinstead, West Sussex RH IRW, England

Plants:
1. Plant: Same Address as Manufacturer
2. Deutsch ECD, Kilometer 127.86 Mexicali Tecate Federal Road, Tecate, Baja California, Mexico

Authorized Distributors:
1. Arrow Electronics DLC, Dirk Hartogweg 8, 5928LV Venlo, The Netherlands
2. CPN/DENELEX Group, 4880 N. Hiatus Road, Sunrise, FL 33351, US
3. PEI Genesis, 4747 W. Cleveland Road, South Bend, IN 46628, US

Manufacturer: Glasseal Products, Inc. (CAGE Code: 10025)
Location: P.O. Box 978, 485 Oberlin, Lakewood, NJ 08701, US

Assemby Plants:
1. Sealtron, Inc., 9705 Reading Road, Cincinnati, OH 45215, US

Plants:
1. Plant: Same Address as Manufacturer

Manufacturer: Glenair, Inc. (CAGE Code: 06324)
Location: 1211 Air Way, Glendale, CA 91201, US

Plants:
1. Plant: Same Address as Manufacturer

Manufacturer: Hermetic Seal Corporation (CAGE Code: 04820)
Location: 4232 Temple City Boulevard, Rosemead, CA 91770-1592, US

Plants:
1. Plant: Same Address as Manufacturer

Manufacturer: ITT Cannon (CAGE Code: 71468)
Location: 666 East Dyer Road, Santa Ana, CA 92705-5612, US

Assemby Plants:
1. Arrow Pemco, 9801 Legler Road, Lenexa, KS 66219, US

Manufacturer: ITT Cannon (CAGE Code: 71468)

Location: 666 East Dyer Road, Santa Ana, CA 92705-5612, US

2. Astrex, Inc., 205 Express Street, Plainview, LI, NY 11803, US
3. Avnet, Inc., Mariposa Industrial Park #1, 1481 N. Industrial Park, Suite #2, Nogales, AZ 85621, US
4. Electronic Connector Corp., 6332 S. Central Avenue, Chicago, IL 60638, US
5. Pan Pacific Electronics, Inc., 17985 N.E. 65th Street, Redmond, WA 98052, US
6. PEI Genesis, 4747 W. Cleveland Road, South Bend, IN 46628, US

Plants:

1. Plant: Same Address as Manufacturer
2. ITT Cannon de Mexico, SA de CV, Avenida del Libre Comercio S/N, Entre Calzada Industrial Nuevo Nogales y Calzada del Raquet Club, Col. Parque Industrial Nuevo Nogales, Nogales, Sonora C.P. 84093, Mexico

Manufacturer: Joslyn Sunbank Company (CAGE Code: 07418)

Location: 1740 Commerce Way, Paso Robles, CA 93446-3620, US

Plants:

1. Plant: Same Address as Manufacturer

Manufacturer: Sealtron, Inc. (CAGE Code: 97814)

Location: 9705 Reading Road, Cincinnati, OH 45215-3592, US

Plants:

1. Plant: Same Address as Manufacturer

Manufacturer: Souriau (CAGE Code: F0225)

Location: 9, rue de la Porte de Buc, 78000 Versailles, France

Assemby Plants:

1. A.E. Petsche Company, Inc., 2112 West Division, Arlington, TX 76012, US
2. Air Electro Supply, Inc., 9452 DeSoto Avenue, Chatsworth, CA 91313, US
3. Arrow Electronics, Inc., Symbol: X, Blvd. Luis Donaldo Colosio, #1179 Col. Obreras, Nogales, Sonora, Mexico CP 84048
4. BJG Electronics, Inc., 160 Gary Way, Ronkonkoma, NY 11779, US
5. Connector Technology, Inc., 135 Industry Court, Kalispell, MT 59901-7991, US
6. Hiconnex (PTY) Ltd. (Symbol: HCX), 93 Adriana Crescent, Gateway Industrial Park, Centurion 0157, South Africa
7. KAPCO (Symbol: Kapcol), 11300 Fortune Circle, Wellington, FL 33414, US
8. Souriau Morocco Facility, Symbol: T, Bat. A, Ilot 13, Lot 12, Zone Franche Aeroportuaire de Tanger, Route de Rabat, 90000, Tanger, Morocco
9. Spacecraft Components Corp., 3040 Clayton Street, N. Las Vegas, NV 89032, US
10. TTI, Inc., 2601 Sylvania Cross, Fort Worth, TX 76137, US

Plants:

1. Souriau, Route National 23, 72470 Champagne, France

Manufacturer: Souriau USA, Inc. (CAGE Code: 09922)

Location: 25 Grumbacher Road, York, PA 17402, US

Assemby Plants:

1. A.E. Petsche Company, 2112 West Division, Arlington, TX 76012, US
2. Air Electro Supply, Inc., 9452 DeSoto Avenue, Chatsworth, TX 91313, US
3. Arrow Electronic, Inc., Symbol: X, Blvd. Luis Donaldo Colosio, #1179 Col. Obreras, Nogales, Sonora, Mexico CP 84048
4. BJG Electronics, Inc., 141 Remington Boulevard, Ronkonkoma, NY 11779, US
5. Connector Technology, Inc., 135 Industry Court, Kalispell, MT 59901-7991, US
6. Wings Electro Sales Company, Inc., 11300 Fortune Circle, Wellington, FL 33414, US

Plants:

1. Plant: Same Address as Manufacturer
2. Souriau Dominican Republic, LTD, Zona Franca Industrial, Apartado 64-2, Santiago de Los Caballeros, Dominican Republic,