**Specification Details:** **Date: 12/9/2021**

Specification: MIL-DTL-26482
Title: Connectors, Electrical, (Circular, Miniature, Quick Disconnect, Environment Resisting), Receptacles and Plugs
Federal Supply Class (FSC): 5935
Conventional: No
Specification contains quality assurance program: No
MIL-STD-790 Established Reliability & High Reliability: Yes
MIL-STD-690 Failure Rate Sampling Plans & Procedures: No
Weibull Graded: No
Specification contains space level reliability requirements: No
Specification allows test optimization: No

**Contact Information:**

Office of Primary Involvement: Passive Devices Branch, DLA Land and Maritime - VQP
Primary Qualifying Activity Contact: 614-692-9583, e-mail: vqp.kh@dla.mil
Secondary Qualifying Activity Contact: 614-692-8367, e-mail: vqp.es@dla.mil

**Notes:**

All parts listed are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized distributors. Names and addresses of authorized assembly plants are listed on the last page of this listing.

The qualified products are listed in tabular form for each manufacturer. Connectors are qualified to any combination of class and style shown. The insert arrangement number applicable to the designation which identifies the connector.

**Part Configuration:**

Connectors: MS3110F12-3PW

| MS Number | Class | Shell | Insert Arrangement | Contact Style | Alternate Insert Position |
|---|---|---|---|---|---|
| MS3110 | F | 12- | 3 | P | W |

Hermetic (Class H): MS3113H12C10PW

| MS Number | Class | Shell | Termination Shell Material Shell/Contact | Insert Arrangement | Contact Style | Alternate Insert Position |
|---|---|---|---|---|---|---|
| MS3113 | H | 12 | C | 10 | P | W |

Covers: MS318012CAL

| MS Number | Dash Number | Finish | Length |
|---|---|---|---|
| MS3180 | 12C | A | L |

## PART LISTINGS

**Supplier: Amphenol Aerospace**

Government Designation: MS3110
Manufacturer Designation: PT00 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Cinch Connectors, Inc.**

Government Designation: MS3110
Manufacturer Designation: PW00 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: ITT Cannon, LLC**
Government Designation: MS3110
Manufacturer Designation: KPT00 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-5502-19

**Supplier: Souriau**
Government Designation: MS3110
Manufacturer Designation: 851-00( )
Class: E, F, J, P
Finish: K, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26492-1159-83

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3111
Manufacturer Designation: PW01 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: SPI Connects**
Government Designation: MS3111
Manufacturer Designation: MS3111 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-3536-12

**Supplier: SPI Connects**
Government Designation: MS3110
Manufacturer Designation: MS3110 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-3536-12

**Supplier: Amphenol Aerospace**
Government Designation: MS3111
Manufacturer Designation: PT01 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon, LLC**
Government Designation: MS3111
Manufacturer Designation: KPT01 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-5502-19

**Supplier: Souriau**
Government Designation: MS3111
Manufacturer Designation: 851-01 ( )
Class: E, F, J, P
Finish: K, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84

***Class Code JC is used for the military class J.***

**Supplier: Amphenol Aerospace**
Government Designation: MS3112
Manufacturer Designation: PT02 ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon, LLC**
Government Designation: MS3112
Manufacturer Designation: KPT02 ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-5502-19

**Supplier: Souriau**
Government Designation: MS3112
Manufacturer Designation: 851-02 ( )
Class: E
Finish: K, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84

**Supplier: Hermetic Seal Corp**
Government Designation: MS3113
Manufacturer Designation: HR-SS7002 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3112
Manufacturer Designation: PW02 ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: SPI Connects**
Government Designation: MS3112
Manufacturer Designation: MS3112 ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-3536-12

**Supplier: Amphenol Aerospace**
Government Designation: MS3113
Manufacturer Designation: PT1 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Sealtron, Inc.**
Government Designation: MS3113
Manufacturer Designation: 8312 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-652-84
***Term Types A and B added due to proof of tooling.***

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3113
Manufacturer Designation: 22628 ( )
Class: H
Terminal Type: A, C, Y
Contact Style: P
Shell: 8 Insert: 3, 4
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

**Supplier: Amphenol Aerospace**
Government Designation: MS3114
Manufacturer Designation: PT07 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Hermetic Seal Corp**
Government Designation: MS3114
Manufacturer Designation: HR-SS7202 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 11, 30, 32, 85, 88
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: SPI Connects**
Government Designation: MS3114
Manufacturer Designation: MS3114 ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-3536-12

**Supplier: Amphenol Aerospace**
Government Designation: MS3114
Manufacturer Designation: PT07 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3114
Manufacturer Designation: PW07 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: ITT Cannon, LLC**
Government Designation: MS3114
Manufacturer Designation: KPT07 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-5502-19

**Supplier: Sealtron, Inc.**
Government Designation: MS3114
Manufacturer Designation: 8315 ( )
Class: H
Terminal Type: A, B, C, Y
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-652-84
***Term Types A and B added due to proof of tooling.***

**Supplier: Souriau**
Government Designation: MS3114
Manufacturer Designation: 851-07 ( )
Class: E, F, P
Finish: K, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26483-361-84

**Supplier: Amphenol Aerospace**
Government Designation: MS3115
Manufacturer Designation: 10-263999-( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-1548-85

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3115
Manufacturer Designation: PW15 ( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-012-98

**Supplier: Spacecraft Components Corp.**
Government Designation: MS3115
Manufacturer Designation: SCP3115 ( )
Finish: A, K, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-3105-11

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3116
Manufacturer Designation: PW06 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-454-91

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3114
Manufacturer Designation: 22630 ( )
Class: H
Terminal Type: C, Y
Contact Style: P
Shell: 8 Insert: 3, 4, 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-626-84

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3115
Manufacturer Designation: IMB3115( )
Finish: A, K, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-3713-13

**Supplier: Glenair, Inc.**
Government Designation: MS3115
Manufacturer Designation: 650D001 ( )
Finish: A, L, W
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 26482-227-83

**Supplier: Amphenol Aerospace**
Government Designation: MS3116
Manufacturer Designation: PT06
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon, LLC**
Government Designation: MS3116
Manufacturer Designation: KPT06 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-5502-19

**Supplier: SPI Connects**
Government Designation: MS3116
Manufacturer Designation: MS3116 ( )
Class: E, F, J, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-3536-12

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3119
Manufacturer Designation: PWB ( )
Class: E
Finish: W
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 41, 55
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-117-98

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3120
Manufacturer Designation: PWF00 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Amphenol Aerospace**
Government Designation: MS3121
Manufacturer Designation: PT01S ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Souriau**
Government Designation: MS3116
Manufacturer Designation: 851-06 ( )
Class: E, F, J, P
Finish: K, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 21, 32, 34, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1159-83; 26482-361-84
***Class Code JC, is used for the military class J.***

**Supplier: Amphenol Aerospace**
Government Designation: MS3120
Manufacturer Designation: PT005 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon, LLC**
Government Designation: MS3120
Manufacturer Designation: KSPE00 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 10
Shell: 14 Insert: 19
Shell: 16 Insert: 26
Shell: 18 Insert: 32
Shell: 20 Insert: 41
Shell: 22 Insert: 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-6191-21

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3121
Manufacturer Designation: PWF01 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: ITT Cannon, LLC**
Government Designation: MS3121
Manufacturer Designation: KSPE01 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 10
Shell: 14 Insert: 19
Shell: 16 Insert: 26
Shell: 18 Insert: 32
Shell: 20 Insert: 41
Shell: 22 Insert: 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-6191-21

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3122
Manufacturer Designation: PWF02 ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Amphenol Aerospace**
Government Designation: MS3124
Manufacturer Designation: PT07S ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon, LLC**
Government Designation: MS3124
Manufacturer Designation: KSPE07 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 10
Shell: 14 Insert: 19
Shell: 16 Insert: 26
Shell: 18 Insert: 32
Shell: 20 Insert: 41
Shell: 22 Insert: 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-6191-21

**Supplier: Amphenol Aerospace**
Government Designation: MS3122
Manufacturer Designation: PT02S ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: ITT Cannon, LLC**
Government Designation: MS3122
Manufacturer Designation: KSPE02 ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 10
Shell: 14 Insert: 19
Shell: 16 Insert: 26
Shell: 18 Insert: 32
Shell: 20 Insert: 41
Shell: 22 Insert: 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-6191-21

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3124
Manufacturer Designation: PWF07 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Amphenol Aerospace**
Government Designation: MS3126
Manufacturer Designation: PT06S ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3126
Manufacturer Designation: PWF06 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-013-98

**Supplier: Amphenol Aerospace**
Government Designation: MS3127
Manufacturer Designation: MF02S ( )
Class: E
Finish: W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3180
Manufacturer Designation: AE1580 ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-3126-11

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3180
Manufacturer Designation: PW80 ( )
Dash Number: 8C, 10C, 12C, 14C, 16C, 18C, 20C, 22C, 24C
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-011-98

**Supplier: SPI Connects**
Government Designation: MS3180
Manufacturer Designation: MS3180 ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A, K, L, W
Length: L, STD
Test or Qualification Reference: 26482-3536-12; 26482-6038-21

**Supplier: Sunbank Electronics, Inc.**
Government Designation: MS3180
Manufacturer Designation: SE91E ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-852-83

**Supplier: ITT Cannon, LLC**
Government Designation: MS3126
Manufacturer Designation: KSPE06 ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 10
Shell: 14 Insert: 19
Shell: 16 Insert: 26
Shell: 18 Insert: 32
Shell: 20 Insert: 41
Shell: 22 Insert: 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-6191-21

**Supplier: Amphenol Aerospace**
Government Designation: MS3128
Manufacturer Designation: MF00S ( )
Class: E, F, P
Finish: W
Contact Style: P, S
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26, 99
Shell: 18 Insert: 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 21, 32, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3180
Manufacturer Designation: IMB3180( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A, K, L, W
Length: L, STD
Test or Qualification Reference: 26482-2992-10; 26482-3713-13

**Supplier: Glenair, Inc.**
Government Designation: MS3180
Manufacturer Designation: 660-008G ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1169-83

**Supplier: Spacecraft Components Corp.**
Government Designation: MS3180
Manufacturer Designation: SCP3180 ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: A, K, L, W
Length: L, STD
Test or Qualification Reference: 26482-3105-11

**Supplier: Yeonhab Precision Co. LTD**
Government Designation: MS3180
Manufacturer Designation: YH3180 ( )
Dash Number: 8C, 8R, 10C, 10R, 12C, 12R, 14C, 14R, 16C, 16R, 18C, 18R, 20C, 20R, 22C, 22R, 24C, 24R
Finish: L, W
Length: L, STD
Test or Qualification Reference: 26482-5665-20

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3181
Manufacturer Designation: AE1581 ( )
Dash Number: 8C, 8N, 8R, 8R, 10C, 10C, 10N, 10R, 10R, 12C, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-3126-11

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3181
Manufacturer Designation: IMB3181( )
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A, K, L, W
Length: L, STD
Test or Qualification Reference: 26482-2992-10; 26482-3713-13

**Supplier: Glenair, Inc.**
Government Designation: MS3181
Manufacturer Designation: 660-009G
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1170-83

**Supplier: Spacecraft Components Corp.**
Government Designation: MS3181
Manufacturer Designation: SCP3181 ( )
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A, K, L, W
Length: L, STD
Test or Qualification Reference: 26482-3105-11

**Supplier: Yeonhab Precision Co. LTD**
Government Designation: MS3181
Manufacturer Designation: YH3181 ( )
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: L, W
Length: L, STD
Test or Qualification Reference: 26482-5665-20

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3186
Manufacturer Designation: IMB3186 - ( )
Dash Number: 102, 106, 109, 111, 113, 116, 117, 120, 121
Finish: A, N, W
Material: A
Test or Qualification Reference: 26482-3474-12

**Supplier: Glenair, Inc.**
Government Designation: MS3186
Manufacturer Designation: GS3186 ( )
Dash Number: 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130
Finish: A, B, C, E, N, P, T, W
Material: A, C, S
Test or Qualification Reference: 38999-138-98

**Supplier: Amphenol Aerospace**
Government Designation: MS3181
Manufacturer Designation: 10-257937, 10-570302
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-1548-85; NAC 03.02/04-14-81

**Supplier: Cinch Connectors, Inc.**
Government Designation: MS3181
Manufacturer Designation: PW81 ( )
Dash Number: 8C, 8N, 10C, 10N, 12C, 12N, 14C, 14N, 16C, 16N, 18C, 18N, 20C, 20N, 22C, 22N, 24C, 24N
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-011-98

**Supplier: SPI Connects**
Government Designation: MS3181
Manufacturer Designation: MS3181 ( )
Dash Number: 8C, 8N, 8R, 10C, 10N, 10R, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A, K, L, W
Length: L, STD
Test or Qualification Reference: 26482-3536-12; 26482-6038-21

**Supplier: Sunbank Electronics, Inc.**
Government Designation: MS3181
Manufacturer Designation: SE91E ( )
Dash Number: 8C, 8N, 8R, 10C, 10N, 12C, 12N, 12R, 14C, 14N, 14R, 16C, 16N, 16R, 18C, 18N, 18R, 20C, 20N, 20R, 22C, 22N, 22R, 24C, 24N, 24R
Finish: A
Length: L, STD
Test or Qualification Reference: 26482-852-83

**Supplier: American Micro Products, Inc.**
Government Designation: MS3186
Manufacturer Designation: 50 ()-()
Dash Number: 102, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 115, 116, 117, 119, 120, 121, 122, 123
Finish: E, E-C, P, P-C, T, T-C
Material: C, S
Test or Qualification Reference: 83723-353-89

**Supplier: Amphenol/Socapex**
Government Designation: MS3186
Manufacturer Designation: 171- ( ) or 173 ¿ ( )
Dash Number: 106, 108, 111, 113, 116, 117, 120, 121, 122
Finish: N, W
Material: A
Test or Qualification Reference: 38999-5175-18

**Supplier: Hermetic Seal Corp**
Government Designation: MS3440
Manufacturer Designation: HR-SS9A ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3440
Manufacturer Designation: 6313-( ), SP-M13 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

**Supplier: Souriau**
Government Designation: MS3440
Manufacturer Designation: 8526-2 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3440
Manufacturer Designation: DBC50 ( ), P-5122
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Hermetic Seal Corp**
Government Designation: MS3442
Manufacturer Designation: HR-SS10A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3442
Manufacturer Designation: 442 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3442
Manufacturer Designation: DBC58 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Hermetic Seal Corp**
Government Designation: MS3443
Manufacturer Designation: HR-SS11A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3443
Manufacturer Designation: 6312-( ), SP-M13 ( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-589-84

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3443
Manufacturer Designation: DBC53 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 4, 33, 98
Shell: 10C Insert: 6
Shell: 10B Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Sealtron, Inc.**
Government Designation: MS3449
Manufacturer Designation: 6315-( ), SP-M134
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 10, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-599-84

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3449
Manufacturer Designation: DBC54 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8C Insert: 33, 98
Shell: 10C Insert: 6
Shell: 12C Insert: 3, 8, 10
Shell: 14C Insert: 4, 5, 12, 15, 18, 19
Shell: 16C Insert: 8, 23, 26
Shell: 18C Insert: 8, 11, 32
Shell: 20C Insert: 16, 39, 41
Shell: 22C Insert: 12, 21, 41, 55
Shell: 24C Insert: 31, 61
Test or Qualification Reference: 26486-626-84

**Supplier: Souriau**
Government Designation: MS3443
Manufacturer Designation: 8526-1 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

**Supplier: Hermetic Seal Corp**
Government Designation: MS3449
Manufacturer Designation: HR-SS12A-( )
Class: H
Terminal Type: A, B, C
Contact Style: P
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6, 98
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16 Insert: 8, 14, 23, 26, 95, 99
Shell: 18 Insert: 8, 11, 30, 32, 85, 88
Shell: 20 Insert: 16, 24, 27, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 34, 41, 55, 95, 96
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24 Insert: 19, 27, 31, 61
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Souriau**
Government Designation: MS3449
Manufacturer Designation: 8526-7 ( )
Class: H
Terminal Type: C
Contact Style: P
Shell: 8 Insert: 33
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 10
Shell: 14 Insert: 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 21, 41, 55
Shell: 24 Insert: 61
Test or Qualification Reference: 26482-115-87

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3470
Manufacturer Designation: AE770 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace**
Government Designation: MS3470
Manufacturer Designation: PTS00DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3470
Manufacturer Designation: MB10 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 16-23,20-24,22-19,22-32,24-19,24-31***

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3470
Manufacturer Designation: IMB1-0 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-3474-12

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3470
Manufacturer Designation: CJ0970 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 2, 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: Souriau**
Government Designation: MS3470
Manufacturer Designation: 8526-0 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3470
Manufacturer Designation: AFD50- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Yeonhab Precision Co. LTD**
Government Designation: MS3470
Manufacturer Designation: YH3470 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-5665-20

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3471
Manufacturer Designation: AE771 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace**
Government Designation: MS3471
Manufacturer Designation: PTS01DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3471
Manufacturer Designation: MB13 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 16-23,20-24,22-19,22-32,24-19,24-31***

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3471
Manufacturer Designation: IMB1-1 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-3474-12

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3471
Manufacturer Designation: CJ0971 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 2, 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3471
Manufacturer Designation: AFD51- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Yeonhab Precision Co. LTD**
Government Designation: MS3471
Manufacturer Designation: YH3471 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-5665-20

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3472
Manufacturer Designation: AE772 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace**
Government Designation: MS3472
Manufacturer Designation: PTPS00DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3472
Manufacturer Designation: MB11 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 16-23,20-24,22-19,22-32,24-19,24-31***

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3472
Manufacturer Designation: IMB1-2 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-3474-12

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3472
Manufacturer Designation: CJ0972 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 2, 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3472
Manufacturer Designation: AFD58- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Yeonhab Precision Co. LTD**
Government Designation: MS3472
Manufacturer Designation: YH3472 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-5665-20

**Supplier: Hermetic Seal Corp**
Government Designation: MS3473
Manufacturer Designation: HR-S15A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3474
Manufacturer Designation: AE774 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace**
Government Designation: MS3474
Manufacturer Designation: PTS07DRL
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3474
Manufacturer Designation: MB14
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 16-23,20-24,22-19,22-32,24-19,24-34***

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3474
Manufacturer Designation: IMB1-4 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-3474-12

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3474
Manufacturer Designation: CJ0974 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 2, 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: Souriau**
Government Designation: MS3474
Manufacturer Designation: 8526-7 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3474
Manufacturer Designation: AFD54- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Yeonhab Precision Co. LTD**
Government Designation: MS3474
Manufacturer Designation: YH3474 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-5665-20

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3475
Manufacturer Designation: AE775 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83; 26482-958-83

**Supplier: Amphenol Aerospace**
Government Designation: MS3475
Manufacturer Designation: 118-28 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-376-84

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3475
Manufacturer Designation: MB18 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98
***Style S Only: 16-23,20-24,22-19,22-32,24-19,24-31***

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3475
Manufacturer Designation: IMB1-5 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-3474-12

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3475
Manufacturer Designation: CJ0975 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 2, 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-975-04

**Supplier: Souriau**
Government Designation: MS3475
Manufacturer Designation: 8526-5 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-078-96; 26482-1165-83

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3475
Manufacturer Designation: AFD57- ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Yeonhab Precision Co. LTD**
Government Designation: MS3475
Manufacturer Designation: YH3475 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-5665-20

**Supplier: Aero Electric Connector, Inc.**
Government Designation: MS3476
Manufacturer Designation: AE776 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-658-83

**Supplier: Amphenol Aerospace**
Government Designation: MS3476
Manufacturer Designation: PTS06DRL ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55, 95
Shell: 24 Insert: 31, 61
Test or Qualification Reference: 26482-1323-83

**Supplier: Amphenol Aerospace/Matrix Connectors**
Government Designation: MS3476
Manufacturer Designation: MB16 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-102-98

**Supplier: Corsair Electrical Connectors, Inc.**
Government Designation: MS3476
Manufacturer Designation: CJ0976 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 2, 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1072-04

**Supplier: TE Connectivity Corporation (Deutsch)**
Government Designation: MS3476
Manufacturer Designation: AFD56- ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 32, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-626-84

**Supplier: Hermetic Seal Corp**
Government Designation: MS3477
Manufacturer Designation: HR-S16A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 8, 14, 23, 26, 95, 99
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Supplier: Amphenol Interconnect India Pvt. Ltd.**
Government Designation: MS3476
Manufacturer Designation: IMB1-6 ( )
Class: A, L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 9, 12, 15, 18, 19
Shell: 16 Insert: 8, 23, 26
Shell: 18 Insert: 8, 11, 30, 32
Shell: 20 Insert: 16, 24, 39, 41
Shell: 22 Insert: 12, 19, 21, 32, 41, 55, 95
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-3474-12

**Supplier: Souriau**
Government Designation: MS3476
Manufacturer Designation: 8526-6 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 19
Shell: 16 Insert: 8, 26
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-1165-83

**Supplier: Yeonhab Precision Co. LTD**
Government Designation: MS3476
Manufacturer Designation: YH3476 ( )
Class: L, W
Contact Style: P, S
Shell: 8 Insert: 2, 3, 4, 33, 98
Shell: 10 Insert: 6
Shell: 12 Insert: 3, 8, 10
Shell: 14 Insert: 4, 5, 12, 15, 18, 19
Shell: 16 Insert: 8, 14, 23, 26, 99
Shell: 18 Insert: 8, 11, 32
Shell: 20 Insert: 16, 39, 41
Shell: 22 Insert: 12, 21, 41, 55
Shell: 24 Insert: 19, 31, 61
Test or Qualification Reference: 26482-5665-20

**Supplier: Hermetic Seal Corp**
Government Designation: MS3479
Manufacturer Designation: HR-S18A-( )
Class: N
Terminal Type: D
Contact Style: P
Shell: 8D Insert: 2, 3, 4, 33, 98
Shell: 10D Insert: 6, 98
Shell: 12D Insert: 3, 8, 10
Shell: 14D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 16D Insert: 4, 5, 9, 12, 15, 18, 19, 22
Shell: 18D Insert: 8, 11, 30, 32, 85, 88
Shell: 20D Insert: 16, 24, 27, 39, 41
Shell: 22D Insert: 12, 19, 21, 32, 34, 55, 95, 96
Shell: 24D Insert: 19, 27, 31, 61
Test or Qualification Reference: 26482-356-84

**Manufacturer: Aero Electric Connector, Inc. (CAGE Code: 59976)**
Location: 2280 208th Street, Torrance, CA 90501, US

Assembly Plants:
1. A. E. Petsche Company, Inc., Boulevard Luis Donaldo Colosio #1179, Entre 5 de Febrero y General Victoriano Huerta, Colomia Obrera, Nogales, Sonora 84020, Mexico)
2. Benchmark Connector Corp., 4501 N.W. 103rd Avenue, Suite 101, Sunrise, FL 33351, US)
3. BTC Electronic Components, Inc., 2709 Connector Drive, Wake Forest, NC 27587, US)
4. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US)
5. Conesys Europe, Aero Electric Connectors, Symbol F, 20 Avenue Jean Monnet, 31770 Colomiers, France)
6. Conesys Mexico,
   Tempranillo
   Parque Industrial El Bajio
   Tecate, Baja California 21430, MX, Calle Los Olivos 2000 Tempranillo, Parque Industrial El Bajio, Tecate, Baja California 214, Mexico)
7. Electronic Connector Company (ECCO), 5225 Thatcher Road, Downers Grove, IL 60515, US)
8. Incora, 3851 N. Webb Road, Wichita, KS 67226, US)
9. Interstate Connecting Components, Inc., 100C Mount Holly Bypass, Lumberton, NJ 08048, US)
10. NYK Component Solution Ltd, The Clock House, Gaters Mill, West End, Southampton SO18 3HW, UK)
11. PEI Genesis, 4747 Cleveland Road, South Bend, IN 46628, US)
12. Powell Electronics, 200 Commodore Dr., Swedesboro, NJ 08085, US)
13. TTI, Inc., 3737 Meacham Boulevard, Fort Worth, TX 76137, US)

Plants:
1. Plant: Same Address as Manufacturer
2. Conesys Mexico, Los Olivos No. 2000, 21430 Tecate, Baja California, Mexico

**Manufacturer: American Micro Products, Inc. (CAGE Code: 0GAC8)**
Location: 4288 Armstrong Boulevard, Batavia, OH 45103-1600, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Amphenol Aerospace/Amphenol Connectors (CAGE Code: 77820)**
Location: 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Assembly Plants:
1. Amphenol Japan, Ltd., 471-1 Deba, Ritto-shi, 520-3041, Shiga, Japan, )
2. Arrow Electronics, Boulevard Luis Donaldo Colosio #1179, Colonia Obrera, Nogales, Sonora, Mexico CP 84048, )
3. Avnet, Inc., Calzada Industrial Nuevo Nogales, Entre Ave. Libre Comercio y Ave. De la Tecnologia #1061, Nogales, Sonora, Mexico CP 84094, )
4. BJG Electronics, 141 Remington Blvd., Ronkonkoma, NY 11779, US)
5. Incora, 3851 N. Webb Road, Wichita, KS 67226, US)
6. Interstate Connecting Components, 100C Mount Holly Bypass, Lumberton, NJ 08048, US)
7. PEI Genesis, 4747 W. Cleveland Road, South Bend, IN 46628, US)
8. Powell Electronics, Inc., 200 Commodore Drive, Logan Township, NJ 08085, US)
9. TTI, 3737 Meacham Boulevard, Fort Worth, TX 76137, US)

Plants:
1. Plant: Same Address as Manufacturer
2. Amphenol Optimize Mexico, Av. de los Nogales, Lote 6 Manzana, 3 Fraccionamiento San Carlos, Nogales, Sonora 84094, MX
3. Amphenol Optimize Mexico, Calle Los Gavilanes #51, Parque Industrial San Ramon, Nogales, Sonora 84096, MX

**Manufacturer: Amphenol Aerospace/Matrix (CAGE Code: 14283)**
Location: 40-60 Delaware Street, Sidney, NY 13838-1395, US

Assembly Plants:
1. Arrow Electronics, Boulevard Luis Donaldo Colosio #1179, Colonia Obrera, Nogales, Sonora, CP 84048, Mexico)
2. BJG Electronics, Inc., Symbol: BJG, 141 Remington Boulevard, Ronkonkoma, NY 11779-6911, US)
3. Incora, 3851 N. Webb Road, Wichita, KS 67226, US)
4. PEI Genesis, 4747 W. Cleveland Road, South Bend, IN 46628, US)
5. Powell Electronics, Inc., 200 Commodore Drive, Logan Township, NJ 08085, US)
6. Quittner & Schimek, s.r.o., Symbol: QSC, Komenskeho 304, 509 01 Nova Paka, Czech Republic)
7. TTI, 3737 Meacham Boulevard, Fort Worth, TX 76137, US)

Plants:
1. Plant: Same Address as Manufacturer
2. Amphenol Aerospace/Amphenol Optimize (Mexico), Calle Los Gavilanes #51, Parque Industrial San Ramon, Nogales, Sonora CP 84094, MX

**Manufacturer: Amphenol Interconnect India Pvt. Ltd. (CAGE Code: 1433Y)**
Location: 105, Bhosari Industrial Area, Pune, 411 026, India

Assembly Plants:
1. M/s Quittner & Schimek s.r.o., Nova Paka, 509 01, Komenskeho 304, Czech Republic)

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Amphenol/Socapex (CAGE Code: F6162)**
Location: Promenade de l'Arve, B.P. 29, 74311, Thyez Cedex, France

Plants:
1. Plant: Same Address as Manufacturer
2. Amphenol Interconnect India Pvt. Ltd., IMS Division, 105, Bhosari Industrial Estate, P.B. No. 1, Bhosari P.O., PUNE, 411 026, India

**Manufacturer: Cinch Connectors, Inc. (CAGE Code: 71785)**
Location: 1700 Finley Road, Lombard, IL 60148, US

Assembly Plants:
1. A.E. Petsche Company, Boulevard Luis Donaldo Colosio 1179, Nogales, Mexico 84048, Mexico)
2. BTC Electronic Components, Inc., 2709 Connector Drive, Wake Forest, NC 27587, US)
3. Circular Connectors, Inc., 3250 Corte Malpaso, Camarillo, CA 93012, US)
4. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US)

Plants:
1. Cinch Connectors de Mexico, Carretera Riberena KM 9, Parque Industrial Maquilpark, Reynosa, Tamaulipas, Mexico

**Manufacturer: Corsair Electrical Connectors, Inc. (CAGE Code: 1R6R9)**
Location: 17100 Murphy Avenue, Irvine, CA 92614, US

Assembly Plants:
1. A.E. Petsche Company, 4880 N. Hiatus Road, Sunrise, FL 33351, US)
2. Air Electro, Inc., P.O. Box 2231, 9452 DeSoto Avenue, Chatsworth, CA 91313, US)
3. Arrow, Boulevard Luis, Donaldo Colosio 1179, Nogales, Mexico, )
4. BJG Electronics, Inc., 141 Remington Boulevard, Ronkonkoma, NY 11779, US)
5. Brandex Components, Inc., 10440 NW 50th Street, Sunrise, FL 33351, US)
6. BTC Electronic Components, Inc., 2709 Connector Drive, Wake Forest, NC 27587, US)
7. CDM Electronics, Inc., 130 American Boulevard, Turnesville, NJ 08012, US)
8. Connective Design, Inc., 3010 S. Tech Boulevard, Miamisburg, OH 45342, US)
9. Corsair Electrical Connectors Mexico, Calle Maple No 101 Col Parque Industrial Tecate, 21430, Mexico)
10. Corsair International, 16 Rue Georges Clemenceau 78250 Meulan en Yvelines, France)
11. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US)
12. J&K Connectors, LLLP., 6409 S. 194th Street, Kent, WA 98032, US)
13. Spacecraft Components Corp., 3040 North Clayton Street, North Clayton Street, NV 89032, US)
14. WireMasters, Inc., Calle El Dorado No. Numero 98 interior A, Parque Industrial El Dorado
    Mexicali Baja California, C.P. 21383, Mexico)

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Glenair, Inc. (CAGE Code: 06324)**
Location: 1211 Air Way, Glendale, CA 91201-2497, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Hermetic Seal Corporation (CAGE Code: 04820)**
Location: 4232 Temple City Boulevard, Rosemead, CA 91770-1592, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: ITT Cannon, LLC (CAGE Code: 71468)**
Location: 56 Technology Drive, Irvine, CA 92618, US

Plants:
1. ITT Cannon, Nogales, Avenida del Libre Comercio S/N, Parque Industrial Nuevo Nogales, Nogales Sonora, 84093, Mexico

**Manufacturer: Joslyn Sunbank Company (CAGE Code: 07418)**
Location: 1740 Commerce Way, Paso Robles, CA 93446-3620, US

**Manufacturer: Joslyn Sunbank Company (CAGE Code: 07418)**
Location: 1740 Commerce Way, Paso Robles, CA 93446-3620, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Sealtron, Inc. (CAGE Code: 97814)**
Location: 9705 Reading Road, Cincinnati, OH 45215-3592, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: Souriau (CAGE Code: F0225)**
Location: 9, rue de la Porte de Buc, 78000 Versailles, France

Assembly Plants:
1. A.E. Petsche Company, Inc., Sonitronies, S.A. de C.V. DPTO A.E. Petsche Boulevard Luis Donaldo Colosio 1179 Nogales, Sonora 84048, Mexico)
2. Air Electro Supply, Inc., 9452 DeSoto Avenue, Chatsworth, CA 91313, US)
3. ARNIR A.T. Communication 1993 LTD., 10 Yegi¿a Kapayim St., P.O.B 3585, Petach-Tikva, 4913019, Israel)
4. Arrow Electronics, Inc., Symbol: X, Blvd. Luis Donaldo Colosio, #1179 Col. Obreras, Nogales, Sonora, Mexico CP 84048)
5. BJG Electronics, Inc., 141 Remington Boulevard, Ronkonkoma, NY 11779, US)
6. Connector Technology, Inc., 135 Industry Court, Kalispell, MT 59901-7991, US)
7. Hiconnex (PTY) Ltd., Symbol: HCX, 20 Adriana Crescent, Gateway Industrial Park, Centurion 0157, South Africa)
8. Interstate Connecting Components, Symbol: ICC, 100C Mount Holly Bypass, Lumberton, NJ 08048, US)
9. PEI Genesis UK Ltd, George Curl Way, Southampton SO18 2RZ, UK)
10. PEI Genesis, 4747 West Cleveland Road, South Bend, IN 46628, US)
11. Proponent, 10601 State Street, Suite 1, Tamarac, FL 33321, US)
12. Souriau India PVT Ltd., 1/516B Vadakku Thottam Salai, Malumachampatti, Coimbatore, 641050, India, India)
13. Spacecraft Components Corp., 3040 Clayton Street, N. Las Vegas, NV 89032, US)
14. TTI, Inc., 3737 Meacham Boulevard, Fort Worth, TX 76137, US)

Plants:
1. Souriau Champagne, 89, route de St Hubert, 72470 Champagne, France
2. Souriau Morocco Facility, Bat. A, Ilot 13, Lot 12, Zone Franche Aeroportuaire de Tanger, Route de Rabat, 90000, Tanger, Morocco

**Manufacturer: Spacecraft Components Corporation (CAGE Code: 2B618)**
Location: 3040 North Clayton Street, North Las Vegas, NV 89032, US

Plants:
1. Plant: Same Address as Manufacturer

**Manufacturer: SPI Connects (CAGE Code: 49016)**
Location: 1170 South Patton Street, Xenia, OH 45385, US

Plants:
1. SPI/Rotary, No. 19, 5th Cross, 4th Main, Rajajinagar, Industrial Town, Bangalore, 560 044, India

**Manufacturer: TE Connectivity Corporation (Deutsch) (CAGE Code: 11139)**
Location: 2900 Fulling Mill Road, Middletown, PA 17057, US

Assembly Plants:
1. A.E. Petsche Company, Blvd. Luis Donaldo Colosio #1179 Interior Entre Calle 5 de Febreo y Calle General, Victoriano Huerta, Nogales, Sonora, Mexico CP 84048, )
2. Arrow Electronics, Inc., Symbol: X, Blvd. Luis Donaldo Colosio, #1179 Interior Entre Calle 5 de Febreo y Calle General, Victoriano Huerta, Nogales, Sonora, Mexico CP 84048)
3. Avnet, Inc., Calzada Industrial Nuevo Nogales #1061, Nogales, Sonora.CP 84000, Mexico)
4. BJG Electronics, Inc., 141 Remington Blvd., Ronkonoma, NY 11779, US)
5. DEUTSCH INDIA POWER CONNECTORS PVT LTD, Sahasra Shree, Plot No.88P, Export Promotion Industrial Park, Whitefield Road, BANGALORE - 560066, India)
6. Electro Enterprises, Inc., 3601 N. I-35, Oklahoma City, OK 73111, US)
7. Incora, 3851 N. Webb Road, Wichita, KS 67226, US)
8. Interstate Connecting Components, 100C Mount Holly Bypass, Lumberton, NJ 08048, US)
9. PEI Genesis, 4747 W. Cleveland Road, South Bend, IN 46628, US)
10. Powell Electronics Inc., 200 Commodore Drive, Logan Township, NJ 08085, US)
11. TTI, Inc., 3737 Meacham Boulevard, Fort Worth, TX 76137, US)

Plants:
1. Deutsch Servicios, Kilometer 127.86 Mexicali Tecate Federal Road, Tecate, Baja California, Mexico

## Manufacturer and Supplier Location Information

**Manufacturer: TE Connectivity Corporation (Deutsch) (CAGE Code: 11139)**

Location: 2900 Fulling Mill Road, Middletown, PA 17057, US

2. TE Connectivity Corporation / AMP Amermex (ADM), Blvd. Doctor Antonio Quiroga #22, Colonia El Llano C.P. 83210, Hermosillo, Sonora, Mexico

**Manufacturer: Yeonhab Precision Co. LTD (CAGE Code: 1003F)**

Location: 219-27, Haksusosa-Gil, Mockcheon-Eup, Dongnam-Gu, Cheonan-si, Chungcheongnam-Do, Korea 330-844, South Korea

Plants:

1. Plant: Same Address as Manufacturer