QUALIFICATIONS VALIDATED
EVERY 18 MONTHS

QPL-28876-12
2 April 1997
SUPERSEDING
QPL-28876-11
28 May 1996

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-28876

CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLES,

MULTIPLE REMOVABLE TERMINI, GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by Specifications MIL-C-28876. Listing of a product is not intended to and does not connote indorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE NAVAL SEA SYSTEMS COMMAND (SEA 03R42), ARLINGTON, VA 22242-5160. The activity designated as agent for all contacts relative to this QPL is the Defense Supply Center Columbus (DSCC-VQ), COLUMBUS, OH 43216-5000.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
M28876/1( ) SHELL SIZE DESIGNATOR: A,B,C INSERT ARRANGEMENT: 1 1 1 2 TERMINUS STYLE: (P or S) KEYING POSITION: (1 - 6)	4565141-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
M28876/2( ) SHELL SIZE DESIGNATOR: A,B,C INSERT ARRANGEMENT: 1 1 1 2 BACKSHELL DASH NUMBER: 1 1 1 2 3 TERMINUS STYLE: (P or S) KEYING POSITION: (1 - 6)	1145840-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
M28876/3( ) SHELL SIZE DESIGNATOR: A,B,C INSERT ARRANGEMENT: 1 1 1 2 BACKSHELL DASH NUMBER: 1 1 1 2 3 TERMINUS STYLE: (P or S) KEYING POSITION: (1 - 6)	1147630-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect

DISTRIBUTION STATEMENT A . Approved for public release; distribution is unlimited.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
M28876/4( )	1147640-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
SHELL SIZE DESIGNATOR: A,B,C			
INSERT ARRANGEMENT: 1 1 1 2			
BACKSHELL DASH NUMBER: 1 1 1 2 3			
TERMINUS STYLE: (P or S)			
KEYING POSITION: (1 - 6)			
M28876/5( )	1145841-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
SHELL SIZE DESIGNATOR: A,B,C			
INSERT ARRANGEMENT: 1 1 1 2			
BACKSHELL DASH NUMBER: 1 1 1 2 3			
TERMINUS STYLE: (P or S)			
KEYING POSITION: (1 - 6)			
M28876/6( )	4565143-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
SHELL SIZE DESIGNATOR: A,B,C			
INSERT ARRANGEMENT: 1 1 1 2			
TERMINUS STYLE: (P or S)			
KEYING POSITION: (1 - 6)			
M28876/7( )	1145846-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
SHELL SIZE DESIGNATOR: A,B,C			
INSERT ARRANGEMENT: 1 1 1 2			
BACKSHELL DASH NUMBER: 1 1 1 2 3			
TERMINUS STYLE: (P or S)			
KEYING POSITION: (1 - 6)			
M28876/8( )	1147636-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
SHELL SIZE DESIGNATOR: A,B,C			
INSERT ARRANGEMENT: 1 1 1 2			
BACKSHELL DASH NUMBER: 1 1 1 2 3			
TERMINUS STYLE: (P or S)			
KEYING POSITION: (1 - 6)			
M28876/9( )	1147646-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
SHELL SIZE DESIGNATOR: A,B,C			
INSERT ARRANGEMENT: 1 1 1 2			
BACKSHELL DASH NUMBER: 1 1 1 2 3			
TERMINUS STYLE: (P or S)			
KEYING POSITION: (1 - 6)			
M28876/10( )	4565071-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
SHELL SIZE DESIGNATOR: A,B,C			
CHAIN ATTACHMENT: (C,D,E)			
MATERIAL AND FINISH: (W,D)			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
M28876/11( ) SHELL SIZE DESIGNATOR: A,B,C INSERT ARRANGEMENT: 1 1 1 2 TERMINUS STYLE: (P or S) KEYING POSITION: (1 - 6)	4565142-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
M28876/12( ) SHELL SIZE DESIGNATOR: A,B,C INSERT ARRANGEMENT: 1 1 1 2 BACKSHELL DASH NUMBER: 1 1 1 2 3 TERMINUS STYLE: (P or S) KEYING POSITION: (1 - 6)	1145844-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
M28876/13( ) SHELL SIZE DESIGNATOR: A,B,C INSERT ARRANGEMENT: 1 1 1 2 BACKSHELL DASH NUMBER: 1 1 1 2 3 TERMINUS STYLE: (P or S) KEYING POSITION: (1 - 6)	1147634-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
M28876/14( ) SHELL SIZE DESIGNATOR: A,B,C INSERT ARRANGEMENT: 1 1 1 2 BACKSHELL DASH NUMBER: 1 1 1 2 3 TERMINUS STYLE: (P or S) KEYING POSITION: (1 - 6)	1147644-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
M28876/15( ) SHELL SIZE DESIGNATOR: A,B,C CHAIN ATTACHMENT: (C,D,E) MATERIAL AND FINISH: (W,D)	4565070-( )	CD-1882 (24 Sep 85)	Packard Hughes Interconnect
M28876/27( ) SHELL SIZE DESIGNATOR: A,B,C,F BACKSHELL DASH NUMBER: 1,1L,2,2L, 3,3L,4,4L	A98179( )	28776-149-93	Litton Veam
M28876/28( ) SHELL SIZE DESIGNATOR: A,B,C,F BACKSHELL DASH NUMBER: 1,1L,2,2L, 3,3L,4,4L	A98179( )	28776-149-93	Litton Veam
M28876/29( ) SHELL SIZE DESIGNATOR: A,B,C,F BACKSHELL DASH NUMBER: 1,1L,2,2L, 3,3L,4,4L	A98179( )	28776-149-93	Litton Veam

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
Litton Veam 100 New Wood Road Watertown, CT 06795-3339 Plant: Same Address	55561
Packard Hughes Interconnect P.O. Box 19685 Irvine, CA 92713-9685 Plant: 17150 Von Karman Avenue Irvine, CA 92714-3643	53669
Distributed by:	
Kitco Fiber Optics 5269 Cleveland Street Virginia Beach, VA 23462	
Koehlke Components, Inc. 9400 Lebanon Pike Centerville, OH 45458	