

QUALIFICATIONS VALIDATED
ANNUALLY

QUALIFIED MANUFACTURERS LIST

OF

CUSTOM HYBRID MICROCIRCUITS

QUALIFIED UNDER MILITARY SPECIFICATION

MIL-PRF-38534

CUSTOM HYBRID MICROCIRCUITS

GENERAL REQUIREMENTS FOR

CUSTOM HYBRID
MICROCIRCUITS
QML-38534-23
12 January 1996
SUPERSEDING
QML-38534-22
5 October 1995

FSC 5962

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-PRF-38534. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not in any way release the supplier from the compliance with the individual item specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QML IS THE DEFENSE ELECTRONIC SUPPLY CENTER (DESC-EL). The activity designated as agent for all contacts relative to this QML is the Defense Electronics Supply Center (DESC-ELS), Dayton, Ohio 45444-5764.

If a manufacturer desires to have test data considered for qualification, he must perform all required qualification tests; the qualification sample must be produced under a valid authorization to test with DESC certified materials and manufacturing construction techniques; and he must comply with the requirements specified in MIL-PRF-38534 prior to the start of any testing.

The listing of custom hybrid microcircuit materials and manufacturing construction techniques in QML-38534 applies only to products produced on the MIL-PRF-38534 certified line(s) at the plant(s) specified on the QML.

Only those products that have been manufactured, assembled, and tested within the United States and its territories, except as provided by international agreement establishing reciprocal and equivalent quality systems and procedures, can be supplied as qualified custom hybrid QML devices.

Custom hybrid microcircuits manufactured, assembled, and tested in accordance with MIL-PRF-38534 shall bear the "QML" certification mark for SMD controlled hybrid microcircuits and the "CH" (compliant hybrid) certification mark for non-SMD controlled hybrid microcircuits. The certification mark shall be located preceding the date code. The certification mark abbreviation "Q" or "C" may be used for small devices. Products manufactured, assembled, and tested for Class K or Class H, with all the provisions of MIL-PRF-38534, and with DESC certified materials and manufacturing construction techniques, can be represented as being compliant to the appropriate product assurance levels as listed herein. The information contained in this QML reflects the material and manufacturing techniques of the particular test sample(s). Any product represented as being compliant shall be comprised combinatorially of a manufacturer's listing from the materials and manufacturing construction techniques listed herein, as is necessary to meet the requirements of the user. The user shall be responsible for determining if the QML listing is adequate to demonstrate capability for the intended application. Supplemental testing and listing can be accomplished by application and approval of DESC-ELS. Testing is not limited to those materials and manufacturing construction techniques currently listed herein. However, testing must be completed and approved before the product can be shipped or used in the intended application.

To obtain MIL-PRF-38534 qualified custom hybrid microcircuits, the procurement document must specify that the product be manufactured to MIL-PRF-38534, and be comprised of materials and manufacturing construction techniques listed herein. Ordering data is contained in paragraph 6.1 of MIL-PRF-38534. Caution: Hybrid microcircuit devices that are built tested and shipped under the QML provision (using certified/qualified manufacturing materials and construction techniques) and in full compliance with MIL-PRF-38534 can be determined by this QML.

Contractor acquiring activities, military program offices, and other government representatives can determine if hybrid microcircuits meet the requirements of MIL-PRF-38534 by:

a. Product listed in the product eligibility section herein, and

b. Product marked with "QML" certification for SMD controlled hybrid microcircuits and the "CH" (compliant hybrid) certification mark for non-SMD controlled hybrid microcircuits. The certification mark shall proceed the date code. The certification mark abbreviation "Q" or "C" may be used for small devices.

Products that do not meet the above conditions are not manufactured on MIL-PRF-38534 certified/qualified line and are not in full compliance with MIL-PRF-38534 requirements. Hybrids microcircuits that require MIL-PRF-38534 and are not listed herein should be carefully reviewed and verified for contract compliance by the acquisition activity. To determine whether new products are in accordance with MIL-PRF-38534 you may call the agent for the qualifying activity (DESC-ELS).

AMSC N/A; DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

-1-
HYBRID MICROCIRCUITS
QML-38534-23

NOTES:

- ./ The QML listing can be expanded provided appropriate qualification testing is performed and passed. Therefore the manufacturer may accept an order for complaint product not covered by his QML listing, but shall not ship the compliant product until the testing has been successfully completed.
- 2/ Package seal perimeter is listed by largest perimeter successfully tested in inches.
- 3/ Package lead counts are listed by maximum number of leads covered by qualification.
- 4/ Caution. Do not use this number for item acquisition. Item acquired to this number may not satisfy the performance requirements of the listed SMD.
- 5/ Inactive for new design, no longer available from manufacturer.

-2-
HYBRID MICROCIRCUITS
QML-38534-23

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Aeroflex Circuit Technology Corp. 35 South Service Road Plainview, NY 11803	88379	CFAS	N/A	H	Linear Analog Digital Power
QUALIFICATION LETTER(S)					
EQ(EQC-90-616) EQ(EQC-93-019) ELS(ELSH-95-0042) EQ(EQC-91-896) EQ(EQC-94-032) ELS(ELSH-95-0395) EQ(EQC-92-001) ELS(ELSH-94-0342)					
SUBSTRATE FABRICATION OPERATION(S) 1/					
LOCATION: Plainview, NY FLOW: QAP21-240 CAPABILITY: Thick film on alumina, 6 conductor levels, resistors					
LOCATION: Plainview, NY FLOW: QAP21-225 CAPABILITY: Thick film on beryllia, 2 conductor levels, resistors					
ASSEMBLY OPERATION(S) 1/					
LOCATION: Plainview, NY FLOW: QAP21-241 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold wire bonding					
LOCATION: Plainview, NY FLOW: QAP21-337 CAPABILITY: Polymer conductive/nonconductive epoxy, solder, and eutectic; gold and aluminum wire bonding					
ADD-ON ELEMENTS: Unpackaged die, chip/tantalum capacitors, tabs, chip resistors SUBSTRATE ATTACH: Solder, polymer nonconductive epoxy					
PACKAGE INFORMATION 1/ 2/ 3/					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 90 SEAL PERIMETER: 7.94 LEAD FINISH: gold			PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 24 SEAL PERIMETER: 3.72 LEAD FINISH: gold		
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 88 SEAL PERIMETER: 7.01 LEAD FINISH: gold & solder			PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 2 SEAL PERIMETER: 2.60 LEAD FINISH: gold		
PACKAGE TYPE: platform SEAL METHOD: projection weld LEAD COUNT: 24 SEAL PERIMETER: 3.93 LEAD FINISH: gold			PACKAGE TYPE: ceramic cofire, with axial leads SEAL METHOD: seam weld LEAD COUNT: 90 SEAL PERIMETER: 7.66 LEAD FINISH: gold		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 25					

-3-
HYBRID MICROCIRCUITS
QML-38534-23

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Allied Signal Ocean Systems 15825 Roxford Street Sylmar, CA 91342-3597	60225	(TBD)	N/A	H	Linear
QUALIFICATION LETTER(S)					
ELS(ELSH-95-0393)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Sylmar, CA FLOW: HP-2510 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Sylmar, CA FLOW: HP-2501 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 20 SEAL PERIMETER: 4.08 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Analog Devices Incorporated Assembled Products Division 7910 Triad Center Drive Greensboro, NC 27409-9605	34031	CETW	N/A	H	AD/DA Converters Buffer Op-Amp Track and Hold Voltage Reference Signal Processor Data Acquisition Sys
QUALIFICATION LETTER(S)					
EQ(EQC-92-025) EQ(EQC-92-119) EQ(EQC-92-476)		EQ(EQC-93-047) EQ(EQC-93-115) EQ(EQC-93-116)		EQ(EQC-93-450) EQ(EQC-93-633) EQ(EQC-93-678)	
ELSH(ELSH-94-172) ELSH(ELSH-94-222)					
SUBSTRATE FABRICATION OPERATION(S) 1/					
LOCATION: Greensboro, NC FLOW: QAP 3060 CAPABILITY: Thick film on alumina, 4 conductor levels, resistors					
LOCATION: Greensboro, NC FLOW: QAP 3060 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
ASSEMBLY OPERATION(S) 1/					
LOCATION: Greensboro, NC FLOW: QAP 3060 CAPABILITY: Polymer conductive/nonconductive epoxy; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy **Maximum constant acceleration level qualified 7500g, A7910 package only.					
PACKAGE INFORMATION 1/ 2/ 3/					
PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 12 SEAL PERIMETER: 1.91 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with axial leads ** SEAL METHOD: seam weld LEAD COUNT: 46 SEAL PERIMETER: 7.94 LEAD FINISH: gold & solder		
PACKAGE TYPE: ceramic dual-in-line & quad flat pack SEAL METHOD: seam weld LEAD COUNT: 88 SEAL PERIMETER: 7.31 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 27					

96/01/12

■ 9999968 0003811 525 ■

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Apex Microtechnology Corporation 5980 North Shannon Road Tucson, AZ 85741	60024	CFAB	N/A	H	Power Op-Amp
QUALIFICATION LETTER(S)					
EQ(EQC-91-347) EQ(EQC-93-028) ELS(ELSH-95-0070) EQ(EQC-92-410) EQ(EQC-93-595) EQ(EQC-92-416) ELS(ELSH-94-0354)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Tucson, AZ FLOW: Flow 01 CAPABILITY: Thick film on beryllium oxide, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Tucson, AZ FLOW: Flow 10, Flow 99 CAPABILITY: Polymer conductive epoxy and solder; aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors SUBSTRATE ATTACH: Solder					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 8 SEAL PERIMETER: 2.67 LEAD FINISH: gold & solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 132					

-6-
HYBRID MICROCIRCUITS
QML-38534-23

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
BI Technologies 4200 Bonita Place Fullerton, CA 92635-1080	73138	CEXB	N/A	H	Voltage Regulator Data Converters Analog
QUALIFICATION LETTER(S)					
EQ(EQC-89-071) EQ(EQC-92-383) EQ(EQC-91-718) EQ(EQC-92-382)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Fullerton, CA FLOW: 800-403-2 CAPABILITY: Thick film on alumina, 3 conductor levels, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Fullerton, CA FLOW: 800-403-03 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, tabs, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 61 SEAL PERIMETER: 5.86 LEAD FINISH: gold			PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 44 SEAL PERIMETER: 6.87 LEAD FINISH: gold		
PACKAGE TYPE: ceramic co-fire, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 10 SEAL PERIMETER: 1.04 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 2					

-7-
HYBRID MICROCIRCUITS
QML-38534-23

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Boeing Defense and Space Group P.O. Box 3999, MS 88-27 Seattle, WA 98124-2499	81205	CEUH	N/A	H	Custom
QUALIFICATION LETTER(S)					
EQ(EQM-87-2947) EQ(EQC-91-228) EQ(EQC-91-624) EQ(EQC-91-046) EQ(EQC-91-630) EQ(EQC-91-438) EQ(EQC-92-079) EQ(EQC-91-672)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Kent, WA FLOW: D900-10476-1-2 CAPABILITY: Thick film on alumina, 10 conductor levels, resistors; Thick film on beryllia, 5 conductor levels					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Kent, WA FLOW: D900-10476-1-2 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold and ribbon bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, tabs SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 30 SEAL PERIMETER: 5.86 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 94 SEAL PERIMETER: 9.16 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 5					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
C-MAC Microcircuits Limited South Danes Great Yarmouth Norfolk NR30 3PX England	U4388	N/A	N/A	H	1553 Transceiver
QUALIFICATION LETTER(S)					
EQ(EQC-91-835) EQ(EQC-92-084) EQ(EQC-93-139)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Great Yarmouth, England FLOW: FCES 6301:15 CAPABILITY: Thick film on alumina, 2 conductor levels					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Great Yarmouth, England FLOW: FCES 6301:15 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 36 SEAL PERIMETER: 5.30 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 36 SEAL PERIMETER: 5.30 LEAD FINISH: gold & solder		
PACKAGE TYPE: metal, with axial leads SEAL METHOD: projection weld LEAD COUNT: 24 SEAL PERIMETER: 4.37 LEAD FINISH: gold & solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 20					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
CTS Microelectronics 1201 Cumberland Avenue West Lafayette, IN 47906	23223	CEUR	N/A	H	Analog Converter
QUALIFICATION LETTER(S)					
EQ(EQC-92-787) EQ(EQC-93-015) ELS(ELSH-94-0054)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: West Lafayette, IN FLOW: STD-THINFLM-BD1 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
LOCATION: West Lafayette, IN FLOW: STD-RC-HIREL CAPABILITY: Thick film on alumina, 1 conductor level, resistors					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: West Lafayette, IN FLOW: STD-C&W-1772 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer conductive/nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 12 SEAL PERIMETER: 2.75 LEAD FINISH: gold & solder			PACKAGE TYPE: platform SEAL METHOD: projection weld LEAD COUNT: 4 SEAL PERIMETER: 2.35 LEAD FINISH: gold		
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 30 SEAL PERIMETER: 4.40 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 7					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Canadian Marconi Company 2442 Trenton Avenue Montreal, Quebec Canada H3P 1Y9	90073	CDDF	N/A	H	Voltage Regulator
QUALIFICATION LETTER(S)					
EQ(EQC-91-720) EQ(EQC-92-427)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Montreal, Canada FLOW: 411-146425-000 CAPABILITY: Thick film on alumina, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Montreal, Canada FLOW: 411-146425-000 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 16 SEAL PERIMETER: 3.61 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Cincinnati Electronics Corporation 7500 Innovation Way Mason, OH 45040-9699	80045	(TBD)	N/A	H	Custom Analog Amplifier Linear
QUALIFICATION LETTER(S)					
EQ(EQC-93-113) EQC-93-197 ELS(ELSH-94-417)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Mason, OH FLOW: 637140 CAPABILITY: Thick film on alumina, 2 conductor levels					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Mason, OH FLOW: 637143 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 18 SEAL PERIMETER: 3.48 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 20 SEAL PERIMETER: 3.58 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

-12-
HYBRID MICROCIRCUITS
QML-38534-23

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Comlinear Corporation 4800 Wheaton Drive Fort Collins, CO 80525-9483	62839	CEYA	N/A	H	Data Converters Op-Amp
QUALIFICATION LETTER(S)					
EQ(EQC-89-224) EQ(EQC-91-704) EQ(EQC-90-392) EQ(EQC-91-746) EQ(EQC-90-393)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Fort Collins, CO FLOW: TFS-01-001 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Fort Collins, CO FLOW: PDS-01-001 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 12 SEAL PERIMETER: 1.81 LEAD FINISH: gold & solder			PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 40 SEAL PERIMETER: 6.22 LEAD FINISH: gold & solder		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 2					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
DDC Ireland LTD. Cork Business and Technology Park Model Farm Road Cork, Ireland	S7631	N/A	N/A	H	1553 Bus Data Converters
QUALIFICATION LETTER(S)					
EQ(EQM-94-0109) ELS(ELSH-95-0019) ELS(ELSH-95-0361) ELS(ELSH-96-0071) ELS(ELSH-94-0163) ELS(ELSH-95-0116) ELS(ELSH-96-0038) ELS(ELSH-94-0463) ELS(ELSH-95-0148) ELS(ELSH-96-0053)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Bohemia, NY FLOW: 41637 CAPABILITY: Thick film on alumina, 5 conductor levels, resistors					
LOCATION: Bohemia, NY FLOW: 41638 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Cork, Ireland FLOW: 60005 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors, daughter board SUBSTRATE ATTACH: Polymer conductive/nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: ceramic, with axial leads SEAL METHOD: seam weld LEAD COUNT: 78 SEAL PERIMETER: 7.34 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 36 SEAL PERIMETER: 5.34 LEAD FINISH: gold & solder		
PACKAGE TYPE: ceramic co-fire, with axial leads SEAL METHOD: seam weld LEAD COUNT: 70 SEAL PERIMETER: 5.80 LEAD FINISH: gold & solder			PACKAGE TYPE: Metal bathtub, peripheral leads SEAL METHOD: seam weld LEAD COUNT: 36 SEAL PERIMETER: 5.32 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

-14-
HYBRID MICROCIRCUITS
QML-38534-23

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Datel Incorporated 11 Cabot Boulevard Mansfield, MA 02048-1194	50721	CFAT	N/A	H	Digital
QUALIFICATION LETTER(S)					
EQ(EQC-90-626) EQ(EQC-92-446) EQ(EQC-90-677) ELS(ELSH-95-0356) EQ(EQC-91-029)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Mansfield, MA FLOW: D-4552 CAPABILITY: Thick film on alumina, 2 conductor levels					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Mansfield, MA FLOW: D-4552 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip/tantalum capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 62 SEAL PERIMETER: 7.24 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 17					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
EMS Technologies Incorporated P.O. Box 7700 Norcross, GA 30091-7700	31395	(TBD)	N/A	H	Analog Digital
QUALIFICATION LETTER(S)					
ELS(ELSH-94-190) ELS(ELSH-95-0212) ELS(ELSH-95-171) ELS(ELSH-96-0019) ELS(ELSH-95-172)					
SUBSTRATE FABRICATION OPERATION(S) 1/					
LOCATION: Norcross, GA FLOW: 171771 CAPABILITY: Purchased thin film , Thin film on alumina, 1 conductor level					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) 1/					
LOCATION: Norcross, GA FLOW: 171773 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION 1/ 2/ 3/					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 34 SEAL PERIMETER: 4.00 LEAD FINISH: gold & solder			PACKAGE TYPE: ceramic co-fire, flatpack SEAL METHOD: seam weld LEAD COUNT: 40 SEAL PERIMETER: 3.94 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 2					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Elantec Incorporated 1996 Tarob Court Milpitas, CA 95035	64762	CEWD	N/A	H	Analog Converter Power Converter
QUALIFICATION LETTER(S)					
EQ(EQC-88-1646) EQ(EQC-90-0804)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Milpitas, CA FLOW: FCA-0002 CAPABILITY: Thick film on alumina, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Milpitas, CA FLOW: FCA-0004, FCA-0008, FCA-0015 CAPABILITY: Eutectic; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die SUBSTRATE ATTACH: Solder, polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 12 SEAL PERIMETER: 2.31 LEAD FINISH: gold & solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 1					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Film Microelectronics, Inc. 530 Turnpike Street North Andover, MA 01845	27851	CEYB	N/A	H	Low Power
QUALIFICATION LETTER(S)					
ELS(ELSH-95-0183)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: North Andover, MA FLOW: 52-0069 CAPABILITY: Thin film on alumina, 1 conductor level					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: North Andover, MA FLOW: 52-0015 CAPABILITY: Polymer conductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 16 SEAL PERIMETER: 3.58 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
GTE Government Systems Corporation 77 "A" Street Needham Heights, MA 02194-2892	04655	(TBD)	N/A	H	Linear
QUALIFICATION LETTER(S)					
ELS(ELSH-95-0139) ELS(ELSH-95-0329)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Needham Heights, MA FLOW: ME0114 CAPABILITY: Thick film on alumina, 1 conductor level					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Needham Heights, MA FLOW: ME0113 CAPABILITY: Polymer conductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, tabs SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: ceramic, with brazed leads SEAL METHOD: solder LEAD COUNT: 14 SEAL PERIMETER: 3.16 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
General Microcircuits Corporation 780 Boston Road Billerica, MA 08121-5925	67294	CEYC	N/A	H	Custom
QUALIFICATION LETTER(S)					
EQ(EQC-89-235) EQ(EQC-93-587)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Billerica, MA FLOW: 10000 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Billerica, MA FLOW: 10000 CAPABILITY: Polymer conductive epoxy and solder; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Solder, polymer conductive/nonconductive epoxy					
PACKAGE INFORMATION <u>1/</u> <u>2/</u> <u>3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 22 SEAL PERIMETER: 2.45 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

-20-
HYBRID MICROCIRCUITS
QML-38534-23

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Hewlett-Packard Company Optical Communications Division 370 West Trimble Road San Jose, CA 95131	50434	CEUS	Not Qualified	H & K*	Optocoupler
QUALIFICATION LETTER(S)					
EQ(EQM-87-2594) EQ(EQC-93-271) EQ(EQM-88-1265) EQ(EQC-93-591) EQ(EQC-90-0754) *ELS(ELSH-95-271)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: San Jose, CA FLOW: *5956-9439-20, *5956-8000-20, *5956-9523-30, CAPABILITY: *Light emitting diode fabrication, *integrated circuit fabrication					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: San Jose, CA FLOW: *ICPI-9001-3, 1SS1-0008-3 CAPABILITY: *Eutectic and silver glass; *gold and *aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: *Unpackaged die SUBSTRATE ATTACH: *Eutectic, *solder, silver glass					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: *ceramic, dual-in-line SEAL METHOD: *solder LEAD COUNT: *16 SEAL PERIMETER: *1.28 LEAD FINISH: *gold & *solder			PACKAGE TYPE: *leadless chip carrier SEAL METHOD: *solder LEAD COUNT: *20 SEAL PERIMETER: *0.92 LEAD FINISH: *solder		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 31					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Honeywell Incorporated Sperry Central Manufacturing 21111 North Nineteenth Avenue Phoenix, AZ 85036	58960	CEUT	N/A	H	Analog Digital Drive Controller
QUALIFICATION LETTER(S)					
EQ(EQM-87-1933) EQ(EQC-90-0768)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Phoenix, AZ FLOW: 51549 CAPABILITY: Thick film on alumina, 2 conductor levels, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Phoenix, AZ FLOW: 51550 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die SUBSTRATE ATTACH: Eutectic					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 36 SEAL PERIMETER: 3.50 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 1					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Hycomp Incorporated 165 Cedar Hill Street Marlborough, MA 01752	34707	CEYP	N/A	H	Analog Voltage Reference
QUALIFICATION LETTER(S)					
EQ(EQC-89-421) ELS(ELSH-94-0254) ELS(ELSH-94-0252) ELS(ELSH-94-0253)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Marlborough, MA FLOW: EMA-75 CAPABILITY: Thin film on alumina, 1 conductor level; Thin film on alumina, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Marlborough, MA FLOW: EMA-75 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: ceramic, single-in-line SEAL METHOD: seam weld LEAD COUNT: 10 SEAL PERIMETER: 2.90 LEAD FINISH: gold			PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 14 SEAL PERIMETER: 2.57 LEAD FINISH: gold		
PACKAGE TYPE: leadless chip carrier SEAL METHOD: seam weld LEAD COUNT: 28 SEAL PERIMETER: 1.62 LEAD FINISH: solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 22					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Hytek Microsystems Incorporated 400 Hot Springs Road Carson City, NV 89706	0ANM4	CEYO	N/A	H	Active Delay Line
QUALIFICATION LETTER(S)					
EQ(EQC-91-859) EQ(EQM-94-0023)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Carson City, NV FLOW: RN1005-002 CAPABILITY: Thick film on alumina, 2 conductor levels, resistors; Thick film on beryllia, 1 conductor level					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Carson City, NV FLOW: RN1005-002 CAPABILITY: Polymer conductive/nonconductive epoxy and solder; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, inductors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: platform SEAL METHOD: projection weld LEAD COUNT: 16 SEAL PERIMETER: 2.94 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 30 SEAL PERIMETER: 2.94 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 75					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
ILC Data Device Corporation Manufacturing 105 Wilbur Place Bohemia, NY 11716	19645	CEPB	N/A	H	1553 Bus Data Converters
QUALIFICATION LETTER(S)					
EQ(EQC-90-220) EQ(EQC-91-104) EQ(EQC-91-306)	EQ(EQC-91-308) EQ(EQC-91-386) EQ(EQC-91-667)	EQ(EQC-93-055) EQ(EQC-93-199) EQ(EQC-93-599)	ELS(ELSH-94-0327) ELS(ELSH-94-0392) ELS(ELSH-94-0399)	ELS(ELSH-95-0140) ELS(ELSH-95-0266)	
SUBSTRATE FABRICATION OPERATION(S) 1/					
LOCATION: Bohemia, NY FLOW: 41637 CAPABILITY: Thick film on alumina, 5 conductor levels, resistors					
LOCATION: Bohemia, NY FLOW: 41638 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
ASSEMBLY OPERATION(S) 1/					
LOCATION: Bohemia, NY FLOW: 36070, 36071 CAPABILITY: Polymer conductive/nonconductive epoxy and solder; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, tabs, transformers SUBSTRATE ATTACH: Solder, polymer nonconductive epoxy					
PACKAGE INFORMATION 1/ 2/ 3/					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 94 SEAL PERIMETER: 10.26 LEAD FINISH: gold			PACKAGE TYPE: platform SEAL METHOD: projection weld LEAD COUNT: 32 SEAL PERIMETER: 5.38 LEAD FINISH: gold		
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 82 SEAL PERIMETER: 7.58 LEAD FINISH: gold			PACKAGE TYPE: ceramic, with axial & peripheral leads SEAL METHOD: seam weld LEAD COUNT: 78 SEAL PERIMETER: 7.34 LEAD FINISH: gold		
PACKAGE TYPE: ceramic co-fire, with axial leads SEAL METHOD: seam weld LEAD COUNT: 70 SEAL PERIMETER: 5.80 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 44					

-25-
HYBRID MICROCIRCUITS
QML-38534-23

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
ILC Data Device Corporation Engineering 105 Wilbur Place Bohemia, NY 11716	19645	CEPB	N/A	H	Power Data Converters
QUALIFICATION LETTER(S)					
EQ(EQC-90-657) EQ(EQC-91-606) EQ(EQC-93-625)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Bohemia, NY FLOW: 41639 CAPABILITY: Thick film on alumina, 3 conductor levels, resistors; Thick film on beryllia, 1 conductor level, resistors					
LOCATION: Bohemia, NY FLOW: 41638 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Bohemia, NY FLOW: 41634 CAPABILITY: Polymer conductive epoxy; gold wire bonding					
LOCATION: Bohemia, NY FLOW: 45552 CAPABILITY: Polymer conductive/nonconductive epoxy and solder; gold, aluminum and copper/tin (solder) wire bonding					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, tabs, chip resistors, transformers SUBSTRATE ATTACH: Solder, polymer conductive/nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 24 SEAL PERIMETER: 4.10 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 16 SEAL PERIMETER: 8.80 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 44					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Interpoint Corporation 10301 Willows Road Redmond, WA 98073	50821	CEUU	N/A	H	Linear Amplifier Signal Processor Data Converters DC/DC Converters Analog Digital EMI Filters
QUALIFICATION LETTER(S)					
EQ(EQM-87-2838) EQ(EQM-89-0439) EQ(EQC-92-174)	EQ(EQC-92-300) EQ(EQC-93-056) EQ(EQC-93-031)	EQ(EQC-93-196) EQ(EQC-93-221) EQ(EQC-93-280)	EQ(EQC-93-550) EQC-93-684 EQ(EQM-94-043)	EQ(EQM-94-0111) ELS(ELSH-94-0297) ELS(ELSH-94-0336)	ELS(ELSH-94-0364) ELS(ELSH-95-0036) ELS(ELSH-95-0375)
SUBSTRATE FABRICATION OPERATION(S) 1/					
LOCATION: Redmond, WA FLOW: QA-039 CAPABILITY: Thick film on alumina, 3 conductor levels, resistors; Thick film on beryllia, 3 conductor levels, resistors; Thick film on beryllia, 1 conductor level					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) 1/					
LOCATION: Redmond, WA FLOW: QA-039 CAPABILITY: Polymer conductive/nonconductive epoxy and solder; gold, aluminum and copper (solder) wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip/tantalum capacitors, tabs, chip resistors, *inductors, *toroids SUBSTRATE ATTACH: Solder, polymer nonconductive epoxy *Maximum constant acceleration level qualified 7500g, inductors and toroids					
PACKAGE INFORMATION 1/ 2/ 3/					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 38 SEAL PERIMETER: 6.00 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 32 SEAL PERIMETER: 4.00 LEAD FINISH: gold & solder		
PACKAGE TYPE: metal, with axial leads SEAL METHOD: projection weld LEAD COUNT: 8 SEAL PERIMETER: 4.26 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 12 SEAL PERIMETER: 8.00 LEAD FINISH: gold & solder		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 2					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Lambda Advanced Analog, Inc. 2270 Martin Avenue Santa Clara, CA 95050-2781	52467	CEXA	N/A	H	AD/DA Converters Sample and Hold Amplifier DC/DC Converters
QUALIFICATION LETTER(S)					
EQ(EQC-89-065) EQ(EQC-93-204) EQ(EQC-93-658) ELS(ELSH-94-0212) ELS(ELSH-94-0483) EQ(EQC-90-652) EQ(EQC-93-403) ELS(ELSH-94-0173) ELS(ELSH-94-0272) EQ(EQC-92-103) EQ(EQC-93-553) ELS(ELSH-94-0211) ELS(ELSH-94-0482)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Santa Clara, CA FLOW: 8002-0044 CAPABILITY: Thick film on alumina, 2 conductor levels, resistors					
LOCATION: Santa Clara, CA FLOW: 8002-0074 CAPABILITY: Thick film on alumina, 4 conductor levels, resistors; Thick film on beryllia, 4 conductor levels, resistors					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Santa Clara, CA FLOW: 8002-0044 CAPABILITY: Polymer conductive epoxy and solder; gold wire bonding					
LOCATION: Santa Clara, CA FLOW: 8002-0074 CAPABILITY: Polymer conductive/nonconductive epoxy and solder; gold, aluminum and copper (solder) wire bonding					
ADD-ON ELEMENTS: Unpackaged die, chip/tantalum capacitors, tabs, chip resistors, transformer SUBSTRATE ATTACH: Polymer conductive/nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 24 SEAL PERIMETER: 3.69 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 10 SEAL PERIMETER: 6.58 LEAD FINISH: gold & solder		
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 58 SEAL PERIMETER: 10.10 LEAD FINISH: gold & solder			PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 7 SEAL PERIMETER: 1.64 LEAD FINISH: gold & solder		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Lockheed Sanders, Incorporated Microwave Technology Center 65 Spit Brook Road Nashua, NH 03061-0868	94117	(TBD)	N/A	H	Voltage Regulator IFM Decoder Attenuators
QUALIFICATION LETTER(S)					
EQ(EQC-92-467)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Nashua, NH FLOW: MEC-01-7-017 CAPABILITY: Thick film on alumina, 4 conductor levels, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Nashua, NH FLOW: MEC-01-7-017 CAPABILITY: Polymer conductive/nonconductive epoxy; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip/tantalum capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 88 SEAL PERIMETER: 7.20 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES			
M.S. Kennedy Corporation 8170 Thompson Road Cicero, NY 13039-9393	51651	CFAA	N/A	H	High Power DC Amplifier			
QUALIFICATION LETTER(S)								
EQ(EQC-90-451) EQ(EQC-90-507) EQ(EQC-92-417)	EQ(EQC-93-141) EQ(EQC-93-242) EQ(EQC-93-346)	EQ(EQC-93-488) EQ(EQC-93-554) EQ(EQC-93-682)	EQ(EQC-93-687) EQ(EQM-94-084) EQ(EQM-94-093)	ELS(ELSH-94-0400) ELS(ELSH-94-0401) ELS(ELSH-94-0402)	ELS(ELSH-94-0470) ELS(ELSH-95-0020) ELS(ELSH-95-0216) ELS(ELSH-95-0304)			
SUBSTRATE FABRICATION OPERATION(S) 1/								
LOCATION: Cicero, NY FLOW: 2422-1563 CAPABILITY: Thick film on alumina, 2 conductor levels, resistors; Thick film on alumina, 4 conductor levels								
LOCATION: Cicero, NY FLOW: 2422-1563 CAPABILITY: Thick film on beryllia, 2 conductor levels, resistors; Thick film on beryllia, 1 conductor level								
ASSEMBLY OPERATION(S) 1/								
LOCATION: Cicero, NY FLOW: 2422-1518 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold and aluminum wire bonding								
LOCATION: N/A FLOW: N/A CAPABILITY: N/A								
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors, inductors SUBSTRATE ATTACH: Solder, polymer conductive/nonconductive epoxy **Maximum constant acceleration level qualified 7500g								
PACKAGE INFORMATION 1/ 2/ 3/								
PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 12 SEAL PERIMETER: 3.14 LEAD FINISH: gold			PACKAGE TYPE: platform SEAL METHOD: projection weld LEAD COUNT: 14 SEAL PERIMETER: 2.60 LEAD FINISH: gold					
PACKAGE TYPE: metal, with axial leads ** SEAL METHOD: seam weld LEAD COUNT: 44 SEAL PERIMETER: 5.00 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads ** SEAL METHOD: seam weld LEAD COUNT: 82 SEAL PERIMETER: 6.95 LEAD FINISH: gold					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 12 SEAL PERIMETER: 6.0 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:					
See Tables I and II for Standard Military Drawing (SMD) Information								
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0								

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Martin Marietta Building E-8 12506 Lake Underhill Drive Orlando, FL 32862-8007	04939	(TBD)	N/A	H	Analog
QUALIFICATION LETTER(S)					
EQ(EQC-91-402) EQ(EQC-92-312) EQ(EQC-91-764) EQ(EQC-92-412) EQ(EQC-92-112)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Orlando, FL FLOW: 72301772 CAPABILITY: Thick film on alumina, 6 conductor levels, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Orlando, FL FLOW: 72301772 CAPABILITY: Polymer conductive/nonconductive epoxy; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip/tantalum capacitors, chip resistors, inductors SUBSTRATE ATTACH: Polymer nonconductive epoxy **Maximum constant acceleration level qualified 7500g					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: ceramic, leadless chip carrier SEAL METHOD: solder LEAD COUNT: 68 SEAL PERIMETER: 3.80 LEAD FINISH: gold			PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: solder LEAD COUNT: 18 SEAL PERIMETER: 2.88 LEAD FINISH: gold & solder		
PACKAGE TYPE: platform SEAL METHOD: projection weld LEAD COUNT: 44 SEAL PERIMETER: 5.76 LEAD FINISH: gold			PACKAGE TYPE: metal, with axial leads ** SEAL METHOD: seam weld LEAD COUNT: 140 SEAL PERIMETER: 11.80 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 2					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES			
Micro Networks Company 324 Clarke Street Worcester, MA 01606	50507	CEVQ	N/A	H	Data Converters Track and Hold Amp			
QUALIFICATION LETTER(S)								
EQ(EQM-88-0709) EQ(EQC-92-062) ELS(ELSH-95-0269) EQ(EQC-91-235) EQ(EQC-93-162) EQ(EQC-91-894) EQ(EQC-94-008)								
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>								
LOCATION: Worcester, MA FLOW: FC-23 CAPABILITY: Thin film on alumina, 1 conductor level, resistors								
LOCATION: N/A FLOW: N/A CAPABILITY: N/A								
ASSEMBLY OPERATION(S) <u>1/</u>								
LOCATION: Worcester, MA FLOW: FC-25 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold wire bonding								
LOCATION: N/A FLOW: N/A CAPABILITY: N/A								
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy								
PACKAGE INFORMATION <u>1/ 2/ 3/</u>								
PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 62 SEAL PERIMETER: 7.48 LEAD FINISH: gold & solder			PACKAGE TYPE: leadless chip carrier SEAL METHOD: solder LEAD COUNT: 22 SEAL PERIMETER: 1.13 LEAD FINISH: solder					
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:					
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:					
See Tables I and II for Standard Military Drawing (SMD) Information								
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 200								

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES			
Micropac Industries, Incorporated 912 East Walnut Street Garland, TX 75040	31757	CEJG	Not Qualified	H & K*	Power			
QUALIFICATION LETTER(S)								
EQ(EQC-90-625) *EQ(EQC-92-183) EQ(EQC-91-328) EQ(EQC-92-258) EQ(EQC-91-338) ELS(ELSH-94-0496)								
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>								
LOCATION: Garland, TX FLOW: 90138 CAPABILITY: Thick film on alumina, 1 conductor level, resistors; *Thick film on beryllia, 2 conductor levels, resistors								
LOCATION: N/A FLOW: N/A CAPABILITY: N/A								
ASSEMBLY OPERATION(S) <u>1/</u>								
LOCATION: Garland, TX FLOW: 90138 CAPABILITY: *Polymer conductive epoxy and *solder; gold and *aluminum wire bonding								
LOCATION: N/A FLOW: N/A CAPABILITY: N/A								
ADD-ON ELEMENTS: *Unpackaged die, *chip capacitors SUBSTRATE ATTACH: *Solder, polymer nonconductive epoxy								
PACKAGE INFORMATION <u>1/ 2/ 3/</u>								
PACKAGE TYPE: *TO can SEAL METHOD: *projection weld LEAD COUNT: *8 SEAL PERIMETER: *2.27 LEAD FINISH: *gold & solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:					
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:					
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:					
See Tables I and II for Standard Military Drawing (SMD) Information								
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 7								

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Micropac Industries, Incorporated 905 East Walnut Street Garland, TX 75040	31757	CEJG	N/A	H	Custom
QUALIFICATION LETTER(S)					
EQ(EQC-91-178) EQ(EQC-92-258) EQ(EQC-91-647) EQ(EQC-92-183)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Garland, TX FLOW: 90138 CAPABILITY: Thick film on alumina, 5 conductor levels, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Garland, TX FLOW: 90138 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Solder, polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 28 SEAL PERIMETER: 5.00 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 46 SEAL PERIMETER: 5.00 LEAD FINISH: gold & solder		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 7					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Micropac Industries, Incorporated 725 East Walnut Street Garland, TX 75040	31757	CEJG	Not Qualified	H & K*	Opto
QUALIFICATION LETTER(S)					
EQ(EQC-90-624) EQ(EQC-92-120) EQ(EQC-91-188) ELS(ELSH-95-0057) EQ(EQC-91-466) ELS(ELSH-95-0444)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Garland, TX FLOW: 90138 CAPABILITY: Thick film on alumina, 2 conductor levels, resistors; *Thick film on alumina, 1 conductor level					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Garland, TX FLOW: 90138 CAPABILITY: *Polymer conductive epoxy; *gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: *Unpackaged die SUBSTRATE ATTACH: Polymer conductive/*nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: *ceramic, dual-in-line SEAL METHOD: *solder LEAD COUNT: *16 SEAL PERIMETER: *1.89 LEAD FINISH: *gold & solder			PACKAGE TYPE: leadless chip carrier SEAL METHOD: solder LEAD COUNT: 24 SEAL PERIMETER: 1.60 LEAD FINISH: solder		
PACKAGE TYPE: TO can (dual base) SEAL METHOD: projection weld LEAD COUNT: 7 SEAL PERIMETER: 0.54 LEAD FINISH: gold & solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 7					

-35-
HYBRID MICROCIRCUITS
QML-38534-23

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Natel Engineering Company, Inc. 4550 Runway Street Simi Valley, CA 93063-3493	09059	CFEN	N/A	H	Synchro/Digital Conv
QUALIFICATION LETTER(S)					
EQ(EQC-91-714) EQ(EQC-92-202) ELS(ELSH-95-0314) EQ(EQC-92-048) EQ(EQC-93-261) EQ(EQC-92-039) ELS(ELSH-95-0154)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Simi Valley, CA FLOW: NHPS-01.001 CAPABILITY: Thick film on alumina, 3 conductor levels					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Simi Valley, CA FLOW: NHPS-01.001 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors, ceramic posts, daughter board SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 40 SEAL PERIMETER: 6.56 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 36 SEAL PERIMETER: 5.34 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 22					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES	
National Hybrid, Incorporated 2200 Smithtown Avenue Ronkonoma, NY 11779	57363	CFAQ	N/A	H	Linear Data Converters Digital Sample and Hold	Data Bus Amplifier Custom
QUALIFICATION LETTER(S)						
EQ(EQC-90-557) EQ(EQM-94-0127) ELS(ELSH-94-359) EQ(EQC-92-035) ELS(ELSH-94-255) ELS(ELSH-94-475) EQ(EQC-92-291) ELS(ELSH-94-274)						
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>						
LOCATION: Ronkonoma, NY FLOW: FL1772A7THK CAPABILITY: Thick film on alumina, 3 conductor levels, resistors; Thick film on beryllia, 1 conductor level						
LOCATION: N/A FLOW: N/A CAPABILITY: N/A						
ASSEMBLY OPERATION(S) <u>1/</u>						
LOCATION: Ronkonoma, NY FLOW: FL883500834 CAPABILITY: Polymer conductive/nonconductive epoxy, solder and eutectic; gold wire bonding						
LOCATION: N/A FLOW: N/A CAPABILITY: N/A						
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors, daughter board, chip thermister, inductors SUBSTRATE ATTACH: Polymer conductive/nonconductive epoxy						
PACKAGE INFORMATION <u>1/ 2/ 3/</u>						
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 66 SEAL PERIMETER: 6.32 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 78 SEAL PERIMETER: 7.10 LEAD FINISH: gold			
PACKAGE TYPE: ceramic, with side brazed leads SEAL METHOD: seam weld LEAD COUNT: 20 SEAL PERIMETER: 2.42 LEAD FINISH: gold & solder			PACKAGE TYPE: ceramic co-fire, pin grid array SEAL METHOD: seam weld LEAD COUNT: 66 SEAL PERIMETER: 4.40 LEAD FINISH: gold & solder			
PACKAGE TYPE: ceramic, with side brazed leads SEAL METHOD: solder LEAD COUNT: 24 SEAL PERIMETER: 2.26 LEAD FINISH: gold & solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			
See Tables I and II for Standard Military Drawing (SMD) Information						
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 2						

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Northrop Corporation Electronics Systems Division 600 Hicks Road Rolling Meadows, IL 60008-1098	26916	(TBD)	N/A	H	Digital Linear
QUALIFICATION LETTER(S)					
ELS(ELSH-94-452)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Rolling Meadows, IL FLOW: 324-000603 CAPABILITY: Thick film on alumina, 2 conductor levels					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Rolling Meadows, IL FLOW: 324-000603 CAPABILITY: Polymer conductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 32 SEAL PERIMETER: 3.50 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Omnirel Corporation 205 Crawford Street Leominster, MA 01453	69210	CESN	N/A	H	Voltage Regulator Power
QUALIFICATION LETTER(S)					
EQ(EQC-91-408) EQ(EQM-94-0029) EQ(EQC-91-807) ELS(ELSH-94-0388) EQ(EQC-91-838)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Leominster, MA FLOW: D070002G CAPABILITY: Thick film on alumina, 2 conductor levels, resistors; Thick film on beryllia, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Leominster, MA FLOW: D050015G CAPABILITY: Polymer conductive/nonconductive epoxy and solder; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, tabs, chip resistors SUBSTRATE ATTACH: Solder **Maximum constant acceleration level qualified 7500g					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 8 SEAL PERIMETER: 2.47 LEAD FINISH: solder			PACKAGE TYPE: metal, with peripheral leads ** SEAL METHOD: seam weld LEAD COUNT: 20 SEAL PERIMETER: 8.80 LEAD FINISH: gold		
PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 8 SEAL PERIMETER: 2.64 LEAD FINISH: nickel			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 13					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Q-Bit Corporation 2575 Pacific Avenue N.E. Palm Bay, FL 32905-2699	55027	(TBD)	N/A	H	RF Amplifier
QUALIFICATION LETTER(S)					
EQ(EQC-93-252) ELS(ELSH-94-325) EQ(EQC-93-529) ELS(ELSH-95-0025) ELS(ELSH-94-278)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Palm Bay, FL FLOW: QB 801805 CAPABILITY: Thin film on beryllia, 1 conductor level; Thin film on alumina, 1 conductor level, resistors					
LOCATION: Palm Bay, FL FLOW: QB 801805 CAPABILITY: Thick film on alumina, 1 conductor level, resistors					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Palm Bay, FL FLOW: QB 500011 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold and copper (solder) wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors, transformers SUBSTRATE ATTACH: Solder, polymer conductive/nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 4 SEAL PERIMETER: 1.57 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 16 SEAL PERIMETER: 4.00 LEAD FINISH: gold		
PACKAGE TYPE: metal, with brazed leads SEAL METHOD: seam weld LEAD COUNT: 4 SEAL PERIMETER: 1.18 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

-40-
HYBRID MICROCIRCUITS
QML-38534-23

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
REMEC Incorporated 9404 Chesapeake Drive San Diego, CA 92123-1303	65628	(TBD)	N/A	H	Microwave Amplifier
QUALIFICATION LETTER(S)					
ELS(ELSH-94-199)					
SUBSTRATE FABRICATION OPERATION(S) 1/					
LOCATION: N/A FLOW: N/A CAPABILITY: Purchased thin film					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) 1/					
LOCATION: San Diego, CA FLOW: 001775 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer conductive epoxy					
PACKAGE INFORMATION 1/ 2/ 3/					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 16 SEAL PERIMETER: 4.00 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Raytheon Company Missile Systems Division 465 Centre Street Quincy, MA 02269	94144	CETX	N/A	H	Amplifier
QUALIFICATION LETTER(S)					
EQ(EQM-87-1031) EQ(EQC-92-327) EQ(EQC-91-668) EQ(EQC-92-372) EQ(EQC-91-669)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Quincy, MA FLOW: 38756 CAPABILITY: Thick film on alumina, 8 conductor levels, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Quincy, MA FLOW: 42771 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip/tantalum capacitors, chip resistors SUBSTRATE ATTACH: Solder, polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 13 SEAL PERIMETER: 2.76 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 76 SEAL PERIMETER: 6.36 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 4					

96/01/12

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Sipex Corporation Hybrid Systems Division 22 Linnell Circle Billerica, MA 01821-3985	33256	CFAC	N/A	H	A/D Converter D/A Converter Data Acquisition Sys Sample and Hold Voltage Reference
QUALIFICATION LETTER(S)					
EQ(EQC-90-506) EQ(EQC-92-052) ELS(ELSH-94-0329) ELS(ELSH-95-0215) EQ(EQC-91-781) EQ(EQC-92-438) ELS(ELSH-94-477) EQ(EQC-91-813) EQ(EQC-93-524) ELS(ELSH-95-0075)					
SUBSTRATE FABRICATION OPERATION(S) 1/					
LOCATION: Billerica, MA FLOW: 239-0232 CAPABILITY: Thin film on alumina, 1 conductor level, resistors; Purchased thick film					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) 1/					
LOCATION: Billerica, MA FLOW: 239-0458 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION 1/ 2/ 3/					
PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 62 SEAL PERIMETER: 7.48 LEAD FINISH: gold & solder			PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 62 SEAL PERIMETER: 5.78 LEAD FINISH: gold & solder		
PACKAGE TYPE: ceramic, leadless dual-in-line SEAL METHOD: seam weld LEAD COUNT: 24 SEAL PERIMETER: 4.17 LEAD FINISH: solder			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 64 SEAL PERIMETER: 5.53 LEAD FINISH: gold & solder		
PACKAGE TYPE: ceramic, with axial leads SEAL METHOD: seam weld LEAD COUNT: 68 SEAL PERIMETER: 2.875 LEAD FINISH: gold & solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 163					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Solitron Devices, Incorporated 3301 Electronics Way West Palm Beach, FL 33407-4697	21845	CDCD	N/A	H	Linear Power Voltage Regulator
QUALIFICATION LETTER(S)					
ELS(ELSH-94-0316) ELS(ELSH-95-0210) ELS(ELSH-94-0433) ELS(ELSH-95-0079)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: West Palm Beach, FL FLOW: H1043 CAPABILITY: Thick film on alumina, 1 conductor level, resistors; Thick film on beryllia, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: West Palm Beach, FL FLOW: H1040 CAPABILITY: Polymer conductive/nonconductive epoxy and eutectic; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, tabs SUBSTRATE ATTACH: Eutectic					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 6 SEAL PERIMETER: 4.64 LEAD FINISH: gold & solder			PACKAGE TYPE: TO can SEAL METHOD: projection weld LEAD COUNT: 2 SEAL PERIMETER: 2.86 LEAD FINISH: gold & solder		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

96/01/12

9999968 0003850 275

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Space Systems/Loral 3825 Fabian Way M/S G41 Palo Alto, CA 94303	ODJH2	(TBD)	N/A	H	Linear Microwave Digital
QUALIFICATION LETTER(S)					
EQ(EQM-94-046)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Palo Alto, CA FLOW: S02FH10366 CAPABILITY: Thick film on alumina, 1 conductor level, resistors					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Palo Alto, CA FLOW: E005245 CAPABILITY: Polymer conductive/nonconductive epoxy; gold and aluminum wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors SUBSTRATE ATTACH: Polymer conductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 30 SEAL PERIMETER: 5.00 LEAD FINISH: gold			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0					

-45-
HYBRID MICRO CIRCUITS
QML-38534-23

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
Teledyne Microelectronics 12964 Panama Street Los Angeles, CA 90066	16170	CEOL	N/A	H	Data Converters Linear Microwave
QUALIFICATION LETTER(S)					
EQ(EQM-87-1898) EQ(EQM-94-0098) EQ(EQC-91-897) EQ(EQM-94-138) EQ(EQM-94-0085) ELS(ELSH-94-313)					
SUBSTRATE FABRICATION OPERATION(S) 1/					
LOCATION: Los Angeles, CA FLOW: 7700530 Exhibit 2.5 CAPABILITY: Thick film on alumina, 7 conductor levels; Thick film on alumina, 1 conductor level, resistors					
LOCATION: Los Angeles, CA FLOW: 7700530 Exhibit 2.4 CAPABILITY: Thin film on alumina, 1 conductor level, resistors					
ASSEMBLY OPERATION(S) 1/					
LOCATION: Los Angeles, CA FLOW: 700530 Exhibit 2.6 CAPABILITY: Polymer conductive/nonconductive epoxy, eutectic, and solder; gold, aluminum, and ribbon wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors SUBSTRATE ATTACH: Solder, polymer nonconductive epoxy					
PACKAGE INFORMATION 1/ 2/ 3/					
PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 94 SEAL PERIMETER: 8.75 LEAD FINISH: gold			PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 24 SEAL PERIMETER: 5.00 LEAD FINISH: gold		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 17					

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES	
Texas Instruments DSEG/Microelectronics Department 13532 North Central Expressway Dallas, TX 75265	96214	CFCA	N/A	H	Linear A/D Converter Amplifier Squib Driver	Digital Regulator
QUALIFICATION LETTER(S)						
EQ(EQC-91-031) ELS(ELSH-95-0092) ELS(ELSH-95-423) ELS(ELSH-95-426) ELS(ELSH-95-434) EQ(EQC-92-392) ELS(ELSH-95-421) ELS(ELSH-95-424) ELS(ELSH-95-427) ELS(ELSH-95-435) ELS(ELSH-94-0140) ELS(ELSH-95-422) ELS(ELSH-95-425) ELS(ELSH-95-428)						
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>						
LOCATION: Dallas, TX FLOW: AII-HYB-005 CAPABILITY: Thick film on alumina, 5 conductor levels, resistors						
LOCATION: N/A FLOW: N/A CAPABILITY: N/A						
ASSEMBLY OPERATION(S) <u>1/</u>						
LOCATION: Dallas, TX FLOW: AII-HYB-005 CAPABILITY: Polymer conductive/nonconductive epoxy and solder; gold and aluminum wire bonding						
LOCATION: N/A FLOW: N/A CAPABILITY: N/A						
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors, tabs SUBSTRATE ATTACH: Solder, polymer nonconductive epoxy						
PACKAGE INFORMATION <u>1/</u> <u>2/</u> <u>3/</u>						
PACKAGE TYPE: metal, with axial leads SEAL METHOD: seam weld LEAD COUNT: 64 SEAL PERIMETER: 7.88 LEAD FINISH: gold			PACKAGE TYPE: metal, single-in-line SEAL METHOD: seam weld LEAD COUNT: 6 SEAL PERIMETER: 4.62 LEAD FINISH: gold			
PACKAGE TYPE: metal, with axial leads SEAL METHOD: cap weld LEAD COUNT: 8 SEAL PERIMETER: 2.43 LEAD FINISH: gold			PACKAGE TYPE: metal, with peripheral leads SEAL METHOD: seam weld LEAD COUNT: 10 SEAL PERIMETER: 4.78 LEAD FINISH: gold			
PACKAGE TYPE: ceramic, dual-in-line SEAL METHOD: seam weld LEAD COUNT: 32 SEAL PERIMETER: 3.30 LEAD FINISH: gold			PACKAGE TYPE: ceramic, leadless chip carrier SEAL METHOD: seam weld LEAD COUNT: 18 SEAL PERIMETER: 2.76 LEAD FINISH: gold			
See Tables I and II for Standard Military Drawing (SMD) Information						
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 0						

MANUFACTURER	CAGE CODE	SYMBOL CODE	RADIATION HARDNESS LEVEL	PRODUCT CLASS DESIGNATOR	TECHNOLOGY TYPES
White Microelectronics 4246 East Wood Street Phoenix, AZ 85040-1991	54230	CEWR	N/A	H	Linear (Oscillator) Digital Memory
QUALIFICATION LETTER(S)					
EQ(EQC-92-070) EQ(EQC-93-508) ELS(ELSH-95-0365) EQ(EQC-92-138) ELS(ELSH-94-0256) ELS(ELSH-95-0014) EQC-93-457 ELS(ELSH-95-0107)					
SUBSTRATE FABRICATION OPERATION(S) <u>1/</u>					
LOCATION: Phoenix, AZ FLOW: 106A00006 CAPABILITY: Thick film on alumina, 1 conductor level, resistors; Thick film on alumina, 6 conductor levels					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ASSEMBLY OPERATION(S) <u>1/</u>					
LOCATION: Phoenix, AZ FLOW: 106A00006 CAPABILITY: Polymer conductive/nonconductive epoxy; gold wire bonding					
LOCATION: N/A FLOW: N/A CAPABILITY: N/A					
ADD-ON ELEMENTS: Unpackaged die, chip capacitors, chip resistors SUBSTRATE ATTACH: Polymer nonconductive epoxy					
PACKAGE INFORMATION <u>1/ 2/ 3/</u>					
PACKAGE TYPE: platform SEAL METHOD: projection weld LEAD COUNT: 16 SEAL PERIMETER: 3.53 LEAD FINISH: gold & solder			PACKAGE TYPE: ceramic co-fire, with side brazed leads SEAL METHOD: seam weld LEAD COUNT: 68 SEAL PERIMETER: 5.36 LEAD FINISH: gold & solder		
PACKAGE TYPE: ceramic co-fire, with axial leads SEAL METHOD: seam weld LEAD COUNT: 66 SEAL PERIMETER: 4.58 LEAD FINISH: gold & solder			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:			PACKAGE TYPE: SEAL METHOD: LEAD COUNT: SEAL PERIMETER: LEAD FINISH:		
See Tables I and II for Standard Military Drawing (SMD) Information					
NUMBER OF SCD/SID DEVICES COVERED BY QUALIFICATION TESTING MIL-H-38534 COMPLIANT: 3					

9999968 0003854 910

STANDARDIZED MILITARY DRAWING (SMD)

APPROVED SOURCE

MASTER PRODUCT LISTING

TABLE I AND TABLE II

PRODUCT ELIGIBILITY: The manufacturers listed in tables I and II have certified that the Hybrid Microcircuits are built, tested, and shipped using MIL-H-38534 CERTIFIED FLOW/QUALIFIED MATERIALS and MANUFACTURING TECHNIQUES and are in FULL COMPLIANCE with MIL-H-38534 requirements.

-49-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003855 857

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8604902ZA	BUS63105		1	DRIVER-RECEIVER, SINGLE CHANNEL, (INTERFACES WITH MANCHESTER ENCODER-DECODER)	DDC Ireland LTD.	S7631
5962-8604902ZC	BUS63105		1	DRIVER-RECEIVER, SINGLE CHANNEL, (INTERFACES WITH MANCHESTER ENCODER-DECODER)	DDC Ireland LTD.	S7631
5962-8604903YA	ARX2402		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	Aeroflex Lab. Inc.	88379
5962-8604903YC	ARX2402		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	Aeroflex Lab. Inc.	88379
5962-8604904UA	ARX3402		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	Aeroflex Lab. Inc.	88379
5962-8604904UC	ARX3402		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	Aeroflex Lab. Inc.	88379
5962-8604905XA	BUS63100-617		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	ILC Data Device Corp	19645
5962-8604905XC	BUS63100-617		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	ILC Data Device Corp	19645
5962-8604905YX			1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	NO APPROVED SOURCE	XXXXX
5962-8604906TA	NHI-1509FP		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	National Hybrid, Inc	57363
5962-8604906TC	NHI-1509FP		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	National Hybrid, Inc	57363
5962-8604906YA	NHI-1509		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	National Hybrid, Inc	57363
5962-8604906YC	NHI-1509		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	National Hybrid, Inc	57363
5962-8604907XA	FC155361		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	C-MAC Microcircuits	U4388
5962-8604907XC	FC155361		1	DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	C-MAC Microcircuits	U4388
5962-8604908XA	FC155362		1	DRIVER-RECEIVER, SINGLE CHANNEL	C-MAC Microcircuits	U4388
5962-8604908XC	FC155362		1	DRIVER-RECEIVER, SINGLE CHANNEL	C-MAC Microcircuits	U4388
5962-8753501XA	BUS65112		1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8753501YC	BUS65117		1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8753502XA	ARX2452		1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8753502XC	ARX2452		1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8753502YA	ARX2452FP		1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8753502YC	ARX2452FP		1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8757902XA	BUS63125II		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	DDC Ireland LTD.	S7631
5962-8757902XA	BUS63125II		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	ILC Data Device Corp	19645
5962-8757902XC	BUS63125II		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	ILC Data Device Corp	19645
5962-8757902XC	BUS63125II		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	DDC Ireland LTD.	S7631
5962-8757902YC	BUS63126II		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	DDC Ireland LTD.	S7631
5962-8757902YC	BUS63126II		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	ILC Data Device Corp	19645
5962-8757903XA	ARX2411		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379

-50-
HYBRID MICROCIRCUITS
QML-38534-23

■ 999968 0003856 793 ■
APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8757903XC	ARX2411		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757903YA	ARX2411FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757903YC	ARX2411FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757904UA	ARX3411		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757904UC	ARX3411		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757904XA	ARX3411		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757904XC	ARX3411		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757904YA	ARX3411FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757904YC	ARX3411FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757904ZA	ARX3411FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757904ZC	ARX3411FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8757905XA	NHI-1500		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8757905XC	NHI-1500		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8757905YA	NHI-1500FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8757905YC	NHI-1500FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8757906XA	FC1553623		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8757906XC	FC1553623		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8757906YA	FC1553623FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8757906YC	FC1553623FP		1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8757907XX			1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	NO APPROVED SOURCE	XXXXX
5962-8757907YY			1	BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	NO APPROVED SOURCE	XXXXX
5962-8757908XC			1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	NO APPROVED SOURCE	XXXXX
5962-8757909XA	FC1553621		1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8757909XC	FC1553621		1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8757909YA	FC1553621FP		1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8757909YC	FC1553621FP		1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8761701XA	CTS00061B		1	DRIVER, HIGH VOLTAGE, 1.5A	CTS Microelectronics	23223
5962-8761701XC	CTS00061B		1	DRIVER, HIGH VOLTAGE, 1.5A	CTS Microelectronics	23223
5962-8761702XA	CTS00081B		1	DRIVER, HIGH VOLTAGE, HIGH CURRENT, 3.0A	CTS Microelectronics	23223
5962-8761702XC	CTS00081B		1	DRIVER, HIGH VOLTAGE, HIGH CURRENT, 3.0A	CTS Microelectronics	23223
5962-8762001XA	MIOP42106/883		1	OP AMP, HIGH-POWER	Micropac Industries	31757
5962-8762001XC	MIOP42106/883		1	OP AMP, HIGH-POWER	Micropac Industries	31757
5962-8762002YA	PA51M/883		1	OP AMP, HIGH-POWER	Apex Microtechnology	60024
5962-8762002YC	PA51M/883		1	OP AMP, HIGH-POWER	Apex Microtechnology	60024
5962-8763201XX			1	REMOTE TERMINAL UNIT, LOW POWER, DUAL, REDUNDANT	NO APPROVED SOURCE	XXXXX
5962-8767901EA	4N55/883B		1	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
5962-8767901EA	4N55/883B		1	OPTOCOUPLER, DUAL	Micropac Industries	31757
5962-8767901EC	4N55/883B		1	OPTOCOUPLER, DUAL	Micropac Industries	31757

-51-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003857 62T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8767901EC	4N55/883B		1	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
5962-8767901TA	4N55/883B#300		1	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
5962-8767901UA	4N55/883B#100		1	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
5962-8767901UC	4N55/883B#100		1	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
5962-8767902PA	66126-103		1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
5962-8767902PA	HCPL-5531		3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8767902PC	HCPL-5531		3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8767902PC	66126-103		1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
5962-8767902XA	HCPL-5531#300		1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8767902YA	HCPL-5531#100		1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8767902YC	HCPL-5531#100		1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-87679032A	HCPL-6531		1	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8768701XC	HSDC8920A883B		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	ILC Data Device Corp	19645
5962-8768701XC	HSDC8920A883B		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	DDC Ireland LTD.	S7631
5962-8768701YA	RDC14505-638C		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	ILC Data Device Corp	19645
5962-8768701YC	RDC14505-638C		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	ILC Data Device Corp	19645
5962-8768702XC	RDC14505-639		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	ILC Data Device Corp	19645
5962-8768702XC	HSDC8920883B		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	DDC Ireland LTD.	S7631
5962-8768702YA	RDC14505-639C		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	ILC Data Device Corp	19645
5962-8768702YC	RDC14505-639C		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	ILC Data Device Corp	19645
5962-8768703XC	RDC14505-641		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ, 6V INPUT	ILC Data Device Corp	19645
5962-8768703XC	RDC14505-641		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ, 6V INPUT	DDC Ireland LTD.	S7631
5962-8768703YA	RDC14505-641C		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ, 6V INPUT	ILC Data Device Corp	19645
5962-8768703YC	RDC14505-641C		1	RESOLVER-TO-DIGITAL CONVERTER, 400 HZ, 6V INPUT	ILC Data Device Corp	19645
5962-8768801XA	MN3008H/B		1	D/A CONVERTER, 8-BIT, 0V TO +4V OUTPUT	Micro Networks Co.	50507
5962-8768801XC	MN3008H/B		1	D/A CONVERTER, 8-BIT, 0V TO +4V OUTPUT	Micro Networks Co.	50507
5962-8768801YX			1	D/A CONVERTER, 8-BIT, 0V TO +4V OUTPUT	NO APPROVED SOURCE	XXXXX
5962-8768802XA	MN3009H/B		1	D/A CONVERTER, 8-BIT, -2V TO +2V OUTPUT	Micro Networks Co.	50507
5962-8768802XC	MN3009H/B		1	D/A CONVERTER, 8-BIT, -2V TO +2V OUTPUT	Micro Networks Co.	50507
5962-8768802YX			1	D/A CONVERTER, 8-BIT, -2V TO +2V OUTPUT	NO APPROVED SOURCE	XXXXX
5962-8850801XC	ADC-HX/883B		1	A/D CONVERTER, 12-BIT	Datel Incorporated	50721
5962-8850802XA	MNADC87H/B		1	A/D CONVERTER, 12-BIT	Micro Networks Co.	50507
5962-8850802XC	ADC-HZ/883B		1	A/D CONVERTER, 12-BIT	Datel Incorporated	50721
5962-8850802XC	MNADC87H/B		1	A/D CONVERTER, 12-BIT	Micro Networks Co.	50507

-52-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003858 566

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8850901XA	AD390S	1	D/A CONVERTER, QUAD 12-BIT	Analog Devices, Inc	34031
5962-8850901XC	AD390S	1	D/A CONVERTER, QUAD 12-BIT	Analog Devices, Inc	34031
5962-8850902XA	AD390T	1	D/A CONVERTER, QUAD 12-BIT	Analog Devices, Inc	34031
5962-8850902XC	AD390T	1	D/A CONVERTER, QUAD 12-BIT	Analog Devices, Inc	34031
5962-8851001XA	AD394S	1	D/A CONVERTER, QUAD 12-BIT	Analog Devices, Inc	34031
5962-8851001XC	AD394S	1	D/A CONVERTER, QUAD 12-BIT	Analog Devices, Inc	34031
5962-8851002XA	AD394T	1	D/A CONVERTER, QUAD 12-BIT	Analog Devices, Inc	34031
5962-8851002XC	AD394T	1	D/A CONVERTER, QUAD 12-BIT	Analog Devices, Inc	34031
5962-8851003XX		1	D/A CONVERTER, QUAD 12-BIT	NO APPROVED SOURCE	XXXXX
5962-8851004XX		1	D/A CONVERTER, QUAD 12-BIT	NO APPROVED SOURCE	XXXXX
5962-8851401XA	HS9403B-8	1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	Sipex Corporation	33256
5962-8851401XC	HS9403B-8	1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	Sipex Corporation	33256
5962-8851402XA	HS9403B-16	1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	Sipex Corporation	33256
5962-8851402XC	HS9403B-16	1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	Sipex Corporation	33256
5962-8851403XA	HS9403B-8-1	1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	Sipex Corporation	33256
5962-8851403XC	HDAS-8/883	1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	Datel Incorporated	50721
5962-8851403XC	HS9403B-8-1	1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	Sipex Corporation	33256
5962-8851404XA	HS9403B-16-1	1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	Sipex Corporation	33256
5962-8851404XC	HS9403B-16-1	1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	Sipex Corporation	33256
5962-8851404XC	HDAS-16/883	1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	Datel Incorporated	50721
5962-8851701XA	DAC02310-112	1	D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.012\%$ FSR	ILC Data Device Corp	19645
5962-8851701XC	DAC02310-112	1	D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.012\%$ FSR	ILC Data Device Corp	19645
5962-8851701YA	DAC02311-112	1	D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.012\%$ FSR	ILC Data Device Corp	19645
5962-8851701YC	DAC02311-112	1	D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.012\%$ FSR	ILC Data Device Corp	19645
5962-8851702XA	DAC02310-113	1	D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.006\%$ FSR	ILC Data Device Corp	19645
5962-8851702XC	DAC02310-113	1	D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.006\%$ FSR	ILC Data Device Corp	19645
5962-8851702YA	DAC02311-113	1	D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.006\%$ FSR	ILC Data Device Corp	19645
5962-8851702YC	DAC02311-113	1	D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.006\%$ FSR	ILC Data Device Corp	19645
5962-8854201XA	ADC00300-112	1	A/D CONVERTER, 12-BIT, TRACK/HOLD	ILC Data Device Corp	19645
5962-8854201XC	ADC00300-112	1	A/D CONVERTER, 12-BIT, TRACK/HOLD	ILC Data Device Corp	19645
5962-8854201YA	ADC00302-112	1	A/D CONVERTER, 12-BIT, TRACK/HOLD	ILC Data Device Corp	19645
5962-8854201YC	ADC00302-112	1	A/D CONVERTER, 12-BIT, TRACK/HOLD	ILC Data Device Corp	19645
5962-8857901XC	HOS-050A	1	OP AMP, FAST SETTLING VIDEO	Analog Devices, Inc	34031

-53-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003859 4T2

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE 1

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8857902XC	H05-060SH	1	OP AMP, FAST SETTLING VIDEO	Analog Devices, Inc	34031
5962-8858501XA	CT2565	1	BUS CONTROLLER, DUAL REDUNDANT, RTU	Aeroflex Lab. Inc.	88379
5962-8858501XC	CT2565	1	BUS CONTROLLER, DUAL REDUNDANT, RTU	Aeroflex Lab. Inc.	88379
5962-8858501YA	CT2565-FP	1	BUS CONTROLLER, DUAL REDUNDANT, RTU	Aeroflex Lab. Inc.	88379
5962-8858501YC	CT2565-FP	1	BUS CONTROLLER, DUAL REDUNDANT, RTU	Aeroflex Lab. Inc.	88379
5962-8858601XA	BUS66300II883B	1	INTERFACE UNIT, BUS TO MICROPROCESSOR, MIL-STD-1553	ILC Data Device Corp	19645
5962-8858601XC	BUS66300II883B	1	INTERFACE UNIT, BUS TO MICROPROCESSOR, MIL-STD-1553	ILC Data Device Corp	19645
5962-8858601YC	BUS66301III883	1	INTERFACE UNIT, BUS TO MICROPROCESSOR, MIL-STD-1553	ILC Data Device Corp	19645
5962-8862901XA	HS9342B	1	D/A CONVERTER, QUAD 12-BIT	Sipex Corporation	33256
5962-8862901XC	HS9342B	1	D/A CONVERTER, QUAD 12-BIT	Sipex Corporation	33256
5962-8865801XA	AD578X	1	A/D CONVERTER, 12-BIT, HIGH-SPEED	Analog Devices, Inc	34031
5962-8865801XC	AD578X	1	A/D CONVERTER, 12-BIT, HIGH-SPEED	Analog Devices, Inc	34031
5962-8865802XA	AD578T	1	A/D CONVERTER, 12-BIT, HIGH-SPEED	Analog Devices, Inc	34031
5962-8865802XC	AD578T	1	A/D CONVERTER, 12-BIT, HIGH-SPEED	Analog Devices, Inc	34031
5962-8865803XA	AD578ZSD	1	A/D CONVERTER, 12-BIT, HIGH-SPEED	Analog Devices, Inc	34031
5962-8865803XC	AD578ZSD	1	A/D CONVERTER, 12-BIT, HIGH-SPEED	Analog Devices, Inc	34031
5962-8865804XA	AD578ZTD	1	A/D CONVERTER, 12-BIT, HIGH-SPEED	Analog Devices, Inc	34031
5962-8865804XC	AD578ZTD	1	A/D CONVERTER, 12-BIT, HIGH-SPEED	Analog Devices, Inc	34031
5962-8869201TA	BUS61563II-601	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869201TC	BUS61563II-601	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869201XA	BUS61553-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869201XC	BUS61553II-883	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	DDC Ireland LTD.	S7631
5962-8869201XC	BUS61553-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869201YA	BUS61563-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869201YC	BUS61563-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869201ZA	BUS61563-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869201ZC	BUS61563-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869202XA	BUS61554-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869202XC	BUS61554-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869202XC	BUS61554II-883	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	DDC Ireland LTD.	S7631
5962-8869202YC	BUS61564-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869202ZA	BUS61564-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869202ZC	BUS61564-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-8869203XC	BUS61555-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT, TRANSCIEVER	ILC Data Device Corp	19645
5962-8869203YC	BUS61565-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT, TRANSCIEVER	ILC Data Device Corp	19645
5962-8869203ZC	BUS61565-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT, TRANSCIEVER	ILC Data Device Corp	19645

-54-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003860 114

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8869204XC	BUS61556-883B	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT, TRANSCIEVERLESS	ILC Data Device Corp	19645
5962-8870101UA	OMA541SDZB	1	OP AMP, HIGH-POWER	Omnirel Corporation	69210
5962-8870101UC	MSK 147B	1	OP AMP, HIGH-POWER	M.S Kennedy Corp.	51651
5962-8870101XA	OMA541SKB	1	OP AMP, HIGH-POWER	Omnirel Corporation	69210
5962-8870101XC	MSK541B	1	OP AMP, HIGH-POWER	M.S Kennedy Corp.	51651
5962-8870101YA	OMA541SDB	1	OP AMP, HIGH-POWER	Omnirel Corporation	69210
5962-8870101YC	MSK146B	1	OP AMP, HIGH-POWER	M.S Kennedy Corp.	51651
5962-8870101ZC	MSK145B	1	OP AMP, HIGH-POWER	M.S Kennedy Corp.	51651
5962-8870102XA	OMA541SKCB	1	OP AMP, HIGH-POWER	Omnirel Corporation	69210
5962-8876801PA	HCPL-5201	1	OPTOCOUPLER, SINGLE-CHANNEL	Hewlett-Packard Co.	50434
5962-8876801PC	HCPL-5201	1	OPTOCOUPLER, SINGLE-CHANNEL	Hewlett-Packard Co.	50434
5962-8876801XA	HCPL-5201#300	1	OPTOCOUPLER, SINGLE-CHANNEL	Hewlett-Packard Co.	50434
5962-8876801XC	HCPL-5201#300	1	OPTOCOUPLER, SINGLE-CHANNEL	Hewlett-Packard Co.	50434
5962-8876801YA	HCPL-5201#100	1	OPTOCOUPLER, SINGLE-CHANNEL	Hewlett-Packard Co.	50434
5962-8876801YC	HCPL-5201#100	1	OPTOCOUPLER, SINGLE-CHANNEL	Hewlett-Packard Co.	50434
5962-8876901PA	HCPL-5231	3	OPTOCOUPLER, DUAL-CHANNEL	Hewlett-Packard Co.	50434
5962-8876901PC	HCPL-5231	3	OPTOCOUPLER, DUAL-CHANNEL	Hewlett-Packard Co.	50434
5962-8876901XA	HCPL-5231#300	1	OPTOCOUPLER, DUAL-CHANNEL	Hewlett-Packard Co.	50434
5962-8876901YA	HCPL-5231#100	1	OPTOCOUPLER, DUAL-CHANNEL	Hewlett-Packard Co.	50434
5962-8876901YC	HCPL-5231#100	1	OPTOCOUPLER, DUAL-CHANNEL	Hewlett-Packard Co.	50434
5962-88769022A	HCPL-6231	1	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLT. AND GND. CONNECTIONS	Hewlett-Packard Co.	50434
5962-8877601XA	HS1068B	1	A/D CONVERTER, 8-BIT FLASH	Sipex Corporation	33256
5962-8877601XC	HS1068B	1	A/D CONVERTER, 8-BIT FLASH	Sipex Corporation	33256
5962-8944701HUA	ARX3436	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944701HUC	ARX3436	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944701HXA	ARX3416	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944701HXC	ARX3416	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944701HYA	ARX3416FP	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944701HYC	ARX3416FP	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944701HZA	ARX3436FP	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944701HZC	ARX3436FP	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944702HXA	NHI-1501	1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	National Hybrid, Inc	57363

-55-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8944702HXC	NHI-1501		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	National Hybrid, Inc	57363
5962-8944702HYA	NHI-1501FP		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	National Hybrid, Inc	57363
5962-8944702HYC	NHI-1501FP		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	National Hybrid, Inc	57363
5962-8944703HXA	FC1553622		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	C-MAC Microcircuits	U4388
5962-8944703HXC	FC1553622		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	C-MAC Microcircuits	U4388
5962-8944703HYA	FC1553622FP		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	C-MAC Microcircuits	U4388
5962-8944703HYC	FC1553622FP		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	C-MAC Microcircuits	U4388
5962-8944704HXC	BUS631351I		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	ILC Data Device Corp	19645
5962-8944704HYC	BUS631361I		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	ILC Data Device Corp	19645
5962-8944705HXX			1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	NO APPROVED SOURCE	XXXXX
5962-8944706HXA	3416-511		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944706HXC	3416-511		1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	Aeroflex Lab. Inc.	88379
5962-8944707HYX			1	DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	NO APPROVED SOURCE	XXXXX
5962-8947701PA	HCPL-5761		2	OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	Hewlett-Packard Co.	50434
5962-8947701PC	HCPL-5761		2	OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	Hewlett-Packard Co.	50434
5962-8947701XA	HCPL-5761#300		1	OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	Hewlett-Packard Co.	50434
5962-8947701YA	HCPL-5761#100		1	OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	Hewlett-Packard Co.	50434
5962-8947701YC	HCPL-5761#100		1	OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	Hewlett-Packard Co.	50434
5962-8949001XA	OM7509SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +15V AND -15V OUTPUT	Omnirel Corporation	69210
5962-8949002XA	OM7501SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +5V AND -5V OUTPUT	Omnirel Corporation	69210
5962-8949003XA	OM7502SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +5V AND -12V OUTPUT	Omnirel Corporation	69210
5962-8949004XA	OM7503SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +5V AND -15V OUTPUT	Omnirel Corporation	69210
5962-8949005XA	OM7504SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +12V AND -5V OUTPUT	Omnirel Corporation	69210
5962-8949006XA	OM7505SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +12V AND -12V OUTPUT	Omnirel Corporation	69210
5962-8949007XA	OM7506SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +12V AND -15V OUTPUT	Omnirel Corporation	69210
5962-8949008XA	OM7507SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +15V AND -5V OUTPUT	Omnirel Corporation	69210
5962-8949009XA	OM7508SC/883B		1	VOLT. REGULATOR, FIXED, DUAL, +15V AND -12V OUTPUT	Omnirel Corporation	69210
5962-8949801XA	SDC1456111114		1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949801XA	SDC14561-114		1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8949801XC	SDC14561-114		1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631

■ 999968 0003862 T97 ■
 APPROVED SOURCE
 MASTER PRODUCT LISTING
 TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8949801XC	SDC14561111114	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949801YA	SDC145611111-60	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949801YC	SDC145611111-60	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949802XA	SDC14561-115	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8949802XA	SDC14561111115	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949802XC	SDC14561111115	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949802XC	SDC14561-115	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8949802YA	SDC145611111-60	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949802YC	SDC145611111-60	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949803XC	HSD1066-349H/2	1	SYNCHRO-TO-DIGITAL CONVERTER, 90V, 400 HZ, 2.0 MINUTES ACCURACY	Natel Engineering Co	09059
5962-8949804XC	HSD1066-349V/2	1	SYNCHRO-TO-DIGITAL CONVERTER, 90V, 400 HZ, 1.0 MINUTES ACCURACY	Natel Engineering Co	09059
5962-8949805XA	SDC145621111-11	1	SYNCHRO-TO-DIGITAL CONVERTER, 90V, 60 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949805XC	SDC145621111-11	1	SYNCHRO-TO-DIGITAL CONVERTER, 90V, 60 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949805YA	SDC145621111-11	1	SYNCHRO-TO-DIGITAL CONVERTER, 90V, 60 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949805YC	SDC145621111-11	1	SYNCHRO-TO-DIGITAL CONVERTER, 90V, 60 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949901XA	SDC14560-114	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8949901XA	SDC-14560-144	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949901XC	SDC14560-114	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8949901XC	SDC-14560-114	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949901YA	SDC-14560-144	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949901YC	SDC-14560-114	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949902XA	SDC14560-115	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	DDC Ireland LTD.	S7631
5962-8949902XA	SDC-14560-145	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8949902XC	SDC-14560-115	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8949902XC	SDC14560-115	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	DDC Ireland LTD.	S7631

-57-
 HYBRID MICROCIRCUITS
 QML-38534-23

9999968 0003863 923

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8949902YA	SDC-14560-145	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8949902YC	SDC-14560-115	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8949903XC	SDC14560-605	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8949903XC	SDC-14560-605	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949903YA	SDC-14560-605	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949903YC	SDC-14560-605	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8949904XC	HSD1066-341H/2	1	SYNCRHO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	Natel Engineering Co	09059
5962-8949905XC	HSD1066-341V/2	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	Natel Engineering Co	09059
5962-8949906XC	HSD1066-C778H/2	1	SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	Natel Engineering Co	09059
5962-8949907XA	SDC-14560-142	1	S/D CONVERTER, 11.8 VOLT	ILC Data Device Corp	19645
5962-8949907XC	SDC-14560-112	1	S/D CONVERTER, 11.8 VOLT	ILC Data Device Corp	19645
5962-8949907YA	SDC-14560-142	1	S/D CONVERTER, 11.8 VOLT	ILC Data Device Corp	19645
5962-8949907YC	SDC-14560-112	1	S/D CONVERTER, 11.8 VOLT	ILC Data Device Corp	19645
5962-8949908XA	SDC-14560-141	1	S/D CONVERTER, 11.8 VOLT	ILC Data Device Corp	19645
5962-8949908XC	SDC-14560-111	1	S/D CONVERTER, 11.8 VOLT	ILC Data Device Corp	19645
5962-8949908YA	SDC-14560-141	1	S/D CONVERTER, 11.8 VOLT	ILC Data Device Corp	19645
5962-8949908YC	SDC-14560-111	1	S/D CONVERTER, 11.8 VOLT	ILC Data Device Corp	19645
5962-8950901XA	RGBDAC3808H/B	1	D/A CONVERTER, 8-BIT, TRIPLE, COLOR-MAPPED VIDEO	Lambda Adv. Analog	52467
5962-8952201XA	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952201XC	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952201YA	NHI-1559FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952201YC	NHI-1559FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952202XA	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952202XA	ARX-2453	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	Aeroflex Lab. Inc.	88379
5962-8952202XC	ARX-2453	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	Aeroflex Lab. Inc.	88379
5962-8952202XC	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952202YA	NHI-1529FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952202YA	ARX-2453FP	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	Aeroflex Lab. Inc.	88379
5962-8952202YC	NHI-1529FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952202YC	ARX-2453FP	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	Aeroflex Lab. Inc.	88379
5962-8952203XA	NHI-1529	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952203XC	NHI-1529	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952203YA	NHI-1529FP	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363

-58-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003864 86T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8952203YC	NHI-1529FP	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952204XA	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952204XC	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952204YA	NHI-1559FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952204YC	NHI-1559FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952205UX		1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	NO APPROVED SOURCE	XXXXX
5962-8952205ZX		1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	NO APPROVED SOURCE	XXXXX
5962-8952206XA	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952206XA	FC1553921	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	C-MAC Microcircuits	U4388
5962-8952206XC	FC1553921	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	C-MAC Microcircuits	U4388
5962-8952206XC	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952206YA	NHI-1529FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952206YA	FC1553921FP	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	C-MAC Microcircuits	U4388
5962-8952206YC	NHI-1529FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952206YC	FC1553921FP	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	C-MAC Microcircuits	U4388
5962-8952207XA	FC1553923	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	C-MAC Microcircuits	U4388
5962-8952207XA	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952207XC	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952207XC	FC1553923	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	C-MAC Microcircuits	U4388
5962-8952207YA	FC1553923	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	C-MAC Microcircuits	U4388
5962-8952207YA	NHI-1559FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952207YC	FC1553923	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	C-MAC Microcircuits	U4388
5962-8952207YC	NHI-1559FP/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952208XA	ARX-3453	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	Aeroflex Lab. Inc.	88379
5962-8952208XA	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952208XC	ARX-3453	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	Aeroflex Lab. Inc.	88379
5962-8952208XC	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952208YA	ARX-3453FP	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	Aeroflex Lab. Inc.	88379
5962-8952208YA	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952208YC	ARX-3453FP	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	Aeroflex Lab. Inc.	88379
5962-8952208YC	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952209XA	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952209XC	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952209YA	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952209YC	NHI-1529/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952210XA	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952210XC	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952210YA	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363

-59-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8952210YC	NHI-1559/883	1	BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	National Hybrid, Inc	57363
5962-8952801XC	DAC HKB/883B	1	D/A CONVERTER, 12-BIT, BINARY INPUT CODE	Datel Incorporated	50721
5962-8952802XC	DAC HKB-2/883B	1	D/A CONVERTER, 12-BIT, TWO'S COMPLEMENT	Datel Incorporated	50721
5962-8953101HXC	DAC HPB/883B	1	D/A CONVERTER, 16-BIT, 0 TO +10V AND ±5V OUTPUT	Datel Incorporated	50721
5962-8953102HXC	DAC HPB-1/883B	1	D/A CONVERTER, 16-BIT, ±10V OUTPUT	Datel Incorporated	50721
5962-8953102HYA	MN3292T/B-V	1	D/A CONVERTER, 16-BIT, ±10V OUTPUT	Micro Networks Co.	50507
5962-8953102HYC	MN3292T/B-V	1	D/A CONVERTER, 16-BIT, ±10V OUTPUT	Micro Networks Co.	50507
5962-8953103HYA	MN3290T/B-V	1	D/A CONVERTER, 16-BIT, 0 TO +10V OUTPUT	Micro Networks Co.	50507
5962-8953103HYC	MN3290T/B-V	1	D/A CONVERTER, 16-BIT, 0 TO +10V OUTPUT	Micro Networks Co.	50507
5962-8953104HYA	MN3291T/B-V	1	D/A CONVERTER, 16-BIT, ±5V OUTPUT	Micro Networks Co.	50507
5962-8953104HYC	MN3291T/B-V	1	D/A CONVERTER, 16-BIT, ±5V OUTPUT	Micro Networks Co.	50507
5962-8956301HXA	MN5290H/B	1	A/D CONVERTER, 16-BIT RESOLUTION	Micro Networks Co.	50507
5962-8956301HXC	MN5290H/B	1	A/D CONVERTER, 16-BIT RESOLUTION	Micro Networks Co.	50507
5962-8956302HXA	MN5291H/B	1	A/D CONVERTER, 16-BIT RESOLUTION	Micro Networks Co.	50507
5962-8956302HXC	MN5291H/B	1	A/D CONVERTER, 16-BIT RESOLUTION	Micro Networks Co.	50507
5962-8956501XA	HS362SB	1	MULTIPLEXER, DUAL 8-CHANNEL, WITH SAMPLE AND HOLD	Sipex Corporation	33256
5962-8956501XC	HS362SB	1	MULTIPLEXER, DUAL 8-CHANNEL, WITH SAMPLE AND HOLD	Sipex Corporation	33256
5962-8956601HCX		1	SAMPLE AND HOLD AMPLIFIER, 16-BIT	NO APPROVED SOURCE	XXXXX
5962-8956601HXA	HS9716TB-1	1	SAMPLE AND HOLD AMPLIFIER, 16-BIT	Sipex Corporation	33256
5962-8956601HXC	HS9716TB-1	1	SAMPLE AND HOLD AMPLIFIER, 16-BIT	Sipex Corporation	33256
5962-8956901HXA	MN5295H/B	1	A/D CONVERTER, 16-BIT	Micro Networks Co.	50507
5962-8956901HXC	MN5295H/B	1	A/D CONVERTER, 16-BIT	Micro Networks Co.	50507
5962-8957001PA	HCPL-5401	2	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-8957001PC	HCPL-5401	2	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-8957001XA	HCPL-5401#300	1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-8957001YA	HCPL-5401#100	1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-8957001YC	HCPL-5401#100	1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-8957101PA	HCPL-5431	3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8957101PC	HCPL-5431	3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8957101XA	HCPL-5431#300	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8957101YA	HCPL-5431#100	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8957101YC	HCPL-5431#100	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-89571022A	HCPL-6431	3	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8957201EA	HCPL-1931	1	OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	Hewlett-Packard Co.	50434
5962-8957201EC	HCPL-1931	1	OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	Hewlett-Packard Co.	50434

-60-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003866 632
APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8957201XA	HCPL-1931		1	OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	Hewlett-Packard Co.	50434
5962-8957201YA	HCPL-1931		1	OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	Hewlett-Packard Co.	50434
5962-8957201YC	HCPL-1931		1	OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	Hewlett-Packard Co.	50434
5962-8958301YA	MN5200H/B		1	A/D CONVERTER, 12-BIT, 0V TO -10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958301YC	MN5200H/B		1	A/D CONVERTER, 12-BIT, 0V TO -10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958302YA	MN5203H/B		1	A/D CONVERTER, 12-BIT, 0V TO -10V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958302YC	MN5203H/B		1	A/D CONVERTER, 12-BIT, 0V TO -10V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958303YA	MN5201H/B		1	A/D CONVERTER, 12-BIT, -5V TO +5V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958303YC	MN5201H/B		1	A/D CONVERTER, 12-BIT, -5V TO +5V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958304YA	MN5204H/B		1	A/D CONVERTER, 12-BIT, -5V TO +5V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958304YC	MN5204H/B		1	A/D CONVERTER, 12-BIT, -5V TO +5V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958305YA	MN5202H/B		1	A/D CONVERTER, 12-BIT, -10V TO +10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958305YC	MN5202H/B		1	A/D CONVERTER, 12-BIT, -10V TO +10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958306YA	MN5205H/B		1	A/D CONVERTER, 12-BIT, -10V TO +10V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958306YC	MN5205H/B		1	A/D CONVERTER, 12-BIT, -10V TO +10V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958307YA	MN5206H/B		1	A/D CONVERTER, 12-BIT, 0V TO 10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958307YC	MN5206H/B		1	A/D CONVERTER, 12-BIT, 0V TO 10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958401YA	MN5210H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO -10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958401YC	MN5210H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO -10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958402YA	MN5213H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO -10V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958402YC	MN5213H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO -10V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958403YA	MN5211H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, -5V TO +5V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958403YC	MN5211H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, -5V TO +5V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958404YA	MN5214H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, -5V TO +5V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958404YC	MN5214H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, -5V TO +5V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958405YA	MN5212H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, -10V TO +10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958405YC	MN5212H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, -10V TO +10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958406YA	MN5215H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, -10V TO +10V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958406YC	MN5215H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, -10V TO +10V EXTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958407YA	MN5216H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO 10V INTERNAL REFERENCE	Micro Networks Co.	50507
5962-8958407YC	MN5216H/B		1	A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO 10V INTERNAL REFERENCE	Micro Networks Co.	50507

-61-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003867 579

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8959201XA	ARX3407	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959201XC	ARX3407	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959201YA	ARX3407FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959201YC	ARX3407FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959202XA	ARX3404	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959202XC	ARX3404	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959202YA	ARX3404FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959202YC	ARX3404FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959203XA	ARX3407-001	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959203XC	ARX3407-001	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959203YA	ARX3407-001FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959203YC	ARX3407-001FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959204XA	ARX3404-001	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959204XC	ARX3404-001	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959204YA	ARX3404-001FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959204YC	ARX3404-001FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	Aeroflex Lab. Inc.	88379
5962-8959205XA	ARX3467	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY LOW	Aeroflex Lab. Inc.	88379
5962-8959205XC	ARX3467	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY LOW	Aeroflex Lab. Inc.	88379
5962-8959205YA	ARX3467FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY LOW	Aeroflex Lab. Inc.	88379
5962-8959205YC	ARX3467FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY LOW	Aeroflex Lab. Inc.	88379
5962-8959206XA	ARX3464	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY LOW	Aeroflex Lab. Inc.	88379
5962-8959206XC	ARX3464	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY LOW	Aeroflex Lab. Inc.	88379
5962-8959206YA	ARX3464FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY LOW	Aeroflex Lab. Inc.	88379
5962-8959206YC	ARX3464FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY LOW	Aeroflex Lab. Inc.	88379
5962-8959401XA	CLC231A8C	1	OP AMP, HIGH-SPEED, WIDEBAND	Comlinear Corp.	62839
5962-8959401XC	CLC231A8C	1	OP AMP, HIGH-SPEED, WIDEBAND	Comlinear Corp.	62839

-62-
HYBRID MICROCIRCUITS
QML-38534-23

■ 999968 0003868 405 ■
APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER 4/ SIMILAR	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8959501XA	MN5245H/B	1	A/D CONVERTER, 12-BIT, 0 TO +5V	Micro Networks Co.	50507
5962-8959501XC	MN5245H/B	1	A/D CONVERTER, 12-BIT, 0 TO +5V	Micro Networks Co.	50507
5962-8959502XA	MN5245AH/B	1	A/D CONVERTER, 12-BIT, 0 TO +5V, WITH THREE-STATE OUTPUTS	Micro Networks Co.	50507
5962-8959502XC	MN5245AH/B	1	A/D CONVERTER, 12-BIT, 0 TO +5V, WITH THREE-STATE OUTPUTS	Micro Networks Co.	50507
5962-8959503XA	MN5246H/B	1	A/D CONVERTER, 12-BIT, $\pm 2.5V$	Micro Networks Co.	50507
5962-8959503XC	MN5246H/B	1	A/D CONVERTER, 12-BIT, $\pm 2.5V$	Micro Networks Co.	50507
5962-8959504XA	MN5246AH/B	1	A/D CONVERTER, 12-BIT, $\pm 2.5V$, WITH 3-STATE OUTPUTS	Micro Networks Co.	50507
5962-8959504XC	MN5246AH/B	1	A/D CONVERTER, 12-BIT, $\pm 2.5V$, WITH 3-STATE OUTPUTS	Micro Networks Co.	50507
5962-8965901XA	EL2004G/883B	1	BUFFER, FET	Elantec Incorporated	64762
5962-8965901XC	EL2004G/883B	1	BUFFER, FET	Elantec Incorporated	64762
5962-8965901YX		1	BUFFER, FET	NO APPROVED SOURCE	XXXXX
5962-8968301HXA	AHE2805S/CH	1	DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	Lambda Adv. Analog	52467
5962-8968301HZA	AHE2805SF/CH	1	DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	Lambda Adv. Analog	52467
5962-8968302HXA	AHE2805S/CHSLV	1	DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	Lambda Adv. Analog	52467
5962-8968302HZA	AHE2805SFCHSLV	1	DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	Lambda Adv. Analog	52467
5962-8968303HXA	AHE2805S/CHMST	1	DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	Lambda Adv. Analog	52467
5962-8968303HZA	AHE2805SFCHMST	1	DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	Lambda Adv. Analog	52467
5962-8971801XA	HS3020B	1	D/A CONVERTER, 8-BIT, WITH INPUT REGISTER	Sipex Corporation	33256
5962-8971801XA	MN3020H/B	1	D/A CONVERTER, 8-BIT, WITH INPUT REGISTER	Micro Networks Co.	50507
5962-8971801XC	HS3020B	1	D/A CONVERTER, 8-BIT, WITH INPUT REGISTER	Sipex Corporation	33256
5962-8971801XC	MN3020H/B	1	D/A CONVERTER, 8-BIT, WITH INPUT REGISTER	Micro Networks Co.	50507
5962-8978501PA	66058-003	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
5962-8978501PA	HCPL-5731	3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8978501PC	HCPL-5731	3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8978501PC	66058-003	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
5962-8978501XA	66071-001	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
5962-8978501XC	66071-001	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
5962-8978501YA	HCPL-5731#100	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8978501YC	HCPL-5731#100	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-8978501ZA	HCPL-5731#300	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-89785022A	HCPL-6731	2	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
5962-89785022A	66124-001	1	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757

-63-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003869 341

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-89785022C	66124-001	1	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
5962-8979801XA	BUS-65142	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8979801XA	CT2542	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8979801XC	CT2542	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8979801XC	BUS-65142	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8979801YA	BUS-65144	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8979801YA	CT2542-FP	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8979801YC	CT2542-FP	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8979801YC	BUS-65144	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8979802XA	CT2543	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8979802XA	BUS-65143-883B	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8979802XC	CT2543	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8979802XC	BUS-65143-883B	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8979802YA	CT2543-FP	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8979802YA	BUS-65145-883B	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8979802YC	CT2543-FP	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	Aeroflex Lab. Inc.	88379
5962-8979802YC	BUS-65145-883B	1	REMOTE TERMINAL UNIT, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-8979901XA	FC155391	1	DRIVER-RECEIVER, LOW-POWER	C-MAC Microcircuits	U4388
5962-8979901XC	FC155391	1	DRIVER-RECEIVER, LOW-POWER	C-MAC Microcircuits	U4388
5962-8979902XA	FC155392	1	DRIVER-RECEIVER, LOW-POWER	C-MAC Microcircuits	U4388
5962-8979902XC	FC155392	1	DRIVER-RECEIVER, LOW-POWER	C-MAC Microcircuits	U4388
5962-8981001PA	66058-105	1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	Micropac Industries	31757
5962-8981001PA	HCPL-5701	2	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	Hewlett-Packard Co.	50434
5962-8981001PC	HCPL-5701	2	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	Hewlett-Packard Co.	50434
5962-8981001PC	66058-105	1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	Micropac Industries	31757
5962-8981001XA	HCPL-5701#300	2	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	Hewlett-Packard Co.	50434
5962-8981001XC	HCPL-5701#300	2	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	Hewlett-Packard Co.	50434
5962-8981001YA	HCPL-5701#100	2	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	Hewlett-Packard Co.	50434
5962-8981001YC	HCPL-5701#100	2	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	Hewlett-Packard Co.	50434
5962-89813013A	HC1437L/883	1	OP AMP, WIDEBAND	Hycomp, Incorporated	34707
5962-8981301GC	MSK 437B	1	OP AMP, WIDEBAND	M.S Kennedy Corp.	51651
5962-8981302GC	MSK 438B	1	OP AMP, WIDE BAND	M.S Kennedy Corp.	51651
5962-8982601XC	BUS63127II	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	DDC Ireland LTD.	S7631
5962-8982601XC	BUS63127II	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	ILC Data Device Corp	19645
5962-8982601YC	BUS63128II	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	DDC Ireland LTD.	S7631
5962-8982601YC	BUS63128II	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	ILC Data Device Corp	19645
5962-8982602XA	ARX3419	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379

-64-
HYBRID MICROCIRCUITS
QML-38534-23

9999968. 0003870 063

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION.	SOURCE(S)	CAGE CODE
5962-8982602XC	ARX3419	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8982602YA	ARX3419FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8982602YC	ARX3419FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	Aeroflex Lab. Inc.	88379
5962-8982603XA	NHI-1502	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8982603XC	NHI-1502	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8982603YA	NHI-1502FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8982603YC	NHI-1502FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8982604XA	NHI-1523	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8982604XC	NHI-1523	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8982604YA	NHI-1523FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8982604YC	NHI-1523FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	National Hybrid, Inc	57363
5962-8982605XA	FC1553721	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982605XC	FC1553721	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982605YA	FC1553721FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982605YC	FC1553721FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982606XX		1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	NO APPROVED SOURCE	XXXXX
5962-8982606YX		1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	NO APPROVED SOURCE	XXXXX
5962-8982607XA	FC1553722	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982607XC	FC1553722	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982607YA	FC1552722FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982607YC	FC1552722FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982608XA	FC1553726	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982608XC	FC1553726	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982608YA	FC1553726FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8982608YC	FC1553726FP	1	DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	C-MAC Microcircuits	U4388
5962-8985801XA	CLC206A8C	1	OP AMP, WIDEBAND, OVERDRIVE PROTECTED	Comlinear Corp.	62839
5962-8985801XC	CLC206A8C	1	OP AMP, WIDEBAND, OVERDRIVE PROTECTED	Comlinear Corp.	62839
5962-8986201XC	HS9378T/S	1	D/A CONVERTER, 16-BIT, 16-BIT LINEARITY	Sipex Corporation	33256
5962-8986202XC	HS9378S/B	1	D/A CONVERTER, 16-BIT, 15-BIT LINEARITY	Sipex Corporation	33256
5962-8990801XA	SDC14565-144	1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990801XA	SDC14565-114	1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8990801XC	SDC14565-114	1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8990801XC	SDC14565-114	1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990801YA	SDC14565-629	1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990801YC	SDC14565-629	1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990801ZA	SDC14565-621	1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990801ZC	SDC14565-621	1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990802XA	SDC14565-115	1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	DDC Ireland LTD.	S7631

-65-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003871 TTT

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8990802XA	SDC14565-145		1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8990802XC	SDC14565-115		1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8990802XC	SDC14565-115		1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	DDC Ireland LTD.	S7631
5962-8990802YA	SDC14565-630		1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8990802YC	SDC14565-630		1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8990802ZA	SDC14565-622		1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8990802ZC	SDC14565-622		1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	ILC Data Device Corp	19645
5962-8990803XA	SDC14565-616		1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990803XC	SDC14565-616		1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990803XC	SDC14565-616		1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990803XC	SDC14565-616		1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8990803ZA	SDC14565-616		1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990803ZC	SDC14565-616C		1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990803ZC	SDC14565-616		1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990804XA	SDC14565-145		1	R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	ILC Data Device Corp	19645
5962-8990804XA	SDC14566-115		1	R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	DDC Ireland LTD.	S7631
5962-8990804XC	SDC14566-115		1	R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	DDC Ireland LTD.	S7631
5962-8990804XC	SDC14566-115		1	R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	ILC Data Device Corp	19645
5962-8990804YA	SDC14565-609		1	R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	ILC Data Device Corp	19645
5962-8990804YC	SDC14565-609		1	R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	ILC Data Device Corp	19645
5962-8990804ZA	SDC14565-611		1	R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	ILC Data Device Corp	19645
5962-8990804ZC	SDC14565-611		1	R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	ILC Data Device Corp	19645
5962-8990805XA	SDC14565-618		1	R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990805XC	SDC14565-618		1	R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	DDC Ireland LTD.	S7631
5962-8990805XC	SDC14565-618		1	R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990805ZA	SDC14565-618		1	R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990805ZC	SDC14565-618		1	R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990806XC	HRD1066-341H/2		1	R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	Natel Engineering Co	09059
5962-8990807XC	HRD1066-381V/2		1	R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	Natel Engineering Co	09059
5962-8990808XC	HRD1066-381H/2		1	R/D CONVERTER, 11.8 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	Natel Engineering Co	09059
5962-8990809XA	SDC14565-602		1	R/D CONVERTER, 11.8 V, 2.4 KHZ, 1.0 MINUTES ACCURACY	ILC Data Device Corp	19645

-66-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003872 936

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-8990809XC	SDC14565-602	1	R/D CONVERTER, 11.8 V, 2.4 KHZ, 1.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990809ZA	SDC14565-602	1	R/D CONVERTER, 11.8 V, 2.4 KHZ, 1.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990809ZC	SDC14565-602	1	R/D CONVERTER, 11.8 V, 2.4 KHZ, 1.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990810XA	SDC14565-603	1	R/D CONVERTER, 11.8 V, 2.4 KHZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990810XC	SDC14565-603	1	R/D CONVERTER, 11.8 V, 2.4 KHZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990810ZA	SDC14565-603	1	R/D CONVERTER, 11.8 V, 2.4 KHZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8990810ZC	SDC14565-603	1	R/D CONVERTER, 11.8 V, 2.4 KHZ, 2.0 MINUTES ACCURACY	ILC Data Device Corp	19645
5962-8991001XA	CLC200A8C	1	OP AMP, HIGH-SPEED, WIDEBAND	Comlinear Corp.	62839
5962-8991001XC	CLC200A8C	1	OP AMP, HIGH-SPEED, WIDEBAND	Comlinear Corp.	62839
5962-8991101XA	CLC220A8C	1	OP AMP, HIGH-SPEED, WIDEBAND	Comlinear Corp.	62839
5962-8991101XC	CLC220A8C	1	OP AMP, HIGH-SPEED, WIDEBAND	Comlinear Corp.	62839
5962-8994001HXA	AD346SD/883	1	SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	Analog Devices, Inc	34031
5962-8994001HXC	AD346SD/883	1	SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	Analog Devices, Inc	34031
5962-8994002HXA	MN346H/B	1	SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	Micro Networks Co.	50507
5962-8994002HXC	MN346H/B	1	SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	Micro Networks Co.	50507
5962-8997901XA	SP1078B	1	A/D CONVERTER, 8-BIT FLASH	Sipex Corporation	33256
5962-8997901XC	SP1078B	1	A/D CONVERTER, 8-BIT FLASH	Sipex Corporation	33256
5962-8998601HXA	DSC11520-112	1	DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	ILC Data Device Corp	19645
5962-8998601HXC	DSC11520-112	1	DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	ILC Data Device Corp	19645
5962-8998602HXA	DSC11520-113	1	DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	ILC Data Device Corp	19645
5962-8998602HXC	DSC11520-113	1	DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	ILC Data Device Corp	19645
5962-8998603HXA	DSC11520-114	1	DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	ILC Data Device Corp	19645
5962-8998603HXC	DSC11520-114	1	DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	ILC Data Device Corp	19645
5962-8998604HXA	DSC11520-115	1	DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	ILC Data Device Corp	19645
5962-8998604HXC	DSC11520-115	1	DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	ILC Data Device Corp	19645
5962-9049701HXA	MN5140	1	A/D CONVERTER, 8-BIT, 0 TO -10V INPUT RANGE	Micro Networks Co.	50507
5962-9049701HXC	MN5140	1	A/D CONVERTER, 8-BIT, 0 TO -10V INPUT RANGE	Micro Networks Co.	50507
5962-9049702HXA	MN5141	1	A/D CONVERTER, 8-BIT, ±5V INPUT RANGE	Micro Networks Co.	50507
5962-9049702HXC	MN5141	1	A/D CONVERTER, 8-BIT, ±5V INPUT RANGE	Micro Networks Co.	50507
5962-9049703HXA	MN5142	1	A/D CONVERTER, 8-BIT, ±10V INPUT RANGE	Micro Networks Co.	50507
5962-9049703HXC	MN5142	1	A/D CONVERTER, 8-BIT, ±10V INPUT RANGE	Micro Networks Co.	50507
5962-9049704HXA	MN5143	1	A/D CONVERTER, 8-BIT, 0 TO +10V INPUT RANGE	Micro Networks Co.	50507
5962-9049704HXC	MN5143	1	A/D CONVERTER, 8-BIT, 0 TO +10V INPUT RANGE	Micro Networks Co.	50507
5962-9055101XC	SDC14567III111	1	DR/D CONVERTER, 1.0V, 400 HZ	ILC Data Device Corp	19645
5962-9055101XC	SDC14567-111	1	DR/D CONVERTER, 1.0V, 400 HZ	DDC Ireland LTD.	S7631
5962-9055101YA	SDC14567III11-11	1	DR/D CONVERTER, 1.0V, 400 HZ	ILC Data Device Corp	19645
5962-9055101YC	SDC14567III11-11	1	DR/D CONVERTER, 1.0V, 400 HZ	ILC Data Device Corp	19645
5962-9055102XC	SDC14567III112	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645

-67-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003873 872

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9055102XC	SDC14567-112	1	DR/D CONVERTER, 1.0 V, 400 HZ	DDC Ireland LTD.	S7631
5962-9055102YA	SDC14567III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645
5962-9055102YC	SDC14567III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645
5962-9055103XC	SDC14567III114	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645
5962-9055103XC	SDC14567-114	1	DR/D CONVERTER, 1.0 V, 400 HZ	DDC Ireland LTD.	S7631
5962-9055103YA	SDC14567III1-60	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645
5962-9055103YC	SDC14567III1-60	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645
5962-9055104XC	SDC14567III115	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645
5962-9055104XC	SDC14567-115	1	DR/D CONVERTER, 1.0 V, 400 HZ	DDC Ireland LTD.	S7631
5962-9055104YA	SDC14567III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645
5962-9055104YC	SDC14567III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ	ILC Data Device Corp	19645
5962-9055105XC	SDC14569III111	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055105XC	SDC14569-111	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	DDC Ireland LTD.	S7631
5962-9055105YA	SDC14569III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055105YC	SDC14569III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055106XC	SDC14569III112	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055106XC	SDC14569-112	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	DDC Ireland LTD.	S7631
5962-9055106YA	SDC14569III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055106YC	SDC14569III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055107XC	SDC14569-114	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	DDC Ireland LTD.	S7631
5962-9055107XC	SDC14569III114	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055107YA	SDC14569III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055107YC	SDC14569III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055108XC	SDC14569III115	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055108XC	SDC14569-115	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	DDC Ireland LTD.	S7631
5962-9055108YA	SDC14569III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055108YC	SDC14569III1-11	1	DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	ILC Data Device Corp	19645
5962-9055401XA	XDC14507-628	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9055401XC	HSDC8915A883B	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	DDC Ireland LTD.	S7631
5962-9055401XC	XDC14507-628	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9055401XC	HSDC8915A883B	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9055401YA	XDC14507-628	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9055401YC	XDC14507-628	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9055402XA	XDC14507-627	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9055402XC	HSDC8915883D	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	DDC Ireland LTD.	S7631
5962-9055402XC	XDC14507-627	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9055402XC	HSDC8915883B	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9055402YA	XDC14507-627	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645

-68-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003874 709

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9055402YC	XDC14507-627	1	VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	ILC Data Device Corp	19645
5962-9057001HXA	MN3860H/B	1	D/A CONVERTER, 12-BIT, WITH INPUT REGISTER	Micro Networks Co.	50507
5962-9057001HXC	MN3860H/B	1	D/A CONVERTER, 12-BIT, WITH INPUT REGISTER	Micro Networks Co.	50507
5962-9057101HXA	MN7130H/B	1	SAMPLE AND HOLD AMPLIFIER, MULTIPLEXED	Micro Networks Co.	50507
5962-9057101HXC	MN7130H/B	1	SAMPLE AND HOLD AMPLIFIER, MULTIPLEXED	Micro Networks Co.	50507
5962-9063001HXA	SP9760B	1	AMPLIFIER, 16-BIT TRACK AND HOLD	Sipex Corporation	33256
5962-9063001HXC	SP9760B	1	AMPLIFIER, 16-BIT TRACK AND HOLD	Sipex Corporation	33256
5962-9063101HXA	SP9588	1	A/D CONVERTER, 14-BIT	Sipex Corporation	33256
5962-9063101HXC	SP9588	1	A/D CONVERTER, 14-BIT	Sipex Corporation	33256
5962-9063401HXA	ADH030-II12-1	1	D/A CONVERTER, 12-BIT	ILC Data Device Corp	19645
5962-9063401HXC	ADH030-II12-1	1	D/A CONVERTER, 12-BIT	ILC Data Device Corp	19645
5962-9063601HXX		1	BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	NO APPROVED SOURCE	XXXXX
5962-9063601HYX		1	BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	NO APPROVED SOURCE	XXXXX
5962-9063602HXX		1	BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL, WITH HIGH DATA BUS DRIVER CAPABILITY	NO APPROVED SOURCE	XXXXX
5962-9063602HYX		1	BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL, WITH HIGH DATA BUS DRIVER CAPABILITY	NO APPROVED SOURCE	XXXXX
5962-9063603HXA	ARX2410	1	BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	Aeroflex Lab. Inc.	88379
5962-9063603HXC	ARX2410	1	BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	Aeroflex Lab. Inc.	88379
5962-9063604HXA	ARX3410	1	BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	Aeroflex Lab. Inc.	88379
5962-9063604HXC	ARX3410	1	BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	Aeroflex Lab. Inc.	88379
5962-9063801HXA	MIOP42114/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9063801HXC	PA07M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9063801HXC	MIOP42114/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9063801HXC	PA07M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9065901HXA	PA12M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9065901HXC	MIOP42109/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9065901HXC	PA12M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9065901HXC	MIOP42109/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9066601HXA	AD9005ATM/883B	1	A/D CONVERTER, 12-BIT	Analog Devices, Inc	34031
5962-9066601HXC	AD9005ATM/883B	1	A/D CONVERTER, 12-BIT	Analog Devices, Inc	34031
5962-9067901HXA	MIOP42120/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9067901HXC	PA02M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9067901HXC	MIOP42120/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9067901HXC	PA02M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9070701HXA	SDC14500-635	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070701HXC	SDC14500-635	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070701HXC	SDC14500-635	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	DDC Ireland LTD.	S7631
5962-9070701HXC	SDC14500-635	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645

-69-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003875 645

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9070701HYA	HSDC-8917II-1-A	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070701HYC	HSDC-8917II-1-A	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070702HXA	SDC14500-636	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070702HXC	SDC14500-636	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070702HXC	SDC14500-636	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070702HXC	SDC14500-636	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	DDC Ireland LTD.	S7631
5962-9070702HYA	HSDC-8917II-1	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070702HYC	HSDC-8917II-1	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	ILC Data Device Corp	19645
5962-9070703HXA	SDC14502-605	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070703HXC	SDC14502-605	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070703HXC	SDC14502-605	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070703HXC	SDC14502-605	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	DDC Ireland LTD.	S7631
5962-9070703HYA	HSDC-8919II-1-A	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070703HYC	HSDC-8919II-1-A	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070704HXA	SDC14502-606	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070704HXC	SDC14502-606	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070704HXC	SDC14500-636	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	DDC Ireland LTD.	S7631
5962-9070704HXC	SDC14502-606	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070704HYA	HSDC-8919II-1	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070704HYC	HSDC-8919II-1	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	ILC Data Device Corp	19645
5962-9070705HXC	HSD1024-C672H/2	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	Natel Engineering Co	09059
5962-9070706HXC	HSD1024-C673H/2	1	SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	Natel Engineering Co	09059
5962-9070707HXC	HSD1024-C674H/2	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	Natel Engineering Co	09059
5962-9070708HXC	HSD1024-C675H/2	1	SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	Natel Engineering Co	09059
5962-9072301HXA	PA08M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9072301HXA	MIOP42116/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9072301HXC	MIOP42116/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9072301HXC	PA08M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9073001HXA	MN376H/B	1	SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	Micro Networks Co.	50507
5962-9073001HXC	MN376H/B	1	SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	Micro Networks Co.	50507
5962-9073001HYA	HTC-0300AM/883	1	SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	Analog Devices, Inc	34031
5962-9073001HYC	HTC-0300AM/883	1	SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	Analog Devices, Inc	34031
5962-9073601HXA	PA84M/883	1	OP AMP, HIGH-VOLTAGE	Apex Microtechnology	60024
5962-9073601HXC	PA84M/883	1	OP AMP, HIGH-VOLTAGE	Apex Microtechnology	60024
5962-9076001HXA	DSC-10510-143	1	D/S CONVERTER, 16-BIT, 7 VOLT-AMP OUTPUT DRIVE, $\pm$ 4 MIN ACCURACY	ILC Data Device Corp	19645
5962-9076001HXC	DSC-10510-113	1	D/S CONVERTER, 16-BIT, 7 VOLT-AMP OUTPUT DRIVE, $\pm$ 4 MIN ACCURACY	ILC Data Device Corp	19645
5962-9076002HXA	DSC-10510-144	1	D/S CONVERTER, 16-BIT, 7 VOLT-AMP OUTPUT DRIVE, $\pm$ 2 MIN	ILC Data Device Corp	19645

-70-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003876 581

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9076002HXC	DSC-10510-114	1	ACCURACY D/S CONVERTER, 16-BIT, 7 VOLT-AMP OUTPUT DRIVE, ± 2 MIN ACCURACY	ILC Data Device Corp	19645
5962-9079501HXA	HS9576S/B	1	A/D CONVERTER, 16-BIT, ± 0.006 %FSR	Sipex Corporation	33256
5962-9079501HXC	HS9576S/B	1	A/D CONVERTER, 16-BIT, ± 0.006 %FSR	Sipex Corporation	33256
5962-9079502HXA	HS9576T/B	1	A/D CONVERTER, 16-BIT, ± 0.003 %FSR	Sipex Corporation	33256
5962-9079502HXC	HS9576T/B	1	A/D CONVERTER, 16-BIT, ± 0.003 %FSR	Sipex Corporation	33256
5962-9079701HXA	MN7140H/B	1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL	Micro Networks Co.	50507
5962-9079701HXC	MN7140H/B	1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL	Micro Networks Co.	50507
5962-9082001HXC	SDC14531-690	1	S-R/D CONVERTER, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9082002HXC	SDC14531-631	1	R/D CONVERTER, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9082003HXC	HSRD1006-C148/2	1	S-R/D CONVERTER, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9082004HXC	HRD1006-C148A/2	1	R/D CONVERTER, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9082005HXC	HRD1056-C775B/2	1	S-R/D CONVERTER, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9082801HXA	MIOP42115/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9082801HXA	PA10M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9082801HXC	PA10M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9082801HXC	MIOP42115/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9082901HTA	FC155371FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	C-MAC Microcircuits	U4388
5962-9082901HTC	FC155371FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	C-MAC Microcircuits	U4388
5962-9082901HXA	FC155371	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	C-MAC Microcircuits	U4388
5962-9082901HXC	FC155371	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	C-MAC Microcircuits	U4388
5962-9082901HYA	FC155371SSW	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	C-MAC Microcircuits	U4388
5962-9082901HYC	FC155371SSW	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	C-MAC Microcircuits	U4388
5962-9082902HXA	FC155372	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	C-MAC Microcircuits	U4388
5962-9082902HXC	FC155372	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	C-MAC Microcircuits	U4388
5962-9082903HUA	ARX3420	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	Aeroflex Lab. Inc.	88379
5962-9082903HUC	ARX3420	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	Aeroflex Lab. Inc.	88379
5962-9082904HUA	ARX3424	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	Aeroflex Lab. Inc.	88379
5962-9082904HUC	ARX3424	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	Aeroflex Lab. Inc.	88379
5962-9082905HTA	NHI-1531FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	National Hybrid, Inc	57363
5962-9082905HTC	NHI-1531FP	1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	National Hybrid, Inc	57363

-71-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003877 418

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9082905HYA	NHI-1531		1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	National Hybrid, Inc	57363
5962-9082905HYC	NHI-1531		1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	National Hybrid, Inc	57363
5962-9082906HTA	NHI-1545FP		1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	National Hybrid, Inc	57363
5962-9082906HTC	NHI-1545FP		1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	National Hybrid, Inc	57363
5962-9082906HYA	NHI-1545		1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	National Hybrid, Inc	57363
5962-9082906HYC	NHI-1545		1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	National Hybrid, Inc	57363
5962-9082907HTX			1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	NO APPROVED SOURCE	XXXXX
5962-9082907HXX			1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	NO APPROVED SOURCE	XXXXX
5962-9082907HYX			1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	NO APPROVED SOURCE	XXXXX
5962-9082908HTX			1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	NO APPROVED SOURCE	XXXXX
5962-9082908HXX			1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	NO APPROVED SOURCE	XXXXX
5962-9082908HYX			1	DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	NO APPROVED SOURCE	XXXXX
5962-9083301HXA	CLC201A8C		1	OP AMP, WIDEBAND, HIGH-SPEED	Comlinear Corp.	62839
5962-9083301HXC	CLC201A8C		1	OP AMP, WIDEBAND, HIGH-SPEED	Comlinear Corp.	62839
5962-9083501HXA	CLC205A8C		1	OP AMP, WIDEBAND, OVERDRIVE PROTECTED	Comlinear Corp.	62839
5962-9083501HXC	CLC205A8C		1	OP AMP, WIDEBAND, OVERDRIVE PROTECTED	Comlinear Corp.	62839
5962-9083601HXX			1	OP AMP, HIGH-SPEED, WIDEBAND	NO APPROVED SOURCE	XXXXX
5962-9083801HXA	OMA2541SKB		1	OP AMP, DUAL, HIGH-POWER	Omnirel Corporation	69210
5962-9083801HXC	MSK 2541B		1	OP AMP, DUAL, HIGH-POWER	M.S Kennedy Corp.	51651
5962-9083801HYA	OMA2541SDB		1	OP AMP, DUAL, HIGH-POWER	Omnirel Corporation	69210
5962-9083802HXA	OMA2541SKCB		1	OP AMP, DUAL, HIGH-POWER	Omnirel Corporation	69210
5962-9085401HPA	HCPL-5501		1	OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	Hewlett-Packard Co.	50434
5962-9085401HPA	66126-105		1	OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	Micropac Industries	31757
5962-9085401HPC	66126-105		1	OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	Micropac Industries	31757
5962-9085401HPC	HCPL-5501		1	OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	Hewlett-Packard Co.	50434
5962-9085401HXA	HCPL-5501		1	OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	Hewlett-Packard Co.	50434
5962-9085401HYA	HCPL-5501		1	OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	Hewlett-Packard Co.	50434
5962-9085401HYC	HCPL-5501		1	OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	Hewlett-Packard Co.	50434
5962-9085501HPA	HCPL-5601		1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-9085501HPC	HCPL-5601		1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-9085501HXA	HCPL-5601#300		1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-9085501HXC	HCPL-5601#300		1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434

-72-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003878 354

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9085501HYA	HCPL-5601#100	1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-9085501HYC	HCPL-5601#100	1	OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	Hewlett-Packard Co.	50434
5962-9090201HXC	MSK332B-12	1	BUFFER AMPLIFIER, FET-INPUT, CLOSED-LOOP, ±12V	M.S Kennedy Corp.	51651
5962-9090202HXC	MSK332B-15	1	BUFFER AMPLIFIER, FET-INPUT, CLOSED-LOOP, ±15V	M.S Kennedy Corp.	51651
5962-9094301H3A	HC9172	1	VOLT. REFERENCE, +10V/+1V, PRECISION	Hycomp, Incorporated	34707
5962-9094301H3C	HC9172	1	VOLT. REFERENCE, +10V/+1V, PRECISION	Hycomp, Incorporated	34707
5962-9095401HXA	AT02815T/CH	1	DC/DC CONVERTER, 15W, +5V AND ±15V TRIPLE OUTPUT	Lambda Adv. Analog	52467
5962-9095401HZA	AT02815TF/CH	1	DC/DC CONVERTER, 15W, +5V AND ±15V TRIPLE OUTPUT	Lambda Adv. Analog	52467
5962-9097701HXA	CLC207A8C	1	OP AMP, WIDEBAND, LOW DISTORTION	Comlinear Corp.	62839
5962-9097701HXC	CLC207A8C	1	OP AMP, WIDEBAND, LOW DISTORTION	Comlinear Corp.	62839
5962-9097801HXC	HDS1250ATM/883B	1	D/A CONVERTER, 12-BIT, ULTRA HIGH SPEED	Analog Devices, Inc	34031
5962-9099501HXA	CLC925B8C	1	AMPLIFIER, LOGARITHMIC, DC-COUPLED DEMODULATING, 120 MHZ	Comlinear Corp.	62839
5962-9099501HXA	CLC925B8C	1	A/D CONVERTER, 12-BIT	Comlinear Corp.	62839
5962-9099501HXA	CLC925B8C	1	A/D CONVERTER, 12-BIT	Comlinear Corp.	62839
5962-9099501HXC	CLC925B8C	1	AMPLIFIER, LOGARITHMIC, DC-COUPLED DEMODULATING, 120 MHZ	Comlinear Corp.	62839
5962-9099501HXC	CLC925B8C	1	A/D CONVERTER, 12-BIT	Comlinear Corp.	62839
5962-9099501HXC	CLC925B8C	1	A/D CONVERTER, 12-BIT	Comlinear Corp.	62839
5962-9155901HXC	HDSR2056P-34VR/	1	DIGITAL-TO-SYNCHRO/RESOLVER CONVERTER	Natel Engineering Co	09059
5962-9155902HXC	HDSR2056P-34VS/	1	DIGITAL-TO-SYNCHRO/RESOLVER CONVERTER	Natel Engineering Co	09059
5962-9155903HXC	HDSR2056P-34H/2	1	DIGITAL-TO-SYNCHRO/RESOLVER CONVERTER	Natel Engineering Co	09059
5962-9155904HXC	HDSR2056P-34S/2	1	DIGITAL-TO-SYNCHRO/RESOLVER CONVERTER	Natel Engineering Co	09059
5962-9156001HXC	HSD1046-341V/2	1	S/D CONVERTER, 16-BIT, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9156002HXC	HSD1046-341H/2	1	S/D CONVERTER, 16-BIT, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9156003HXC	HSD1046-341S/2	1	S/D CONVERTER, 16-BIT, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9157401HXC	MSK 801B	1	OP AMP, FET-INPUT, DIFFERENTIAL	M.S Kennedy Corp.	51651
5962-9157501HXA	AHE2815D/CH	1	DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9157501HZA	AHE2815DF/CH	1	DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9157502HXA	AHE2815D/CHSLV	1	DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9157502HZA	AHE2815DFCHSLV	1	DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9157503HXA	AHE2815DCHMSTR	1	DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9157503HZA	AHE2815DFCHMST	1	DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9157901HZA	7870-01	1	DC/DC CONVERTER, 30W, 5V OUTPUT	Lambda Adv. Analog	52467
5962-9157902HZA	7870-02	1	DC/DC CONVERTER, 30W, 5V OUTPUT	Lambda Adv. Analog	52467
5962-9157903HZA	7870-03	1	DC/DC CONVERTER, 30W, 5V OUTPUT	Lambda Adv. Analog	52467
5962-9158001HXA	AHE2812S/CH	1	DC/DC CONVERTER, 20W, 12V OUTPUT	Lambda Adv. Analog	52467
5962-9158001HZA	AHE2812SF/CH	1	DC/DC CONVERTER, 20W, 12V OUTPUT	Lambda Adv. Analog	52467
5962-9158002HXA	AHE2812S/CHSLV	1	DC/DC CONVERTER, 20W, 12V OUTPUT	Lambda Adv. Analog	52467
5962-9158002HZA	AHE2812SFCHSLV	1	DC/DC CONVERTER, 20W, 12V OUTPUT	Lambda Adv. Analog	52467

-73-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003879 290

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9158003HXA	AHE2812SCHMSTR	1	DC/DC CONVERTER, 20W, 12V OUTPUT	Lambda Adv. Analog	52467
5962-9158003HZA	AHE2812SFCHMST	1	DC/DC CONVERTER, 20W, 12V OUTPUT	Lambda Adv. Analog	52467
5962-9160001HXA	AHF2805S/CH	1	DC/DC CONVERTER, 12W, 5V OUTPUT	Lambda Adv. Analog	52467
5962-9160001HZA	AHF2805SF/CH	1	DC/DC CONVERTER, 12W, 5V OUTPUT	Lambda Adv. Analog	52467
5962-9160101HXA	MHF-2815S/883	1	DC/DC CONVERTER, 15W, SINGLE CHANNEL	Interpoint Corp.	50821
5962-9160101HXC	MHF-2815S/883	1	DC/DC CONVERTER, 15W, SINGLE CHANNEL	Interpoint Corp.	50821
5962-9160101HZA	MHF-2815S/883	1	DC/DC CONVERTER, 15W, SINGLE CHANNEL	Interpoint Corp.	50821
5962-9160101HZA	MHF-2815S/883	1	DC/DC CONVERTER, 15W, SINGLE CHANNEL	Interpoint Corp.	50821
5962-9160201HXA	AT02812T/CH	1	DC/DC CONVERTER, 15W, +5V, ±12V, TRIPLE OUTPUT	Lambda Adv. Analog	52467
5962-9160201HZA	AT02812TF/CH	1	DC/DC CONVERTER, 15W, +5V, ±12V, TRIPLE OUTPUT	Lambda Adv. Analog	52467
5962-9161301HZA	ATW2815D/CH	1	DC/DC CONVERTER, 30W, ±15V OUTPUT	Lambda Adv. Analog	52467
5962-9161302HZA	ATW2815D/CHSLV	1	DC/DC CONVERTER, 30W, ±15V OUTPUT	Lambda Adv. Analog	52467
5962-9161303HZA	ATW2815DCHMSTR	1	DC/DC CONVERTER, 30W, ±15V OUTPUT	Lambda Adv. Analog	52467
5962-9161401HXA	MHF-2815D/883	1	DC/DC CONVERTER, 15W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9161401HXC	MHF-2815D/883	1	DC/DC CONVERTER, 15W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9161401HZA	MHF-2815D/883	1	DC/DC CONVERTER, 15W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9161401HZA	MHF-2815D/883	1	DC/DC CONVERTER, 15W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9161501HXC	HSD1510-369/2	1	S/D CONVERTER, 10-BIT, 90V, 60 HZ	Natel Engineering Co	09059
5962-9162101HXA	PA83M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9162101HXC	PA83M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9162501HXA	AHE2815S/CH	1	DC/DC CONVERTER, 20W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9162501HZA	AHE2815SF/CH	1	DC/DC CONVERTER, 20W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9162502HXA	AHE2815S/CHSLV	1	DC/DC CONVERTER, 20W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9162502HZA	AHE2815SF/CHSL	1	DC/DC CONVERTER, 20W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9162503HXA	AHE2815SCHMST	1	DC/DC CONVERTER, 20W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9162503HZA	AHE2815SFCHMS	1	DC/DC CONVERTER, 20W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9166401HXA	MHF-2815S/883	1	DC/DC CONVERTER, 15W, 12V OUTPUT	Interpoint Corp.	50821
5962-9166401HXC	MHF-2815S/883	1	DC/DC CONVERTER, 15W, 12V OUTPUT	Interpoint Corp.	50821
5962-9166401HZA	MHF-2815S/883	1	DC/DC CONVERTER, 15W, 12V OUTPUT	Interpoint Corp.	50821
5962-9166401HZA	MHF-2815S/883	1	DC/DC CONVERTER, 15W, 12V OUTPUT	Interpoint Corp.	50821
5962-9166501HXA	CLC232A8C	1	OP AMP, WIDEBAND, LOW DISTORTION	Comlinear Corp.	62839
5962-9166501HXC	CLC232A8C	1	OP AMP, WIDEBAND, LOW DISTORTION	Comlinear Corp.	62839
5962-9167601HXA	66079-001	1	OPTOCOUPLER, SINGLE-CHANNEL	Micropac Industries	31757
5962-9167601HXC	66079-001	1	OPTOCOUPLER, SINGLE-CHANNEL	Micropac Industries	31757
5962-9167601HYA	66079-000	1	OPTOCOUPLER, SINGLE-CHANNEL	Micropac Industries	31757
5962-9167601HYC	66079-000	1	OPTOCOUPLER, SINGLE-CHANNEL	Micropac Industries	31757
5962-9168701HXA	NHI-1553RT	1	REMOTE TERMINAL, MIL-STD-1553B	National Hybrid, Inc	57363
5962-9168701HXC	NHI-1553RT	1	REMOTE TERMINAL, MIL-STD-1553B	National Hybrid, Inc	57363

-74-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003880 T02

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9168701HYA	NHI-1553RTFP	1	REMOTE TERMINAL, MIL-STD-1553B	National Hybrid, Inc	57363
5962-9168701HYC	NHI-1553RTFP	1	REMOTE TERMINAL, MIL-STD-1553B	National Hybrid, Inc	57363
5962-9168702HXA	NHI-1554RT	1	REMOTE TERMINAL, MIL-STD-1553B	National Hybrid, Inc	57363
5962-9168702HXC	NHI-1554RT	1	REMOTE TERMINAL, MIL-STD-1553B	National Hybrid, Inc	57363
5962-9168702HYA	NHI-1554RTFP	1	REMOTE TERMINAL, MIL-STD-1553B	National Hybrid, Inc	57363
5962-9168702HYC	NHI-1554RTFP	1	REMOTE TERMINAL, MIL-STD-1553B	National Hybrid, Inc	57363
5962-9168703HUA	NHI-1561RTFP	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	National Hybrid, Inc	57363
5962-9168703HUC	NHI-1561RTFP	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	National Hybrid, Inc	57363
5962-9168703HZA	NHI-1561RT	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	National Hybrid, Inc	57363
5962-9168703HXC	NHI-1561RT	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	National Hybrid, Inc	57363
5962-9168704HUA	NHI-1562RTFP	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	National Hybrid, Inc	57363
5962-9168704HUC	NHI-1562RTFP	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	National Hybrid, Inc	57363
5962-9168704HZA	NHI-1562RT	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	National Hybrid, Inc	57363
5962-9168704HXC	NHI-1562RT	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	National Hybrid, Inc	57363
5962-9168705HXA	NHI-1572RT/883	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE VCC FOR INTERNAL RAM	National Hybrid, Inc	57363
5962-9168705HXC	NHI-1572RT/883	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE VCC FOR INTERNAL RAM	National Hybrid, Inc	57363
5962-9168705HYX		1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE VCC FOR INTERNAL RAM	NO APPROVED SOURCE	XXXXX
5962-9168706HXA	NHI-1576RT/883	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE INPUT PIN FOR SSFLAG	National Hybrid, Inc	57363
5962-9168706HXC	NHI-1576RT/883	1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE INPUT PIN FOR SSFLAG	National Hybrid, Inc	57363
5962-9168706HYX		1	REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE INPUT PIN FOR SSFLAG	NO APPROVED SOURCE	XXXXX
5962-9170001HXA	PA09M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9170001HXA	MIOP42119/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9170001HXC	PA09M/883	1	OP AMP, POWER	Apex Microtechnology	60024
5962-9170001HXC	MIOP42119/883	1	OP AMP, POWER	Micropac Industries	31757
5962-9171201HXA	AD1385TD/883B	1	A/D CONVERTER, 16-BIT, SAMPLING, 400 HKZ	Analog Devices, Inc	34031
5962-9171201HXC	AD1385TD/883B	1	A/D CONVERTER, 16-BIT, SAMPLING, 400 HKZ	Analog Devices, Inc	34031
5962-9173401HXA	BUS61559	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173401HXC	BUS61559	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173401HYA	BUS61569	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173401HYC	BUS61569	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173401HZA	BUS61569	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173401HXC	BUS61569	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173402HXA	BUS61560	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173402HXC	BUS61560	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173402HYA	BUS61570	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645

-75-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9173402HYC	BUS61570		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173402HZA	BUS61570		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173402HZC	BUS61570		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173403HXA	BUS61561		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173403HXC	BUS61561		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173403HYA	BUS61571		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173403HYC	BUS61571		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173403HZA	BUS61571		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173403HZC	BUS61571		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173404HXA	BUS61559-601		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173404HXC	BUS61559-601		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173404HYA	BUS61569-601		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173404HYC	BUS61569-601		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173404HZA	BUS61569-601		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173404HZC	BUS61569-601		1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	ILC Data Device Corp	19645
5962-9173601HXA	SDC14600-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173601HXC	SDC14600-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173602HXA	SDC14600T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173602HXC	SDC14600T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173603HXA	SDC14601-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173603HXC	SDC14601-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173604HXA	SDC14601T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173604HXC	SDC14601T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173605HXA	SDC14605-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173605HXC	SDC14605-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173606HXA	SDC14605T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173606HXC	SDC14605T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173607HXA	SDC14606-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173607HXC	SDC14606-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173608HXA	SDC14606T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173608HXC	SDC14606T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173609HXA	SDC14605-114		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173609HXC	SDC14605-114		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173610HXA	SDC14605T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173610HXC	SDC14605T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173611HXA	SDC14606-114		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173611HXC	SDC14606-114		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9173612HXA	SDC14606T-112		1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645

-76-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003882 885

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9173612HXC	SDC14606T-112	1	S/D CONVERTER, 14-BIT, 11.8V	ILC Data Device Corp	19645
5962-9174901HXA	NHI-1514/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174901HXC	NHI-1514/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174901HYA	NHI-1514FP/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174901HYC	NHI-1514FP/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174902HXA	NHI-1513/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174902HXC	NHI-1513/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174902HYA	NHI-1513FP/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174902HYC	NHI-1513FP/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174903HXA	BUS-631021I-637	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	ILC Data Device Corp	19645
5962-9174903HXA	BUS-63102-637	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	DDC Ireland LTD.	S7631
5962-9174903HXC	BUS-631021I-883B	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	ILC Data Device Corp	19645
5962-9174903HXC	BUS-63102-883B	1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	DDC Ireland LTD.	S7631
5962-9174903HYX		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174904HXX		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174904HYX		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174905HUX		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174905HZX		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174906HUX		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174906HZX		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174907HUX		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174907HZX		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	NO APPROVED SOURCE	XXXXX
5962-9174908HTA	ARX4407LPFP	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174908HTA	NHI-1514FP/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174908HTC	NHI-1514FP/883	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174908HTC	ARX4407LPFP	1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B),	Aeroflex Lab. Inc.	88379

-77-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9174908HXA	ARX4407		1	LOW POWER, DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174908HXA	NHI-1514/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174908HXC	ARX4407		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174908HXC	NHI-1514/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174908HYA	NHI-1514FP/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174908HYA	ARX4407FP		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174908HYC	ARX4407FP		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174908HYC	NHI-1514FP/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	National Hybrid, Inc	57363
5962-9174909HTA	NHI-1515FP/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174909HTA	ARX4404LPFP		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174909HTC	NHI-1513FP/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174909HTC	ARX4404LPFP		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174909HXA	NHI-1513/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174909HXA	ARX4404		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174909HXC	NHI-1513/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174909HXC	ARX4404		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174909HYA	NHI-1513FP/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9174909HYA	ARX4404LP		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174909HYC	ARX4404LP		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	Aeroflex Lab. Inc.	88379
5962-9174909HYC	NHI-1513FP/883		1	DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	National Hybrid, Inc	57363
5962-9177001HXA	MN6400T/B		1	A/D CONVERTER, 16-BIT SAMPLING	Micro Networks Co.	50507
5962-9177001HXC	MN6400T/B		1	A/D CONVERTER, 16-BIT SAMPLING	Micro Networks Co.	50507
5962-9177301HZA	AHV2805SF/CH		1	DC/DC CONVERTER, 15W, 5V OUTPUT	Lambda Adv. Analog	52467
5962-9203901HXA	CLC93588C		1	A/D CONVERTER, 12-BIT, 15 MSPS	Comlinear Corp.	62839
5962-9203901HXC	CLC93588C		1	A/D CONVERTER, 12-BIT, 15 MSPS	Comlinear Corp.	62839
5962-9204001HXA	AHE2812D/CH		1	DC/DC CONVERTER, 15W, $\pm 12V$, DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9204001HZA	AHE2812DF/CH		1	DC/DC CONVERTER, 15W, $\pm 12V$, DUAL OUTPUT	Lambda Adv. Analog	52467

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9204002HXA	AHE2812D/CHSLV	1	DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9204002HZA	AHE2812DFCHSLV	1	DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9204003HXA	AHE2812DCHMSTR	1	DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9204003HZA	AHE2812DFCHMST	1	DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	Lambda Adv. Analog	52467
5962-9204801HXA	SDC14570-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204801HXC	SDC14570-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204802HXA	SDC14571-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204802HXC	SDC14571-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204803HXA	SDC14575-112	1	S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204803HXC	SDC14575-112	1	S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204804HXA	SDC14576-112	1	S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204804HXC	SDC14576-112	1	S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204805HXA	SDC14575-114	1	S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204805HXC	SDC14575-114	1	S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204806HXA	SDC14576-114	1	S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204806HXC	SDC14576-114	1	S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9204901HXA	SDC14572-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9204901HXC	SDC14572-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9204902HXA	SDC14574-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9204902HXC	SDC14574-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9204903HXA	SDC14577-112	1	S/D CONVERTER, 14/16-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9204903HXC	SDC14577-112	1	S/D CONVERTER, 14/16-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9204904HXA	SDC14579-112	1	S/D CONVERTER, 14/16-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9204904HXC	SDC14579-112	1	S/D CONVERTER, 14/16-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9204905HXA	SDC14577-114	1	S/D CONVERTER, 14/16-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9204905HXC	SDC14577-114	1	S/D CONVERTER, 14/16-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9204906HXA	SDC14579-114	1	S/D CONVERTER, 14/16-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9204906HXC	SDC14579-114	1	S/D CONVERTER, 14/16-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205001HXA	SDC14573-112	1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205001HXC	SDC14573-112	1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205002HXA	SDC14578-112	1	DIRECT RESOLVER CONVERTER, 14/16-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205002HXC	SDC14578-112	1	DIRECT RESOLVER CONVERTER, 14/16-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205003HXA	SDC14578-114	1	DIRECT RESOLVER CONVERTER, 14/16-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205003HXC	SDC14578-114	1	DIRECT RESOLVER CONVERTER, 14/16-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205101HXA	SDC14602-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205101HXC	SDC14602-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205102HXA	SDC14602T-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205102HXC	SDC14602T-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645

-79-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003885 594

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION.	SOURCE(S)	CAGE CODE
5962-9205103HXA	SDC14604-112		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205103HXC	SDC14604-112		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205104HXA	SDC14604T-112		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205104HXC	SDC14604T-112		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205105HXA	SDC14607-112		1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205105HXC	SDC14607-112		1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205106HXA	SDC14607T-112		1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205106HXC	SDC14607T-112		1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205107HXA	SDC14609-112		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205107HXC	SDC14609-112		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205108HXA	SDC14609T-112		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205108HXC	SDC14609T-112		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205109HXA	SDC14607-114		1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205109HXC	SDC14607-114		1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205110HXA	SDC14607T-114		1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205110HXC	SDC14607T-114		1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205111HXA	SDC14609-114		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205111HXC	SDC14609-114		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205112HXA	SDC14609T-114		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205112HXC	SDC14609T-114		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205201HXA	SDC14603-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205201HXC	SDC14603-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205202HXA	SDC14603T-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205202HXC	SDC14603T-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205203HXA	SDC14608-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205203HXC	SDC14608-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205204HXA	SDC14608T-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205204HXC	SDC14608T-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205205HXA	SDC14608-114		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205205HXC	SDC14608-114		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205206HXA	SDC14608T-114		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205206HXC	SDC14608T-114		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205301HXA	SDC14610-112		1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205301HXC	SDC14610-112		1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205302HXA	SDC14610T-112		1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205302HXC	SDC14610T-112		1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205303HXA	SDC14611-112		1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205303HXC	SDC14611-112		1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645

-80-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003886 420

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9205304HXA	SDC14611T-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205304HXC	SDC14611T-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205305HXA	SDC14615-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205305HXC	SDC14615-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205306HXA	SDC14615T-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205306HXC	SDC14615T-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205307HXA	SDC14616-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205307HXC	SDC14616-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205308HXA	SDC14616T-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205308HXC	SDC14616T-112	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205309HXA	SDC14615-114	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205309HXC	SDC14615-114	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205310HXA	SDC14615T-114	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205310HXC	SDC14615T-114	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205311HXA	SDC14616-114	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205311HXC	SDC14616-114	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205312HXA	SDC14616T-114	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205312HXC	SDC14616T-114	1	S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	ILC Data Device Corp	19645
5962-9205401HXA	SDC14612-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205401HXC	SDC14612-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205402HXA	SDC14612T-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205402HXC	SDC14612T-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205403HXA	SDC14614-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205403HXC	SDC14614-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205404HXA	SDC14614T-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205404HXC	SDC14614T-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205405HXA	SDC14617-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205405HXC	SDC14617-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205406HXA	SDC14617T-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205406HXC	SDC14617T-112	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205407HXA	SDC14619-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205407HXC	SDC14619-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205408HXA	SDC14619T-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205408HXC	SDC14619T-112	1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205409HXA	SDC14617-114	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205409HXC	SDC14617-114	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205410HXA	SDC14617T-114	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645
5962-9205410HXC	SDC14617T-114	1	S/D CONVERTER, 14-BIT, 90V, 400 HZ	ILC Data Device Corp	19645

-81-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9205411HXA	SDC14619-114		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205411HXC	SDC14619-114		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205412HXA	SDC14619T-114		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205412HXC	SDC14619T-114		1	S/D CONVERTER, 14-BIT, 90V, 60 HZ	ILC Data Device Corp	19645
5962-9205501HXA	SDC14613-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205501HXC	SDC14613-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205502HXA	SDC14613T-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205502HXC	SDC14613T-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205503HXA	SDC14618-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205503HXC	SDC14618-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205504HXA	SDC14618T-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205504HXC	SDC14618T-112		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205505HXA	SDC14618-114		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205505HXC	SDC14618-114		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205506HXA	SDC14618T-114		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9205506HXC	SDC14618T-114		1	DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	ILC Data Device Corp	19645
5962-9206101HXX			1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, ±5V (HARRIS INTERFACE)	NO APPROVED SOURCE	XXXXX
5962-9206101HYX			1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, ±5V (HARRIS INTERFACE)	NO APPROVED SOURCE	XXXXX
5962-9206101HZX			1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, ±5V (HARRIS INTERFACE)	NO APPROVED SOURCE	XXXXX
5962-9206102HXX			1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V (SMITH INTERFACE)	NO APPROVED SOURCE	XXXXX
5962-9206102HYX			1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V (SMITH INTERFACE)	NO APPROVED SOURCE	XXXXX
5962-9206102HZX			1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V (SMITH INTERFACE)	NO APPROVED SOURCE	XXXXX
5962-9206103H4A	NHI-1579		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103H4C	NHI-1579		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103H5A	NHI-1579FP		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103H5C	NHI-1579FP		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HMA	NHI-1567		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HMC	NHI-1567		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HNA	NHI-1567FP		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HNC	NHI-1567FP		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HTA	NHI-1559/883		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HTC	NHI-1559/883		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HUA	NHI-1559FP/883		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HUC	NHI-1559FP/883		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206103HZA	NHI-1573FP		1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363

9999968 0003888 273

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9206103HZC	NHI-1573FP	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	National Hybrid, Inc	57363
5962-9206104H4A	NHI-1580	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104H4C	NHI-1580	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104H5A	NHI-1580FP	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104H5C	NHI-1580FP	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104HMA	NHI-1568	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104HMC	NHI-1568	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104HNA	NHI-1568FP	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104HNC	NHI-1568FP	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104HTA	NHI-1560/883	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104HTC	NHI-1560/883	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104HZA	NHI-1574FP	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206104HZC	NHI-1574FP	1	TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206105H4A	NHI-1578	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105H4C	NHI-1578	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105H5A	NHI-1578FP	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105H5C	NHI-1578FP	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HMA	NHI-1569	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HMC	NHI-1569	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HNA	NHI-1569FP	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HNC	NHI-1569FP	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HTA	NHI-1563/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HTC	NHI-1563/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HUA	NHI-1563FP/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HUC	NHI-1563FP/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HZA	NHI-1593FP/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206105HZC	NHI-1593FP/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	National Hybrid, Inc	57363
5962-9206106H4A	NHI-1581	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106H4C	NHI-1581	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106H5A	NHI-1581FP	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106H5C	NHI-1581FP	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HMA	NHI-1570	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363

-83-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003889 13T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9206106HMC	NHI-1570	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HNA	NHI-1570FP	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HNC	NHI-1570FP	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HTA	NHI-1577/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HTC	NHI-1577/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HUA	NHI-1577FP/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HUC	NHI-1577FP/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HZA	NHI-1594FP/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9206106HZC	NHI-1594FP/883	1	TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	National Hybrid, Inc	57363
5962-9207301HXA	MN5100H/B	1	A/D CONVERTER, 8-BIT, 1.5 μ S	Micro Networks Co.	50507
5962-9207301HXC	MN5100H/B	1	A/D CONVERTER, 8-BIT, 1.5 μ S	Micro Networks Co.	50507
5962-9207302HXA	MN5101H/B	1	A/D CONVERTER, 8-BIT, 900 NS	Micro Networks Co.	50507
5962-9207302HXC	MN5101H/B	1	A/D CONVERTER, 8-BIT, 900 NS	Micro Networks Co.	50507
5962-9207801HXA	WS-512K8-120CQ	1	STATIC RAM, 512K X 8, 120 NS ACCESS TIME	White Microelect.	54230
5962-9207801HXC	WS-512K8-120CQ	1	STATIC RAM, 512K X 8, 120 NS ACCESS TIME	White Microelect.	54230
5962-9207801HYA	WS-512K8-120CLQ	1	STATIC RAM, 512K X 8, 120 NS ACCESS TIME	White Microelect.	54230
5962-9207802HXA	WS-512K8-100CQ	1	STATIC RAM, 512K X 8, 100 NS ACCESS TIME	White Microelect.	54230
5962-9207802HXC	WS-512K8-100CQ	1	STATIC RAM, 512K X 8, 100 NS ACCESS TIME	White Microelect.	54230
5962-9207802HYA	WS-512K8-100CLQ	1	STATIC RAM, 512K X 8, 100 NS ACCESS TIME	White Microelect.	54230
5962-9207803HXA	WS-512K8-85CQ	1	STATIC RAM, 512K X 8, 85 NS ACCESS TIME	White Microelect.	54230
5962-9207803HXC	WS-512K8-85CQ	1	STATIC RAM, 512K X 8, 85 NS ACCESS TIME	White Microelect.	54230
5962-9207803HYA	WS-512K8-85CLQ	1	STATIC RAM, 512K X 8, 85 NS ACCESS TIME	White Microelect.	54230
5962-9207804HXA	WS-512K8-70CQ	1	STATIC RAM, 512K X 8, 70 NS ACCESS TIME	White Microelect.	54230
5962-9207804HXC	WS-512K8-70CQ	1	STATIC RAM, 512K X 8, 70 NS ACCESS TIME	White Microelect.	54230
5962-9207804HYA	WS-512K8-70CLQ	1	STATIC RAM, 512K X 8, 70 NS ACCESS TIME	White Microelect.	54230
5962-9207805HXA	WS-512K8-55CQ	1	STATIC RAM, 512K X 8, 55 NS ACCESS TIME	White Microelect.	54230
5962-9207805HXC	WS-512K8-55CQ	1	STATIC RAM, 512K X 8, 55 NS ACCESS TIME	White Microelect.	54230
5962-9207805HYA	WS-512K8-55CLQ	1	STATIC RAM, 512K X 8, 55 NS ACCESS TIME	White Microelect.	54230
5962-9207806HXA	WS-512K8-45CQ	1	STATIC RAM, 512K X 8, 45 NS ACCESS TIME	White Microelect.	54230
5962-9207806HXC	WS-512K8-45CQ	1	STATIC RAM, 512K X 8, 45 NS ACCESS TIME	White Microelect.	54230
5962-9207806HYA	WS-512K8-45CLQ	1	STATIC RAM, 512K X 8, 45 NS ACCESS TIME	White Microelect.	54230
5962-9207807HXA	WS-512K8-35CQ	1	STATIC RAM, 512K X 8, 35 NS ACCESS TIME	White Microelect.	54230
5962-9207807HXC	WS-512K8-35CQ	1	STATIC RAM, 512K X 8, 35 NS ACCESS TIME	White Microelect.	54230
5962-9207807HYA	WS-512K8-35CLQ	1	STATIC RAM, 512K X 8, 35 NS ACCESS TIME	White Microelect.	54230
5962-9207808HXA	WS-512K8-25CQ	1	STATIC RAM, 512K X 8, 25 NS ACCESS TIME	White Microelect.	54230
5962-9207808HXC	WS-512K8-25CQ	1	STATIC RAM, 512K X 8, 25 NS ACCESS TIME	White Microelect.	54230
5962-9207808HYA	WS-512K8-25CLQ	1	STATIC RAM, 512K X 8, 25 NS ACCESS TIME	White Microelect.	54230
5962-9207809HXA	WS-512K8-20CLQ	1	STATIC RAM, 512K X 8	White Microelect.	54230

-84-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE 1

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9207809HXC	WS-512K8-20CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9207809HYA	WS-512K8-20CLQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9207809HYC	WS-512K8-20CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9208501HXA	NHI-1551/883	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	National Hybrid, Inc	57363
5962-9208501HXC	NHI-1551/883	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	National Hybrid, Inc	57363
5962-9208501HYA	NHI-1551FP/883	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	National Hybrid, Inc	57363
5962-9208501HYC	NHI-1551FP/883	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	National Hybrid, Inc	57363
5962-9208502HXA	ARX4451	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	Aeroflex Lab. Inc.	88379
5962-9208502HXC	ARX4451	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	Aeroflex Lab. Inc.	88379
5962-9208502HYA	ARX4451FP	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	Aeroflex Lab. Inc.	88379
5962-9208502HYC	ARX4451FP	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	Aeroflex Lab. Inc.	88379
5962-9208503HXA	ARX4418	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	Aeroflex Lab. Inc.	88379
5962-9208503HXC	ARX4418	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	Aeroflex Lab. Inc.	88379
5962-9208503HYA	ARX4418FP	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	Aeroflex Lab. Inc.	88379
5962-9208503HYC	ARX4418FP	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	Aeroflex Lab. Inc.	88379
5962-9208504HXA	NHI-1515/883	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	National Hybrid, Inc	57363
5962-9208504HXC	NHI-1515/883	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	National Hybrid, Inc	57363
5962-9208504HYA	NHI-1515FP/883	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	National Hybrid, Inc	57363
5962-9208504HYC	NHI-1515FP/883	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	National Hybrid, Inc	57363
5962-9208505HXA	FC155377	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	C-MAC Microcircuits	U4388
5962-9208505HXC	FC155377	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	C-MAC Microcircuits	U4388
5962-9208505HYA	FC155377FP	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	C-MAC Microcircuits	U4388
5962-9208505HYC	FC155377FP	1	DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	C-MAC Microcircuits	U4388
5962-9210901HZA	ATW2812D/CH	1	DC/DC CONVERTER, 30W, ±12V	Lambda Adv. Analog	52467
5962-9210902HZA	ATW2812D/CHSLV	1	DC/DC CONVERTER, 30W, ±12V	Lambda Adv. Analog	52467
5962-9210903HZA	ATW2812CHMSTR	1	DC/DC CONVERTER, 30W, ±12V	Lambda Adv. Analog	52467
5962-9211101HXA	AHF2812D/CH	1	DC/DC CONVERTER, 12W, ±12V OUTPUT	Lambda Adv. Analog	52467
5962-9211101HZA	AHV2812DF/CH	1	DC/DC CONVERTER, 12W, ±12V OUTPUT	Lambda Adv. Analog	52467

-85-
HYBRID MICROCIRCUITS
QML-38534-23

■ 999968 0003891 898 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9211201HZA	AHV2812SF/CH		1	DC/DC CONVERTER, 15W, 12V OUTPUT	Lambda Adv. Analog	52467
5962-9211501HZA	AHV2812TF/CH		1	DC/DC CONVERTER, 15W, +5V, ±12V TRIPLE OUTPUT	Lambda Adv. Analog	52467
5962-9211601HZA	AHV2815T/CH		1	DC/DC CONVERTER, 15W, +5V, ±15V TRIPLE OUTPUT	Lambda Adv. Analog	52467
5962-9213801HXC	HSRD-1006-341VR		1	S-R/D CONVERTER, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9213802HXC	HSRD-1006-341VS		1	S-R/D CONVERTER, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9213803HXC	HSRD-1006-341H		1	S-R/D CONVERTER, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9213804HXC	HSRD-1006-341S		1	S-R/D CONVERTER, 11.8V, 400 HZ	Natel Engineering Co	09059
5962-9213901HXA	MHF-2805S/883		1	DC/DC CONVERTER, 12W, 5V OUTPUT	Interpoint Corp.	50821
5962-9213901HXC	MHF-2805S/883		1	DC/DC CONVERTER, 12W, 5V OUTPUT	Interpoint Corp.	50821
5962-9213901HZA	MHF-2805S/883		1	DC/DC CONVERTER, 12W, 5V OUTPUT	Interpoint Corp.	50821
5962-9213901HXC	MHF-2805S/883		1	DC/DC CONVERTER, 12W, 5V OUTPUT	Interpoint Corp.	50821
5962-9214401HXA	MHF-2812D/883		1	DC/DC CONVERTER, 15W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9214401HXC	MHF-2812D/883		1	DC/DC CONVERTER, 15W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9214401HZA	MHF-2812D/883		1	DC/DC CONVERTER, 15W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9214401HXC	MHF-2812D/883		1	DC/DC CONVERTER, 15W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9215201HXA	PA21M/883		1	OP AMP, DUAL, HIGH POWER	Apex Microtechnology	60024
5962-9215201HXC	PA21M/883		1	OP AMP, DUAL, HIGH POWER	Apex Microtechnology	60024
5962-9215901HZA	ATR2815TF/CH		1	DC/DC CONVERTER, 30W, +5V, ±15V TRIPLE OUTPUT	Lambda Adv. Analog	52467
5962-9216201HXA	BUS65153-140		1	BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-9216201HXC	BUS65153-883B		1	BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-9216201HYA	BUS65163-140		1	BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-9216201HYC	BUS65163-883B		1	BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-9216202HXA	BUS65154-140		1	BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-9216202HXC	BUS65154-883B		1	BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-9216202HYA	BUS65164-140		1	BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-9216202HYC	BUS65164-883B		1	BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	ILC Data Device Corp	19645
5962-9225301HXA	MN6450T/B		1	A/D CONVERTER, 16-BIT SAMPLING	Micro Networks Co.	50507
5962-9225301HXC	MN6450T/B		1	A/D CONVERTER, 16-BIT SAMPLING	Micro Networks Co.	50507
5962-9230401HXX			1	REMOTE TERMINAL, MUX BUS, MIL-STD-1553B	NO APPROVED SOURCE	XXXXX
5962-9230401HYX			1	REMOTE TERMINAL, MUX BUS, MIL-STD-1553B	NO APPROVED SOURCE	XXXXX
5962-9235101HXA	AHF2815D/CH		1	DC/DC CONVERTER, 12W, ±15V OUTPUT	Lambda Adv. Analog	52467
5962-9235101HZA	AHF2815DF/CH		1	DC/DC CONVERTER, 12W, ±15V OUTPUT	Lambda Adv. Analog	52467
5962-9306501HXA	BU-65170D1-140		1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306501HXC	BU-65170D1-110		1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306501HYA	BU-65170F1-140		1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306501HYC	BU-65170F1-110		1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645

-86-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9306501HZA	BU-65170J1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306501HXC	BU-65170J1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306502HXA	BU-65170D2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306502HXC	BU-65170D2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306502HYA	BU-65170F2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306502HYC	BU-65170F2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306502HZA	BU-65170J2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306502HXC	BU-65170J2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306503HXA	BU-61580D1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306503HXC	BU-61580D1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306503HYA	BU-61580F1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306503HYC	BU-61580F1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306503HZA	BU-61580J1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306503HXC	BU-61580J1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306504HXA	BU-61580D2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306504HXC	BU-61580D2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306504HYA	BU-61580F2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306504HYC	BU-61580F2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306504HZA	BU-61580J2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306504HXC	BU-61580J2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306505HXA	BU-65171D1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306505HXC	BU-65171D1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306505HYA	BU-65171F1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306505HYC	BU-65171F1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306505HZA	BU-65171J1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645

-87-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE 1

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9306505HZC	BU-65171J1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306506HXA	BU-65171D2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306506HXC	BU-65171D2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306506HYA	BU-65171F2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306506HYC	BU-65171F2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306506HZA	BU-65171J2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306506HZC	BU-65171J2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306507HXA	BU-61581D1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306507HXC	BU-61581D1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306507HYA	BU-61581F1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306507HYC	BU-61581F1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306507HZA	BU-61581J1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306507HZC	BU-61581J1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306508HXA	BU-61581D2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306508HXC	BU-61581D2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306508HYA	BU-61581F2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306508HYC	BU-61581F2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306508HZA	BU-61581J2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306508HZC	BU-61581J2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306509HXA	BU-65170S3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306509HXC	BU-65170S3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306509HYA	BU-65170VS-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306509HYC	BU-65170VS-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306510HXA	BU-65170S6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306510HXC	BU-65170S6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645

-88-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9306510HYA	BU-65170V6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306510HYC	BU-65170V6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306511HXA	BU-65180S3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306511HXC	BU-65180S3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306511HYA	BU-65180V3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306511HYC	BU-65180V3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306512HXA	BU-65180S6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306512HXC	BU-65180S6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306512HYA	BU-65180V6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306512HYC	BU-65180V6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER	ILC Data Device Corp	19645
5962-9306513HXA	BU-65171S3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER, RT ADR LATCH	ILC Data Device Corp	19645
5962-9306513HXC	BU-65171S3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER, RT ADR LATCH	ILC Data Device Corp	19645
5962-9306513HYA	BU-65171V3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER, RT ADR LATCH	ILC Data Device Corp	19645
5962-9306513HYC	BU-65171V3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER, RT ADR LATCH	ILC Data Device Corp	19645
5962-9306514HXA	BU-65171S6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER, RT ADR LATCH	ILC Data Device Corp	19645
5962-9306514HXC	BU-65171S6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER, RT ADR LATCH	ILC Data Device Corp	19645
5962-9306514HYA	BU-65171V6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER, RT ADR LATCH	ILC Data Device Corp	19645
5962-9306514HYC	BU-65171V6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCIEVER, RT ADR LATCH	ILC Data Device Corp	19645
5962-9306515HXA	BU-61581S3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER, RT ADR	ILC Data Device Corp	19645
5962-9306515HXC	BU-61581S3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER, RT ADR	ILC Data Device Corp	19645
5962-9306515HYA	BU-61581V3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER, RT ADR	ILC Data Device Corp	19645
5962-9306515HYC	BU-61581V3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER, RT ADR	ILC Data Device Corp	19645
5962-9306516HXA	BU-61581S6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER, RT ADR	ILC Data Device Corp	19645
5962-9306516HXC	BU-61581S6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER, RT ADR	ILC Data Device Corp	19645
5962-9306516HYA	BU-61581V6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCIEVER, RT ADR	ILC Data Device Corp	19645

-89-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003895 433

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9306516HYC	BU-61581V6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306517HXA	BU-61585S1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR	ILC Data Device Corp	19645
5962-9306517HXC	BU-61585S1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR	ILC Data Device Corp	19645
5962-9306517HYA	BU-61585V1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR	ILC Data Device Corp	19645
5962-9306517HYC	BU-61585V1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR	ILC Data Device Corp	19645
5962-9306518HXA	BU-61585S2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR	ILC Data Device Corp	19645
5962-9306518HXC	BU-61585S2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR	ILC Data Device Corp	19645
5962-9306518HYA	BU-61585V2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR	ILC Data Device Corp	19645
5962-9306518HYC	BU-61585V2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR	ILC Data Device Corp	19645
5962-9306519HXA	BU-61586S1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR, RT ADR LTC	ILC Data Device Corp	19645
5962-9306519HXC	BU-61586S1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR, RT ADR LTC	ILC Data Device Corp	19645
5962-9306519HYA	BU-61586V1-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR, RT ADR LTC	ILC Data Device Corp	19645
5962-9306519HYC	BU-61586V1-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR, RT ADR LTC	ILC Data Device Corp	19645
5962-9306520HXA	BU-61586S2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR, RT ADR LCH	ILC Data Device Corp	19645
5962-9306520HXC	BU-61586S2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR, RT ADR LCH	ILC Data Device Corp	19645
5962-9306520HYA	BU-61586V2-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR, RT ADR LCH	ILC Data Device Corp	19645
5962-9306520HYC	BU-61586V2-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR, RT ADR LCH	ILC Data Device Corp	19645
5962-9306521HXA	BU-61585S3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306521HXC	BU-61585S3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306521HYA	BU-61585V3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306521HYC	BU-61585V3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306522HXA	BU-61585S6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306522HXC	BU-61585S6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306522HYA	BU-61585V6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645
5962-9306522HYC	BU-61585V6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	ILC Data Device Corp	19645

-90-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003896 37T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9306523HXA	BU-61586S3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306523HXC	BU-61586S3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306523HYA	BU-61586V3-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306523HYC	BU-61586V3-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306524HXA	BU-61586S6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306524HXC	BU-61586S6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306524HYA	BU-61586V6-140	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306524HYC	BU-61586V6-110	1	MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	ILC Data Device Corp	19645
5962-9306801HXA	MTR2805S/883	1	DC/DC CONVERTER, 25W, 5V OUTPUT	Interpoint Corp.	50821
5962-9306801HXC	MTR2805S/883	1	DC/DC CONVERTER, 25W, 5V OUTPUT	Interpoint Corp.	50821
5962-9306801HZA	MTR2805SF/883	1	DC/DC CONVERTER, 25W, 5V OUTPUT	Interpoint Corp.	50821
5962-9306801HXC	MTR2805SF/883	1	DC/DC CONVERTER, 25W, 5V OUTPUT	Interpoint Corp.	50821
5962-9306901HXA	MTR2812S/883	1	DC/DC CONVERTER, 30W, 12V OUTPUT	Interpoint Corp.	50821
5962-9306901HXC	MTR2812S/883	1	DC/DC CONVERTER, 30W, 12V OUTPUT	Interpoint Corp.	50821
5962-9306901HZA	MTR2812SF/883	1	DC/DC CONVERTER, 30W, 12V OUTPUT	Interpoint Corp.	50821
5962-9306901HXC	MTR2812SF/883	1	DC/DC CONVERTER, 30W, 12V OUTPUT	Interpoint Corp.	50821
5962-9307001HXA	MTR2815S/883	1	DC/DC CONVERTER, 30W, 15V OUTPUT	Interpoint Corp.	50821
5962-9307001HXC	MTR2815S/883	1	DC/DC CONVERTER, 30W, 15V OUTPUT	Interpoint Corp.	50821
5962-9307001HZA	MTR2815SF/883	1	DC/DC CONVERTER, 30W, 15V OUTPUT	Interpoint Corp.	50821
5962-9307001HXC	MTR2815SF/883	1	DC/DC CONVERTER, 30W, 15V OUTPUT	Interpoint Corp.	50821
5962-9307101HXA	MTR2812D/883	1	DC/DC CONVERTER, 30W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9307101HXC	MTR2812D/883	1	DC/DC CONVERTER, 30W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9307101HZA	MTR2812DF/883	1	DC/DC CONVERTER, 30W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9307101HXC	MTR2812DF/883	1	DC/DC CONVERTER, 30W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9307201HXA	MTR2815D/883	1	DC/DC CONVERTER, 30W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9307201HXC	MTR2815D/883	1	DC/DC CONVERTER, 30W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9307201HZA	MTR2815DF/883	1	DC/DC CONVERTER, 30W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9307201HXC	MTR2815DF/883	1	DC/DC CONVERTER, 30W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9307301HXA	MTR2812D/883	1	DC-TO-DC CONVERTER, +5 AND ±12 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9307301HXC	MTR2812D/883	1	DC-TO-DC CONVERTER, +5 AND ±12 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9307301HZA	MTR2812DF/883	1	DC-TO-DC CONVERTER, +5 AND ±12 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9307301HXC	MTR2812DF/883	1	DC-TO-DC CONVERTER, +5 AND ±12 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9307401HXA	MTR2815D/883	1	DC-TO-DC CONVERTER, +5 AND ±15 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9307401HXC	MTR2815D/883	1	DC-TO-DC CONVERTER, +5 AND ±15 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821

-91-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003897 206

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION.	SOURCE(S)	CAGE CODE
5962-9307401HZA	MTR2815DF/883	1	DC-TO-DC CONVERTER, +5 AND ±15 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9307401HZC	MTR2815DF/883	1	DC-TO-DC CONVERTER, +5 AND ±15 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9308901HXA	MSA2812D/883	1	DC/DC CONVERTER, DUAL CHANNEL, 5W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9308901HXC	MSA2812D/883	1	DC/DC CONVERTER, DUAL CHANNEL, 5W, ±12V OUTPUT	Interpoint Corp.	50821
5962-9309001HXA	MSA2815D/883	1	DC/DC CONVERTER, 5W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9309001HXC	MSA2815D/883	1	DC/DC CONVERTER, 5W, ±15V OUTPUT	Interpoint Corp.	50821
5962-9309101HXA	WS-512K8-150CQ	1	PROM, ELECTR. ERASABLE, 512K X 8, 150 NS ACCESS TIME	White Microelect.	54230
5962-9309101HXC	WE-512K8-150CQ	1	PROM, ELECTR. ERASABLE, 512K X 8, 150 NS ACCESS TIME	White Microelect.	54230
5962-9309102HXA	WS-512K8-300CQ	1	PROM, ELECTR. ERASABLE, 512K X 8, 300 NS ACCESS TIME	White Microelect.	54230
5962-9309102HXC	WE-512K8-300CQ	1	PROM, ELECTR. ERASABLE, 512K X 8, 300 NS ACCESS TIME	White Microelect.	54230
5962-9309103HXA	WS-512K8-250CQ	1	PROM, ELECTR. ERASABLE, 512K X 8, 250 NS ACCESS TIME	White Microelect.	54230
5962-9309103HXC	WE-512K8-250CQ	1	PROM, ELECTR. ERASABLE, 512K X 8, 250 NS ACCESS TIME	White Microelect.	54230
5962-9309104HXA	WS-512K8-200CQ	1	PROM, ELECTR. ERASABLE, 512K X 8, 200 NS ACCESS TIME	White Microelect.	54230
5962-9309104HXC	WE-512K8-200CQ	1	PROM, ELECTR. ERASABLE, 512K X 8, 200 NS ACCESS TIME	White Microelect.	54230
5962-9309201HXA	MSA2805S/883	1	DC/DC CONVERTER, SINGLE CHANNEL, 5W, +5V OUTPUT	Interpoint Corp.	50821
5962-9309201HXC	MSA2805S/883	1	DC/DC CONVERTER, SINGLE CHANNEL, 5W, +5V OUTPUT	Interpoint Corp.	50821
5962-9309301HXA	MSA2812S/883	1	DC/DC CONVERTER, SINGLE CHANNEL, 5W, +12V OUTPUT	Interpoint Corp.	50821
5962-9309301HXC	MSA2812S/883	1	DC/DC CONVERTER, SINGLE CHANNEL, 5W, +12V OUTPUT	Interpoint Corp.	50821
5962-9309401HXA	MSA2815S/883	1	DC/DC CONVERTER, 5W, +15V OUTPUT	Interpoint Corp.	50821
5962-9309401HXC	MSA2815S/883	1	DC/DC CONVERTER, 5W, +15V OUTPUT	Interpoint Corp.	50821
5962-9313401HXA	ARX5006	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313401HXC	ARX5006	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313401HXC	CJSE298	1	VOLT. REGULATOR	Solitron Devices	21845
5962-9313402HXA	ARX5007	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313402HXC	ARX5007	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313402HXC	CJSE299	1	VOLT. REGULATOR	Solitron Devices	21845
5962-9313403HXA	ARX5008	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313403HXC	CJSE300	1	VOLT. REGULATOR	Solitron Devices	21845
5962-9313403HXC	ARX5008	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313404HXA	ARX5009	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313404HXC	ARX5009	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313404HXC	CJSE301	1	VOLT. REGULATOR	Solitron Devices	21845
5962-9313405HXA	ARX5010	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313405HXC	ARX5010	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313405HXC	CJSE321	1	VOLT. REGULATOR	Solitron Devices	21845
5962-9313406HXA	ARX5011	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313406HXC	ARX5011	1	VOLT. REGULATOR	Aeroflex Lab. Inc.	88379
5962-9313406HXC	CJSE322	1	VOLT. REGULATOR	Solitron Devices	21845

-92-
HYBRID MICROCIRCUITS
QML-38534-23

■ 999968 0003898 142 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9314001HPA	HSSR-7111	1	OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	Hewlett-Packard Co.	50434
5962-9314001HPC	HSSR-7111	1	OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	Hewlett-Packard Co.	50434
5962-9314001HXA	HSSR-7111#300	1	OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	Hewlett-Packard Co.	50434
5962-9314001HYA	HSSR-7111#100	1	OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	Hewlett-Packard Co.	50434
5962-9314001HYC	HSSR-7111#100	1	OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	Hewlett-Packard Co.	50434
5962-9314001HZA	HSSR-7111#600	1	OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	Hewlett-Packard Co.	50434
5962-9314001HZA	HSSR-7111#600	2	OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	Hewlett-Packard Co.	50434
5962-9314001HZC	HSSR-7111#600	1	OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	Hewlett-Packard Co.	50434
5962-9315401HXA	WS-128K8-200CQ	1	PROM, ELECTR. ERASABLE, 128K X 8, 200 NS ACCESS TIME	White Microelect.	54230
5962-9315401HXC	WE-128K8-200CQ	1	PROM, ELECTR. ERASABLE, 128K X 8, 200 NS ACCESS TIME	White Microelect.	54230
5962-9315402HXA	WS-128K8-150CQ	1	PROM, ELECTR. ERASABLE, 128K X 8, 150 NS ACCESS TIME	White Microelect.	54230
5962-9315402HXC	WE-128K8-150CQ	1	PROM, ELECTR. ERASABLE, 128K X 8, 150 NS ACCESS TIME	White Microelect.	54230
5962-9315501HXA	WS-256K8-200CQ	1	PROM, ELECTR. ERASABLE, 256K X 8, 200 NS ACCESS TIME	White Microelect.	54230
5962-9315501HXC	WE-256K8-200CQ	1	PROM, ELECTR. ERASABLE, 256K X 8, 200 NS ACCESS TIME	White Microelect.	54230
5962-9315502HXA	WS-256K8-150CQ	1	PROM, ELECTR. ERASABLE, 256K X 8, 150 NS ACCESS TIME	White Microelect.	54230
5962-9315502HXC	WE-256K8-150CQ	1	PROM, ELECTR. ERASABLE, 256K X 8, 150 NS ACCESS TIME	White Microelect.	54230
5962-9315601HXA	WS-128K8-120CQ	1	STATIC RAM, 128K X 8, 120 NS ACCESS TIME	White Microelect.	54230
5962-9315601HXC	WS-128K8-120CQ	1	STATIC RAM, 128K X 8, 120 NS ACCESS TIME	White Microelect.	54230
5962-9315602HXA	WS-128K8-100CQ	1	STATIC RAM, 128K X 8, 100 NS ACCESS TIME	White Microelect.	54230
5962-9315602HXC	WS-128K8-100CQ	1	STATIC RAM, 128K X 8, 100 NS ACCESS TIME	White Microelect.	54230
5962-9315603HXA	WS-128K8-85CQ	1	STATIC RAM, 128K X 8, 85 NS ACCESS TIME	White Microelect.	54230
5962-9315603HXC	WS-128K8-85CQ	1	STATIC RAM, 128K X 8, 85 NS ACCESS TIME	White Microelect.	54230
5962-9315604HXA	WS-128K8-70CQ	1	STATIC RAM, 128K X 8, 70 NS ACCESS TIME	White Microelect.	54230
5962-9315604HXC	WS-128K8-70CQ	1	STATIC RAM, 128K X 8, 70 NS ACCESS TIME	White Microelect.	54230
5962-9315605HXA	WS-128K8-55CQ	1	STATIC RAM, 128K X 8, 55 NS ACCESS TIME	White Microelect.	54230
5962-9315605HXC	WS-128K8-55CQ	1	STATIC RAM, 128K X 8, 55 NS ACCESS TIME	White Microelect.	54230
5962-9315606HXA	WS-128K8-45CQ	1	STATIC RAM, 128K X 8, 45 NS ACCESS TIME	White Microelect.	54230
5962-9315606HXC	WS-128K8-45CQ	1	STATIC RAM, 128K X 8, 45 NS ACCESS TIME	White Microelect.	54230
5962-9315607HXA	WS-128K8-35CQ	1	STATIC RAM, 128K X 8, 35 NS ACCESS TIME	White Microelect.	54230
5962-9315607HXC	WS-128K8-35CQ	1	STATIC RAM, 128K X 8, 35 NS ACCESS TIME	White Microelect.	54230
5962-9315608HXA	WS-128K8-25CQ	1	STATIC RAM, 128K X 8, 25 NS ACCESS TIME	White Microelect.	54230
5962-9315608HXC	WS-128K8-25CQ	1	STATIC RAM, 128K X 8, 25 NS ACCESS TIME	White Microelect.	54230
5962-9315701HXA	WS-256K8-120CQ	1	STATIC RAM, 256K X 8, 120 NS ACCESS TIME	White Microelect.	54230
5962-9315701HXC	WS-256K8-120CQ	1	STATIC RAM, 256K X 8, 120 NS ACCESS TIME	White Microelect.	54230
5962-9315702HXA	WS-256K8-100CQ	1	STATIC RAM, 256K X 8, 100 NS ACCESS TIME	White Microelect.	54230
5962-9315702HXC	WS-256K8-100CQ	1	STATIC RAM, 256K X 8, 100 NS ACCESS TIME	White Microelect.	54230
5962-9315703HXA	WS-256K8-85CQ	1	STATIC RAM, 256K X 8, 85 NS ACCESS TIME	White Microelect.	54230
5962-9315703HXC	WS-256K8-85CQ	1	STATIC RAM, 256K X 8, 85 NS ACCESS TIME	White Microelect.	54230

-93-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003899 089

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9315704HXA	WS-256K8-70CQ	1	STATIC RAM, 256K X 8, 70 NS ACCESS TIME	White Microelect.	54230
5962-9315704HXC	WS-256K8-70CQ	1	STATIC RAM, 256K X 8, 70 NS ACCESS TIME	White Microelect.	54230
5962-9315705HXA	WS-256K8-55CQ	1	STATIC RAM, 256K X 8, 55 NS ACCESS TIME	White Microelect.	54230
5962-9315705HXC	WS-256K8-55CQ	1	STATIC RAM, 256K X 8, 55 NS ACCESS TIME	White Microelect.	54230
5962-9315706HXA	WS-256K8-45CQ	1	STATIC RAM, 256K X 8, 45 NS ACCESS TIME	White Microelect.	54230
5962-9315706HXC	WS-256K8-45CQ	1	STATIC RAM, 256K X 8, 45 NS ACCESS TIME	White Microelect.	54230
5962-9315707HXA	WS-256K8-35CQ	1	STATIC RAM, 256K X 8, 35 NS ACCESS TIME	White Microelect.	54230
5962-9315707HXC	WS-256K8-35CQ	1	STATIC RAM, 256K X 8, 35 NS ACCESS TIME	White Microelect.	54230
5962-9315708HXA	WS-256K8-25CQ	1	STATIC RAM, 256K X 8, 25 NS ACCESS TIME	White Microelect.	54230
5962-9315708HXC	WS-256K8-25CQ	1	STATIC RAM, 256K X 8, 25 NS ACCESS TIME	White Microelect.	54230
5962-9315801HZA	ATR2812TF/CH	1	DC/DC CONVERTER, 30W, +5V, ±12V TRIPLE OUTPUT	Lambda Adv. Analog	52467
5962-9316101HXA	MFL2815S/883	1	DC/DC CONVERTER, 65W, 15V OUTPUT	Interpoint Corp.	50821
5962-9316101HXC	MFL2815S/883	1	DC/DC CONVERTER, 65W, 15V OUTPUT	Interpoint Corp.	50821
5962-9316201HXA	MFL2812S/883	1	DC/DC CONVERTER, 60W, 12V OUTPUT	Interpoint Corp.	50821
5962-9316201HXC	MFL2812S/883	1	DC/DC CONVERTER, 60W, 12V OUTPUT	Interpoint Corp.	50821
5962-9316301HXA	MFL2805S/883	1	DC/DC CONVERTER, 50W, 5V OUTPUT	Interpoint Corp.	50821
5962-9316301HXC	MFL2805S/883	1	DC/DC CONVERTER, 50W, 5V OUTPUT	Interpoint Corp.	50821
5962-9318701HTA	WS-128K32-120HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318701HTA	ACT-S128K32N-120P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318701HTC	ACT-S128K32N-120P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318701HTC	WS-128K32-120HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318701HUA	WS-128K32-120HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318701HUA	ACT-S128K32N-120P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318701HUC	WS-128K32-120HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318701HUC	ACT-S128K32N-120P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318701HXA	WS-128K32-120HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318701HXA	ACT-S128K32-120P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318701HXC	WS-128K32-120HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318701HXC	ACT-S128K32-120P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318701HYA	WS-128K32-120HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318701HYA	ACT-S128K32-120P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318701HYC	WS-128K32-120HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318701HYC	ACT-S128K32-120P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318702HTA	ACT-S128K32N-100P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318702HTA	WS-128K32-100HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318702HTC	ACT-S128K32N-100P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318702HTC	WS-128K32-100HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318702HUA	ACT-S128K32N-100P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379

-94-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003900 620

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9318702HUA	WS-128K32-100HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318702HUC	ACT-S128K32N-100P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318702HUC	WS-128K32-100HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318702HXA	ACT-S128K32-100P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318702HXA	WS-128K32-100HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318702HXC	WS-128K32-100HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318702HXC	ACT-S128K32-100P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318702HYA	WS-128K32-100HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318702HYA	ACT-S128K32-100P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318702HYC	WS-128K32-100HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318702HYC	ACT-S128K32-100P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318703HTA	ACT-S128K32N-085P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318703HTA	WS-128K32-85HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318703HTC	WS-128K32-85HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318703HTC	ACT-S128K32N-085P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318703HUA	WS-128K32-85HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318703HUA	ACT-128K32N-085P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318703HUC	WS-128K32-85HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318703HUC	ACT-128K32N-085P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318703HXA	WS-128K32-85HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318703HXA	ACT-128K32-085P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318703HXC	WS-128K32-85HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318703HXC	ACT-128K32-085P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318703HYA	WS-128K32-85HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318703HYA	ACT-S128K32-085P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318703HYC	WS-128K32-85HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318703HYC	ACT-S128K32-085P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318704HTA	WS-128K32-70HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318704HTA	ACT-S128K32N-070P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318704HTC	ACT-S128K32N-070P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318704HTC	WS-128K32-70HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318704HUA	ACT-S128K32N-070P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318704HUA	WS-128K32-70HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318704HUC	ACT-S128K32N-070P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318704HUC	WS-128K32-70HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318704HXA	ACT-S128K32-070P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318704HXA	WS-128K32-70HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318704HXC	ACT-S128K32-070P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379

-95-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003901 567

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9318704HXC	WS-128K32-70HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318704HYA	ACT-S128K32-070P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318704HYA	WS-128K32-70HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318704HYC	WS-128K32-70HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318704HYC	ACT-S128K32-070P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318705HTA	ACT-S128K32N-055P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318705HTA	WS-128K32-55HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318705HTC	WS-128K32-55HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318705HTC	ACT-S128K32N-055P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318705HUA	WS-128K32-55HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318705HUA	ACT-S128K32N-055P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318705HUC	WS-128K32-55HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318705HUC	ACT-S128K32N-055P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318705HXA	ACT-S128K32-055P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318705HXA	WS-128K32-55HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318705HXC	WS-128K32-55HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318705HXC	ACT-S128K32-055P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318705HYA	ACT-S128K32-055P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318705HYA	WS-128K32-55HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318705HYC	WS-128K32-55HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318705HYC	ACT-S128K32-055P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HTA	ACT-S128K32N-045P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HTA	WS-128K32-45HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318706HTC	ACT-S128K32N-045P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HTC	WS-128K32-45HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318706HUA	ACT-S128K32N-045P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HUA	WS-128K32-45HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318706HUC	ACT-S128K32N-045P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HUC	WS-128K32-45HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318706HXA	ACT-S128K32-045P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HXA	WS-128K32-45HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318706HXC	ACT-S128K32-045P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HXC	WS-128K32-45HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318706HYA	WS-128K32-45HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318706HYA	ACT-S128K32-045P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HYC	ACT-S128K32-045P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318706HYC	WS-128K32-45HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318707HTA	WS-128K32-35HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230

-96-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003902 473

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9318707HTA	ACT-S128K32N-035P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318707HTC	ACT-S128K32N-035P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318707HTC	WS-128K32-35HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318707HUA	ACT-S128K32N-035P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318707HUA	WS-128K32-35HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318707HUC	WS-128K32-35HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318707HUC	ACT-S128K32N-035P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318707HXA	ACT-S128K32-035P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318707HXA	WS-128K32-35HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318707HXC	WS-128K32-35HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318707HXC	ACT-S128K32-035P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318707HYA	WS-128K32-35HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318707HYA	ACT-S128K32-035P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318707HYC	WS-128K32-35HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318707HYC	ACT-S128K32-035P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HTA	ACT-S128K32N-025P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HTA	WS-128K32-25HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318708HTC	WS-128K32-25HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318708HTC	ACT-S128K32N-025P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HUA	ACT-S128K32N-025P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HUA	WS-128K32-25HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318708HUC	WS-128K32-25HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318708HUC	ACT-S128K32N-025P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HXA	ACT-S128K32-025P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HXA	WS-128K32-25HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318708HXC	WS-128K32-25HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318708HXC	ACT-S128K32-025P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HYA	ACT-S128K32-025P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HYA	WS-128K32-25HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318708HYC	ACT-S128K32-025P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318708HYC	WS-128K32-25HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318709HTA	WS-128K32-20HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318709HTA	ACT-S128K32N-020P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318709HTC	WS-128K32-20HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318709HTC	ACT-S128K32N-020P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318709HUA	ACT-S128K32N-020P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318709HUA	WS-128K32-20HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318709HUC	WS-128K32-20HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230

-97-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003903 33T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9318709HUC	ACT-S128K32N-020P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318709HXA	ACT-S128K32-020P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318709HXA	WS-128K32-20HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318709HXC	WS-128K32-20HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318709HXC	ACT-S128K32-020P2Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318709HYA	ACT-S128K32-020P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318709HYA	WS-128K32-20HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318709HYC	WS-128K32-20HQ	1	STATIC RAM, 128K X 32	White Microelect.	54230
5962-9318709HYC	ACT-S128K32-020P6Q	1	STATIC RAM, 128K X 32	Aeroflex Lab. Inc.	88379
5962-9318710HTA	WS-128K32-20HQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9318710HTA	ACT-S128K32N-017P2Q	1	STATIC RAM, 128K X 32-BIT	Aeroflex Lab. Inc.	88379
5962-9318710HTC	ACT-S128K32N-017P2Q	1	STATIC RAM, 128K X 32-BIT	Aeroflex Lab. Inc.	88379
5962-9318710HTC	WS-128K32-20HQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9318710HUA	WS-128K32-20HQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9318710HUA	ACT-S128K32N-017P6Q	1	STATIC RAM, 128K X 32-BIT	Aeroflex Lab. Inc.	88379
5962-9318710HUC	WS-128K32-20HQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9318710HUC	ACT-S128K32N-017P6Q	1	STATIC RAM, 128K X 32-BIT	Aeroflex Lab. Inc.	88379
5962-9318710HXA	WS-128K32-20HQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9318710HXA	ACT-S128K32-017P2Q	1	STATIC RAM, 128K X 32-BIT	Aeroflex Lab. Inc.	88379
5962-9318710HXC	WS-128K32-20HQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9318710HXC	ACT-S128K32-017P2Q	1	STATIC RAM, 128K X 32-BIT	Aeroflex Lab. Inc.	88379
5962-9318710HYA	WS-128K32-20HQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9318710HYA	ACT-S128K32-017P6Q	1	STATIC RAM, 128K X 32-BIT	Aeroflex Lab. Inc.	88379
5962-9318710HYC	WS-128K32-20HQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9318710HYC	ACT-S128K32-017P6Q	1	STATIC RAM, 128K X 32-BIT	Aeroflex Lab. Inc.	88379
5962-9319101HXA	MFL2805D/883	1	DC/DC CONVERTER, 50W, 5V OUTPUT	Interpoint Corp.	50821
5962-9319101HXC	MFL2805D/883	1	DC/DC CONVERTER, 50W, 5V OUTPUT	Interpoint Corp.	50821
5962-9319201HXA	MFL2812D/883	1	DC/DC CONVERTER, DUAL-CHANNEL, 60W, 12V OUTPUT	Interpoint Corp.	50821
5962-9319201HXC	MFL2812D/883	1	DC/DC CONVERTER, DUAL-CHANNEL, 60W, 12V OUTPUT	Interpoint Corp.	50821
5962-9319301HXA	MFL2815D/883	1	DC/DC CONVERTER, DUAL-CHANNEL, 65W, 15V OUTPUT	Interpoint Corp.	50821
5962-9319301HXC	MFL2815D/883	1	DC/DC CONVERTER, DUAL-CHANNEL, 65W, 15V OUTPUT	Interpoint Corp.	50821
5962-9319801HXA	ADS-944/883	1	A/D CONVERTER, 14-BIT, SAMPLING	Date1 Incorporated	50721
5962-9319801HXC	ADS-944/883	1	A/D CONVERTER, 14-BIT, SAMPLING	Date1 Incorporated	50721
5962-9319802HXA	ADS-30189	1	A/D CONVERTER, 14-BIT, SAMPLING	Date1 Incorporated	50721
5962-9319802HXC	ADS-30189	1	A/D CONVERTER, 14-BIT, SAMPLING	Date1 Incorporated	50721
5962-9320201HXA	MTR2818S/883	1	DC/DC CONVERTER, 30W, 18V OUTPUT	Interpoint Corp.	50821
5962-9320201HXC	MTR2818S/883	1	DC/DC CONVERTER, 30W, 18V OUTPUT	Interpoint Corp.	50821
5962-9320201HZA	MTR2818SF/883	1	DC/DC CONVERTER, 30W, 18V OUTPUT	Interpoint Corp.	50821

-98-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9320201HZC	MTR2818SF/883	1	DC/DC CONVERTER, 30W, 18V OUTPUT	Interpoint Corp.	50821
5962-9320501HXA	MTR2805D/883	1	DC/DC CONVERTER, 25W, ±5V OUTPUT	Interpoint Corp.	50821
5962-9320501HXC	MTR2805D/883	1	DC/DC CONVERTER, 25W, ±5V OUTPUT	Interpoint Corp.	50821
5962-9320501HZA	MTR2805DF/883	1	DC/DC CONVERTER, 25W, ±5V OUTPUT	Interpoint Corp.	50821
5962-9320501HZC	MTR2805DF/883	1	DC/DC CONVERTER, 25W, ±5V OUTPUT	Interpoint Corp.	50821
5962-9450601HXC	MX-826/883	1	ANALOG MULTIPLEXER	Datel Incorporated	50721
5962-9453601HXA	SD-14620DX-142	1	SYNCHRO TO DIGITAL CONVERTER, 11.8V, 400HZ	ILC Data Device Corp	19645
5962-9453601HXC	SD-14620DX-112	1	SYNCHRO TO DIGITAL CONVERTER, 11.8V, 400HZ	ILC Data Device Corp	19645
5962-9453602HXA	SD-14621DX-142	1	RESOLVER TO DIGITAL CONVERTER, 11.8V, 400HZ	ILC Data Device Corp	19645
5962-9453602HXC	SD-14621DX-112	1	RESOLVER TO DIGITAL CONVERTER, 11.8V, 400HZ	ILC Data Device Corp	19645
5962-9453603HXA	SD-14620DX-144	1	SYNCHRO TO DIGITAL CONVERTER, 11.8V, 400HZ	ILC Data Device Corp	19645
5962-9453603HXC	SD-14620DX-114	1	SYNCHRO TO DIGITAL CONVERTER, 11.8V, 400HZ	ILC Data Device Corp	19645
5962-9453604HXA	SD-14621DX-144	1	RESOLVER TO DIGITAL CONVERTER, 11.8V, 400HZ	ILC Data Device Corp	19645
5962-9453604HXC	SD-14621DX-114	1	RESOLVER TO DIGITAL CONVERTER, 11.8V, 400HZ	ILC Data Device Corp	19645
5962-9453605HXA	SDC-14621-602	1	RESOLVER TO DIGITAL CONVERTER, 6.8V, 400HZ	ILC Data Device Corp	19645
5962-9453605HXC	SDC-14621-602	1	RESOLVER TO DIGITAL CONVERTER, 6.8V, 400HZ	ILC Data Device Corp	19645
5962-9454301HXA	SD-14550DX-152	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454301HXA	SD-14550DX-142	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454301HXC	SD-14550DX-112	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454301HXC	SD-14550DX-132	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454302HXA	SD-14550DX-142	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454302HXA	SD-14550DX-152	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454302HXC	SD-14550DX-132	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454302HXC	SD-14550DX-112	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454303HXA	SD-14550DX-154	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454303HXA	SD-14550DX-144	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454303HXC	SD-14550DX-134	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454303HXC	SD-14550DX-114	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454304HXA	SD-14550DX-144	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454304HXA	SD-14550DX-154	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454304HXC	SD-14550DX-114	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454304HXC	SD-14550DX-134	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	ILC Data Device Corp	19645
5962-9454305HXC	SD-14550DX-601	1	SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 6.8 V	ILC Data Device Corp	19645
5962-9454401HXA	SD-14552DX-142	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454401HXA	SD-14552DX-152	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454401HXC	SD-14552DX-132	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454401HXC	SD-14552DX-112	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454402HXA	SD-14552DX-142	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645

-99-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9454402HXA	SD-14552DX-152	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454402HXC	SD-14552DX-132	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454402HXC	SD-14552DX-112	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454403HXA	SD-14552DX-144	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454403HXA	SD-14552DX-154	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454403HXC	SD-14552DX-114	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454403HXC	SD-14552DX-134	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454404HXA	SD-14552DX-154	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454404HXA	SD-14552DX-144	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454404HXC	SD-14552DX-134	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454404HXC	SD-14552DX-114	1	SYNCHRO-TO-DIGITAL CONVERTER, 90 V	ILC Data Device Corp	19645
5962-9454501HXA	SD14553DX-142	1	RESOLVER CONVERTER, 2 VOLT, DIRECT	ILC Data Device Corp	19645
5962-9454501HXA	SD14553DX-152	1	RESOLVER CONVERTER, 2 VOLT, DIRECT	ILC Data Device Corp	19645
5962-9454501HXC	SD14553DX-112	1	RESOLVER CONVERTER, 2 VOLT, DIRECT	ILC Data Device Corp	19645
5962-9454501HXC	SD14553DX-132	1	RESOLVER CONVERTER, 2 VOLT, DIRECT	ILC Data Device Corp	19645
5962-9454502HXA	SD14553DX-154	1	RESOLVER CONVERTER, 2 VOLT, DIRECT	ILC Data Device Corp	19645
5962-9454502HXA	SD14553DX-144	1	RESOLVER CONVERTER, 2 VOLT, DIRECT	ILC Data Device Corp	19645
5962-9454502HXC	SD14553DX-134	1	RESOLVER CONVERTER, 2 VOLT, DIRECT	ILC Data Device Corp	19645
5962-9454502HXC	SD14553DX-114	1	RESOLVER CONVERTER, 2 VOLT, DIRECT	ILC Data Device Corp	19645
5962-9454701HXA	SD-14622DX-142	1	SYNCHRO TO DIGITAL CONVERTER, 90V, 400HZ	ILC Data Device Corp	19645
5962-9454701HXC	SD-14622DX-112	1	SYNCHRO TO DIGITAL CONVERTER, 90V, 400HZ	ILC Data Device Corp	19645
5962-9454702HXA	SD-14624DX-142	1	SYNCHRO TO DIGITAL CONVERTER, 90V, 60HZ	ILC Data Device Corp	19645
5962-9454702HXC	SD-14624DX-112	1	SYNCHRO TO DIGITAL CONVERTER, 90V, 60HZ	ILC Data Device Corp	19645
5962-9454703HXA	SD-14622DX-144	1	SYNCHRO TO DIGITAL CONVERTER, 90V, 400HZ	ILC Data Device Corp	19645
5962-9454703HXC	SD-14622DX-114	1	SYNCHRO TO DIGITAL CONVERTER, 90V, 400HZ	ILC Data Device Corp	19645
5962-9454704HXA	SD-14624DX-144	1	SYNCHRO TO DIGITAL CONVERTER, 90V, 60HZ	ILC Data Device Corp	19645
5962-9454704HXC	SD-14624DX-114	1	SYNCHRO TO DIGITAL CONVERTER, 90V, 60HZ	ILC Data Device Corp	19645
5962-9454801HXA	SD-14623DX-142	1	RESOLVER TO DIGITAL CONVERTER, DIRECT, 2V	ILC Data Device Corp	19645
5962-9454801HXC	SD-14623DX-112	1	RESOLVER TO DIGITAL CONVERTER, DIRECT, 2V	ILC Data Device Corp	19645
5962-9454802HXA	SD-14623DX-144	1	RESOLVER TO DIGITAL CONVERTER, DIRECT, 2V	ILC Data Device Corp	19645
5962-9454802HXC	SD-14623DX-114	1	RESOLVER TO DIGITAL CONVERTER, DIRECT, 2V	ILC Data Device Corp	19645
5962-9456301HXA	AHF2815S/CH	1	DC/DC CONVERTER, SINGLE-CHANNEL, 12W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9456301HZA	AHF2815SF/CH	1	DC/DC CONVERTER, SINGLE-CHANNEL, 12W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9456801HXA	AHF2812S/CH	1	DC/DC CONVERTER, 12W, 12V OUTPUT	Lambda Adv. Analog	52467
5962-9456801HZA	AHF2812SF/CH	1	DC/DC CONVERTER, 12W, 12V OUTPUT	Lambda Adv. Analog	52467
5962-9458501HTA	WE128K32N-300HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458501HTC	WE-128K32N-300HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458501HUA	WE128K32N-300HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230

-100-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9458501HUC	WE-128K32N-300HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458501HXA	WE128K32-300HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458501HXC	WE-128K32-300HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458501HYA	WE128K32-300HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458501HYC	WE-128K32-300HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458502HTA	WE128K32N-250HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458502HTC	WE-128K32N-250HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458502HUA	WE128K32N-250HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458502HUC	WE-128K32N-250HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458502HXA	WE128K32-250HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458502HXC	WE-128K32-250HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458502HYA	WE128K32-250HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458502HYC	WE-128K32-250HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458503HTA	WE128K32N-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458503HTC	WE-128K32N-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458503HUA	WE128K32N-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458503HUC	WE-128K32N-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458503HXA	WE128K32-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458503HXC	WE-128K32-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458503HYA	WE128K32-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458503HYC	WE-128K32-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458504HTA	WE128K32N-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458504HTC	WE-128K32N-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458504HUA	WE128K32N-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458504HUC	WE-128K32N-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458504HXA	WE128K32-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458504HXC	WE-128K32-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458504HYA	WE128K32-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9458504HYC	WE-128K32-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32	White Microelect.	54230
5962-9461001HWA	WF128K32-200HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461001HWC	WF128K32-200HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461001HXA	WF128K32-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461001HXC	WF128K32-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461001HYA	WF128K32-200HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461001HYC	WF128K32-200HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461001HZA	WF128K32-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461001HZC	WF128K32-200HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461002HWA	WF128K32-150HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230

-101-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9461002HWC	WF128K32-150HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461002HXA	WF128K32-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461002HXC	WF128K32-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461002HYA	WF128K32-150HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461002HYC	WF128K32-150HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461002HZA	WF128K32-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461002HXC	WF128K32-150HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461003HWA	WF128K32-120HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461003HWC	WF128K32-120HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461003HXA	WF128K32-120HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461003HXC	WF128K32-120HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461003HYA	WF128K32-120HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461003HYC	WF128K32-120HSQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461003HZA	WF128K32-120HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461003HXC	WF128K32-120HQ	1	PROM, ELECTR. ERASABLE, 128K X 32, FLASH	White Microelect.	54230
5962-9461101HXA	WS512K32N-120HSQ	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461101HXC	WS512K32N-120HSQ	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461101HYA	WS512K32N-120G4Q	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461101HYC	WS512K32N-120G4Q	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461102HXA	WS512K32N-100HSQ	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461102HXC	WS512K32N-100HSQ	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461102HYA	WS512K32N-100G4Q	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461102HYC	WS512K32N-100G4Q	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461103HXA	WS512K32N-85HSQ	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461103HXC	WS512K32N-85HSQ	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461103HYA	WS512K32N-85G4Q	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461103HYC	WS512K32N-85G4Q	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461104HXA	WS512K32N-70HSQ	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461104HXC	WS512K32N-70HSQ	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461104HYA	WS512K32N-70G4Q	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461104HYC	WS512K32N-70G4Q	1	STATIC RAM, 512K X 32	White Microelect.	54230
5962-9461301HXA	WF1024K32-150HSQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461301HXC	WF1024K32-150HSQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461301HYA	WF1024K32A-150HSQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461301HYC	WF1024K32A-150HSQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461301HZA	WF1024K32-150G4TQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461301HXC	WF1024K32-150G4TQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461302HXA	WF1024K32-100HSQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230

-102-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003908 911
 APPROVED SOURCE
 MASTER PRODUCT LISTING
 TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9461302HXC	WF1024K32-100HSQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461302HYA	WF1024K32A-100HSQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461302HYC	WF1024K32A-100HSQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461302HZA	WF1024K32-100G4TQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461302H2C	WF1024K32-100G4TQ	1	PROM, FLASH ERASABLE, 1024K X 32-BIT	White Microelect.	54230
5962-9461401HXA	WE-32K32N-150HQ	1	PROM, ELECTR. ERASABLE, 32K X 32-BIT	White Microelect.	54230
5962-9461401HXC	WE-32K32N-150HQ	1	PROM, ELECTR. ERASABLE, 32K X 32-BIT	White Microelect.	54230
5962-9461401HYA	WE-32K32N-150HQ	1	PROM, ELECTR. ERASABLE, 32K X 32-BIT	White Microelect.	54230
5962-9461401HYC	WE-32K32N-150HQ	1	PROM, ELECTR. ERASABLE, 32K X 32-BIT	White Microelect.	54230
5962-9461402HXA	WE-32K32N-120HQ	1	PROM, ELECTR. ERASABLE, 32K X 32-BIT	White Microelect.	54230
5962-9461402HXC	WE-32K32N-120HQ	1	PROM, ELECTR. ERASABLE, 32K X 32-BIT	White Microelect.	54230
5962-9461402HYA	WE-32K32N-120HQ	1	PROM, ELECTR. ERASABLE, 32K X 32-BIT	White Microelect.	54230
5962-9461402HYC	WE-32K32N-120HQ	1	PROM, ELECTR. ERASABLE, 32K X 32-BIT	White Microelect.	54230
5962-9462401HXA	ATR2805S/CH	1	DC/DC CONVERTER, 30W, 5V OUTPUT	Lambda Adv. Analog	52467
5962-9462401HZA	ATR2805SF/CH	1	DC/DC CONVERTER, 30W, 5V OUTPUT	Lambda Adv. Analog	52467
5962-9462501HXA	ATR2812S/CH	1	DC/DC CONVERTER, 30W, 12 V OUTPUT	Lambda Adv. Analog	52467
5962-9462501HZA	ATR2812SF/CH	1	DC/DC CONVERTER, 30W, 12 V OUTPUT	Lambda Adv. Analog	52467
5962-9462601HXA	ATR2815S/CH	1	DC/DC CONVERTER, 30W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9462601HZA	ATR2815SF/CH	1	DC/DC CONVERTER, 30W, 15V OUTPUT	Lambda Adv. Analog	52467
5962-9462701HXA	ATR2812D/CH	1	DC/DC CONVERTER, 30W, +/-12V OUTPUT, DUAL CHANNEL	Lambda Adv. Analog	52467
5962-9462701HZA	ATR2812DF/CH	1	DC/DC CONVERTER, 30W, +/-12V OUTPUT, DUAL CHANNEL	Lambda Adv. Analog	52467
5962-9462801HXA	ATR2815D/CH	1	DC/DC CONVERTER, 30W, +/-15V OUTPUT, DUAL CHANNEL	Lambda Adv. Analog	52467
5962-9462801HZA	ATR2815DF/CH	1	DC/DC CONVERTER, 30W, +/-15V OUTPUT, DUAL CHANNEL	Lambda Adv. Analog	52467
5962-9462901HXA	ASA2805S/CH	1	DC-TO-DC CONVERTER, 5-VOLT, SINGLE CHANNEL	Lambda Adv. Analog	52467
5962-9464601HXA	HDSR2006-34V/S/2	1	DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	Natel Engineering Co	09059
5962-9464602HXA	HDSR2006-34V/R/2	1	DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	Natel Engineering Co	09059
5962-9464603HXA	HDSR2006-34H/2	1	DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	Natel Engineering Co	09059
5962-9464604HXA	HDSR2006-34S/2	1	DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	Natel Engineering Co	09059
5962-9464605HXA	HDSR2056-34V/S/2	1	DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	Natel Engineering Co	09059
5962-9464606HXA	HDSR2056-34V/R/2	1	DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	Natel Engineering Co	09059
5962-9464607HXA	HDSR2056-34H/2	1	DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	Natel Engineering Co	09059
5962-9464608HXA	HDSR2056-34S/2	1	DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	Natel Engineering Co	09059
5962-9465501HXA	MHD2805S/883	1	DC-TO-DC CONVERTER, 5 V	Interpoint Corp.	50821
5962-9465501HXC	MHD2805S/883	1	DC-TO-DC CONVERTER, 5 V	Interpoint Corp.	50821

-103-
 HYBRID MICROCIRCUITS
 QML-38534-23

999968 0003909 858

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9465501HZA	MHD2805SF/883	1	DC-TO-DC CONVERTER, 5 V	Interpoint Corp.	50821
5962-9465501HZC	MHD2805SF/883	1	DC-TO-DC CONVERTER, 5 V	Interpoint Corp.	50821
5962-9465601HXA	MHD2812S/883	1	DC-TO-DC CONVERTER, 12 V	Interpoint Corp.	50821
5962-9465601HXC	MHD2812S/883	1	DC-TO-DC CONVERTER, 12 V	Interpoint Corp.	50821
5962-9465601HZA	MHD2812SF/883	1	DC-TO-DC CONVERTER, 12 V	Interpoint Corp.	50821
5962-9465601HZC	MHD2812SF/883	1	DC-TO-DC CONVERTER, 12 V	Interpoint Corp.	50821
5962-9465701HXA	MHD2815S/883	1	DC-TO-DC CONVERTER, 15 V	Interpoint Corp.	50821
5962-9465701HXC	MHD2815S/883	1	DC-TO-DC CONVERTER, 15 V	Interpoint Corp.	50821
5962-9465701HZA	MHD2815SF/883	1	DC-TO-DC CONVERTER, 15 V	Interpoint Corp.	50821
5962-9465701HZC	MHD2815SF/883	1	DC-TO-DC CONVERTER, 15 V	Interpoint Corp.	50821
5962-9465801HXA	MHD2818S/883	1	DC-TO-DC CONVERTER, 18 V	Interpoint Corp.	50821
5962-9465801HXC	MHD2818S/883	1	DC-TO-DC CONVERTER, 18 V	Interpoint Corp.	50821
5962-9465801HZA	MHD2818SF/883	1	DC-TO-DC CONVERTER, 18 V	Interpoint Corp.	50821
5962-9465801HZC	MHD2818SF/883	1	DC-TO-DC CONVERTER, 18 V	Interpoint Corp.	50821
5962-9465901HXA	MHD2805D/883	1	DC-TO-DC CONVERTER, 5 V, DUAL CHANNEL	Interpoint Corp.	50821
5962-9465901HXC	MHD2805D/883	1	DC-TO-DC CONVERTER, 5 V, DUAL CHANNEL	Interpoint Corp.	50821
5962-9465901HZA	MHD2805DF/883	1	DC-TO-DC CONVERTER, 5 V, DUAL CHANNEL	Interpoint Corp.	50821
5962-9465901HZC	MHD2805DF/883	1	DC-TO-DC CONVERTER, 5 V, DUAL CHANNEL	Interpoint Corp.	50821
5962-9466001HXA	MHD2812D/883	1	DC-TO-DC CONVERTER, 12 V, DUAL CHANNEL	Interpoint Corp.	50821
5962-9466001HXC	MHD2812D/883	1	DC-TO-DC CONVERTER, 12 V, DUAL CHANNEL	Interpoint Corp.	50821
5962-9466001HZA	MHD2812DF/883	1	DC-TO-DC CONVERTER, 12 V, DUAL CHANNEL	Interpoint Corp.	50821
5962-9466001HZC	MHD2812DF/883	1	DC-TO-DC CONVERTER, 12 V, DUAL CHANNEL	Interpoint Corp.	50821
5962-9466101HXA	MHD2815D/883	1	DC-TO-DC CONVERTER, DUAL, 15 VOLT	Interpoint Corp.	50821
5962-9466101HXC	MHD2815D/883	1	DC-TO-DC CONVERTER, DUAL, 15 VOLT	Interpoint Corp.	50821
5962-9466101HZA	MHD2815DF/883	1	DC-TO-DC CONVERTER, DUAL, 15 VOLT	Interpoint Corp.	50821
5962-9466101HZC	MHD2815DF/883	1	DC-TO-DC CONVERTER, DUAL, 15 VOLT	Interpoint Corp.	50821
5962-9471601HSC	WF128K32A-150HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471601HTC	WF128K32A-150HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471601HUC	WF128K32-150HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471601HVC	WF128K32-150HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471601HWC	WF128K32NA-150HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471601HXC	WF128K32NA-150HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471601HYC	WF128K32N-150HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471601HZC	WF128K32N-150HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471602HSC	WF128K32A-120HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	542?
5962-9471602HTC	WF128K32A-120HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	5
5962-9471602HUC	WF128K32-120HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	
5962-9471602HVC	WF128K32-120HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	

-104-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9471602HWC	WF128K32NA-120HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471602HXC	WF128K32NA-120HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471602HYC	WF128K32N-120HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471602HZC	WF128K32N-120HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471603HSC	WF128K32A-90HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471603HTC	WF128K32A-90HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471603HUC	WF128K32-90HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471603HVC	WF128K32-90HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471603HWC	WF128K32NA-90HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471603HXC	WF128K32NA-90HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471603HYC	WF128K32N-90HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471603HZC	WF128K32N-90HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471604HSC	WF128K32A-70HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471604HTC	WF128K32A-70HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471604HUC	WF128K32-70HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471604HVC	WF128K32-70HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471604HWC	WF128K32NA-70HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471604HXC	WF128K32NA-70HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471604HYC	WF128K32N-70HQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9471604HZC	WF128K32N-70HSQ5	1	PROM, FLASH ERASABLE, 128K X 32	White Microelect.	54230
5962-9472701HXC	MSK 640B	1	OP AMP, VIDEO DRIVER	M.S Kennedy Corp.	51651
5962-9472702HXC	MSK 641B	1	OP AMP, VIDEO DRIVER	M.S Kennedy Corp.	51651
5962-9477201HXA	MHP27005S/883	1	DC-TO-DC CONVERTER, 5-VOLT	Interpoint Corp.	50821
5962-9477201HXC	MHP27005S/883	1	DC-TO-DC CONVERTER, 5-VOLT	Interpoint Corp.	50821
5962-9477501HXA	CT 1990-1-20	1	REMOTE TERMINAL AND BUS CONTROLLER	Aeroflex Lab. Inc.	88379
5962-9477501HXC	CT 1990-1-20	1	REMOTE TERMINAL AND BUS CONTROLLER	Aeroflex Lab. Inc.	88379
5962-9550501HXA	ARX4810-201-3	1	TRANSCEIVER, MIL-STD-1553, DUAL CHANNEL, -15 AND +5 VOLT	Aeroflex Lab. Inc.	88379
5962-9550501HXC	ARX4810-201-2	1	TRANSCEIVER, MIL-STD-1553, DUAL CHANNEL, -15 AND +5 VOLT	Aeroflex Lab. Inc.	88379
5962-9550501HXC	ARX4810-201-1	1	TRANSCEIVER, MIL-STD-1553, DUAL CHANNEL, -15 AND +5 VOLT	Aeroflex Lab. Inc.	88379
5962-9550501HXC	ARX4810-201-3	1	TRANSCEIVER, MIL-STD-1553, DUAL CHANNEL, -15 AND +5 VOLT	Aeroflex Lab. Inc.	88379
5962-9555901HXA	MHD2815D/883	1	DC-TO-DC CONVERTER, 12W, ± 5V OUTPUT	Interpoint Corp.	50821
5962-9555901HXC	MHD2815D/883	1	DC-TO-DC CONVERTER, 12W, ± 5V OUTPUT	Interpoint Corp.	50821
5962-9555901HZA	MHD2815DF/883	1	DC-TO-DC CONVERTER, 12W, ± 5V OUTPUT	Interpoint Corp.	50821
5962-9555901HZC	MHD2815DF/883	1	DC-TO-DC CONVERTER, 12W, ± 5V OUTPUT	Interpoint Corp.	50821
5962-9556001HXA	MHP27012S/883	1	DC-TO-DC CONVERTER, 12-VOLT	Interpoint Corp.	50821
5962-9556001HXC	MHP27012S/883	1	DC-TO-DC CONVERTER, 12-VOLT	Interpoint Corp.	50821
5962-9556101HXA	MHP27015S/883	1	DC-TO-DC CONVERTER, 15-VOLT	Interpoint Corp.	50821
5962-9556101HXC	MHP27015S/883	1	DC-TO-DC CONVERTER, 15-VOLT	Interpoint Corp.	50821

-105-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003911 406

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9556201HXA	MHP27028S/883	1	DC-TO-DC CONVERTER, 12-VOLT	Interpoint Corp.	50821
5962-9556201HXC	MHP27028S/883	1	DC-TO-DC CONVERTER, 12-VOLT	Interpoint Corp.	50821
5962-9556301HXA	MHP27012D/883	1	DC-TO-DC CONVERTER, 12-VOLT, DUAL	Interpoint Corp.	50821
5962-9556301HXC	MHP27012D/883	1	DC-TO-DC CONVERTER, 12-VOLT, DUAL	Interpoint Corp.	50821
5962-9556401HXA	MHP27015D/883	1	DC-TO-DC CONVERTER, 15-VOLT, DUAL	Interpoint Corp.	50821
5962-9556401HXC	MHP27015D/883	1	DC-TO-DC CONVERTER, 15-VOLT, DUAL	Interpoint Corp.	50821
5962-9559501HXA	WS-128K32-120G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559501HXC	WS-128K32-120G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559501HYA	WS-128K32-120G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559501HYC	WS-128K32-120G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559502HXA	WS-128K32-100G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559502HXC	WS-128K32-100G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559502HYA	WS-128K32-100G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559502HYC	WS-128K32-100G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559503HXA	WS-128K32-85G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559503HXC	WS-128K32-85G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559503HYA	WS-128K32-85G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559503HYC	WS-128K32-85G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559504HXA	WS-128K32-70G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559504HXC	WS-128K32-70G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559504HYA	WS-128K32-70G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559504HYC	WS-128K32-70G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559505HXA	WS-128K32-55G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559505HXC	WS-128K32-55G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559505HYA	WS-128K32-55G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559505HYC	WS-128K32-55G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559506HXA	WS-128K32-45G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559506HXC	WS-128K32-45G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559506HYA	WS-128K32-45G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559506HYC	WS-128K32-45G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559507HXA	WS-128K32-35G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559507HXC	WS-128K32-35G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559507HYA	WS-128K32-35G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559507HYC	WS-128K32-35G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559508HXA	WS-128K32-25G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559508HXC	WS-128K32-25G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559508HYA	WS-128K32-25G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559508HYC	WS-128K32-25G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230

-106-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003912 342

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9559509HXA	WS-128K32-20G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559509HXC	WS-128K32-20G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559509HYA	WS-128K32-20G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559509HYC	WS-128K32-20G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559510HXA	WS-128K32-17G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559510HXC	WS-128K32-17G4Q	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559510HYA	WS-128K32-17G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9559510HYC	WS-128K32-17G4TQ	1	STATIC RAM, 128K X 32-BIT	White Microelect.	54230
5962-9560101HXA	MHF+28512T/883	1	DC-TO-DC CONVERTER, +5 AND ±12 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9560101HXC	MHF+28512T/883	1	DC-TO-DC CONVERTER, +5 AND ±12 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9560101HZA	MHF+28512TF/883	1	DC-TO-DC CONVERTER, +5 AND ±12 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9560101HZC	MHF+28512TF/883	1	DC-TO-DC CONVERTER, +5 AND ±12 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9560201HXA	MHF+28515T/883	1	DC-TO-DC CONVERTER, +5 AND ±15 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9560201HXC	MHF+28515T/883	1	DC-TO-DC CONVERTER, +5 AND ±15 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9560201HZA	MHF+28515TF/883	1	DC-TO-DC CONVERTER, +5 AND ±15 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9560201HZC	MHF+28515TF/883	1	DC-TO-DC CONVERTER, +5 AND ±15 VOLT, TRIPLE CHANNEL	Interpoint Corp.	50821
5962-9560501HXA	RP-21002D0-140	1	POWER CONTROLLER, 28V, 2 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560501HXC	RP-21002D0-110	1	POWER CONTROLLER, 28V, 2 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560502HXA	RP-21005D0-140	1	POWER CONTROLLER, 28V, 5 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560502HXC	RP-21005D0-110	1	POWER CONTROLLER, 28V, 5 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560503HXA	RP-21007D0-140	1	POWER CONTROLLER, 28V, 7 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560503HXC	RP-21007D0-110	1	POWER CONTROLLER, 28V, 7 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560504HXA	RP-21010D0-140	1	POWER CONTROLLER, 28V, 10 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560504HXC	RP-21010D0-110	1	POWER CONTROLLER, 28V, 10 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560505HXA	RP-21015D0-140	1	POWER CONTROLLER, 28V, 15 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560505HXC	RP-21015D0-110	1	POWER CONTROLLER, 28V, 15 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560506HXA	RP-21020D0-140	1	POWER CONTROLLER, 28V, 20 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560506HXC	RP-21020D0-110	1	POWER CONTROLLER, 28V, 20 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560507HXA	RP-21025D0-140	1	POWER CONTROLLER, 28V, 25 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9560507HXC	RP-21025D0-110	1	POWER CONTROLLER, 28V, 25 AMP, SOLID STATE	ILC Data Device Corp	19645
5962-9561301HYA	WMS512K8-120CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9561301HYC	WMS512K8-120CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9561302HYA	WMS512K8-100CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9561302HYC	WMS512K8-100CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9561303HYA	WMS512K8-85CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9561303HYC	WMS512K8-85CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9561304HYA	WMS512K8-70CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230
5962-9561304HYC	WMS512K8-70CQ	1	STATIC RAM, 512K X 8	White Microelect.	54230

-107-
HYBRID MICROCIRCUITS
QML-38534-23

■ 999968 0003913 289 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
5962-9566801HXC	MSK 1259B		1	OP AMP	M.S Kennedy Corp.	51651
5962-9579901HXA	SP462TH/B		1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT, 25 μ s	Sipex Corporation	33256
5962-9579901HXC	SP462TH/B		1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT, 25 μ s	Sipex Corporation	33256
5962-9579902HXA	SP463TH/B		1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL-ENDED INPUT, 25 μ s	Sipex Corporation	33256
5962-9579902HXC	SP463TH/B		1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL-ENDED INPUT, 25 μ s	Sipex Corporation	33256
5962-9579903HXA	SP472TH/B		1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT, 15 μ s	Sipex Corporation	33256
5962-9579903HXC	SP472TH/B		1	DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT, 15 μ s	Sipex Corporation	33256
5962-9579904HXA	SP473TH/B		1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL-ENDED INPUT, 15 μ s	Sipex Corporation	33256
5962-9579904HXC	SP473TH/B		1	DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL-ENDED INPUT, 15 μ s	Sipex Corporation	33256
7801301GA	CTS0002XB		1	CURRENT AMPLIFIER	CTS Microelectronics	23223
7801301GC	CTS0002XB		1	CURRENT AMPLIFIER	CTS Microelectronics	23223
7801301XA	ELH0002H/883B		3	CURRENT AMPLIFIER	Elantec Incorporated	64762
7801301XA	CTS0002		1	CURRENT AMPLIFIER	CTS Microelectronics	23223
7801301XC	CTS0002		1	CURRENT AMPLIFIER	CTS Microelectronics	23223
7801301XC	ELH0002H/883B		3	CURRENT AMPLIFIER	Elantec Incorporated	64762
8001301ZA	ELH0032G/883B		1	OP AMP	Elantec Incorporated	64762
8001301ZA	CTS0032ZB		1	OP AMP	CTS Microelectronics	23223
8001301ZC	CTS0032ZB		1	OP AMP	CTS Microelectronics	23223
8001301ZC	ELH0032G/883B		1	OP AMP	Elantec Incorporated	64762
8001301ZC	MSK 0032B		1	OP AMP	M.S Kennedy Corp.	51651
8001401ZA	ELH0033G/883B		1	VOLT. FOLLOWER/BUFFER	Elantec Incorporated	64762
8001401ZC	ELH0033G/883B		1	VOLT. FOLLOWER/BUFFER	Elantec Incorporated	64762
8001401ZC	MSK 0033B		1	VOLT. FOLLOWER/BUFFER	M.S Kennedy Corp.	51651
8102801EA	6N134/883B		3	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
8102801EA	66013-001		1	OPTOCOUPLER, DUAL	Micropac Industries	31757
8102801EC	66013-001		1	OPTOCOUPLER, DUAL	Micropac Industries	31757
8102801EC	6N134/883B		3	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
8102801TA	6N134/883B#300		3	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
8102801UA	6N134/883B#100		3	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
8102801UC	6N134/883B#100		3	OPTOCOUPLER, DUAL	Hewlett-Packard Co.	50434
8102801XA	66072-001/883B		1	OPTOCOUPLER, DUAL	Micropac Industries	31757
8102801XC	66072-001/883B		1	OPTOCOUPLER, DUAL	Micropac Industries	31757
8102802PA	HCPL-5631		3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434

-108-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003914 115

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
8102802PA	66056-103	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
8102802PC	HCPL-5631	3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
8102802PC	66056-103	1	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
8102802YA	HCPL-5631#100	3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
8102802YC	HCPL-5631#100	3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
8102802ZA	HCPL-5631#300	3	OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
81028032A	HCPL-6631	3	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	Hewlett-Packard Co.	50434
81028032A	66123-001	1	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
81028032C	66123-001	1	OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	Micropac Industries	31757
8300201JA	DAC87	1	D/A CONVERTER, 12-BIT, RANGE-PROGRAMMABLE VOLTAGE OUTPUT	Analog Devices, Inc	34031
8300201JC	DAC87	1	D/A CONVERTER, 12-BIT, RANGE-PROGRAMMABLE VOLTAGE OUTPUT	Analog Devices, Inc	34031
8300201XC	ADDAC87	1	D/A CONVERTER, 12-BIT, RANGE-PROGRAMMABLE VOLTAGE OUTPUT	Analog Devices, Inc	34031
8300201XX		1	D/A CONVERTER, 12-BIT, RANGE-PROGRAMMABLE VOLTAGE OUTPUT	NO APPROVED SOURCE	XXXXX
8302401EA	6N140A/883B	3	OPTOCOUPLER, 4-CHANNEL	Hewlett-Packard Co.	50434
8302401EA	6N140/883B	1	OPTOCOUPLER, 4-CHANNEL	Micropac Industries	31757
8302401EC	6N140A/883B	3	OPTOCOUPLER, 4-CHANNEL	Hewlett-Packard Co.	50434
8302401EC	6N140/883B	1	OPTOCOUPLER, 4-CHANNEL	Micropac Industries	31757
8302401FC	HCPL-6751	1	OPTOCOUPLER, 4-CHANNEL	Hewlett-Packard Co.	50434
8302401XA	6N140A/883B	3	OPTOCOUPLER, 4-CHANNEL	Hewlett-Packard Co.	50434
8302401YA	6N140A/883B	3	OPTOCOUPLER, 4-CHANNEL	Hewlett-Packard Co.	50434
8302401YC	6N140A/883B	3	OPTOCOUPLER, 4-CHANNEL	Hewlett-Packard Co.	50434
8302401ZA	6N140A/883B#600	3	OPTOCOUPLER, 4-CHANNEL	Hewlett-Packard Co.	50434
8302401ZC	6N140A/883B#600	3	OPTOCOUPLER, 4-CHANNEL	Hewlett-Packard Co.	50434
85030013A	HC2700SLCC/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Hycomp, Incorporated	34707
8503001CA	HS2700SD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Sipex Corporation	33256
8503001CC	HS2700SD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Sipex Corporation	33256
8503001YA	HS2700SD	1	VOLT. REFERENCE, +10.000V, PRECISION	Sipex Corporation	33256
8503001YA	HC2700SD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Hycomp, Incorporated	34707
8503001YA	2700SD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Analog Devices, Inc	34031
8503001YC	2700SD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Analog Devices, Inc	34031
8503001YC	HS2700SD	1	VOLT. REFERENCE, +10.000V, PRECISION	Sipex Corporation	33256
85030023A	HC2700ULCC/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Hycomp, Incorporated	34707
8503002CA	HS2700UD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Sipex Corporation	33256

-109-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003915 051

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
8503002CC	HS2700UD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Sipex Corporation	33256
8503002YA	2700UD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Analog Devices, Inc	34031
8503002YA	HC2700UD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Hycomp, Incorporated	34707
8503002YA	HS2700UD	1	VOLT. REFERENCE, +10.000V, PRECISION	Sipex Corporation	33256
8503002YC	HS2700UD	1	VOLT. REFERENCE, +10.000V, PRECISION	Sipex Corporation	33256
8503002YC	2700UD/883B	1	VOLT. REFERENCE, +10.000V, PRECISION	Analog Devices, Inc	34031
85030033A	HC2702SLCC/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Hycomp, Incorporated	34707
8503003CA	HS2702SD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Sipex Corporation	33256
8503003CC	HS2702SD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Sipex Corporation	33256
8503003YA	HC2702SD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Hycomp, Incorporated	34707
8503003YA	2702SD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Analog Devices, Inc	34031
8503003YA	HS2702SD	1	VOLT. REFERENCE, ±10.000V, PRECISION	Sipex Corporation	33256
8503003YC	HS2702SD	1	VOLT. REFERENCE, ±10.000V, PRECISION	Sipex Corporation	33256
8503003YC	2702SD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Analog Devices, Inc	34031
85030043A	HC2702ULCC/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Hycomp, Incorporated	34707
8503004CA	HS2702UD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Sipex Corporation	33256
8503004CC	HS2702UD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Sipex Corporation	33256
8503004YA	HS2702UD	1	VOLT. REFERENCE, ±10.000V, PRECISION	Sipex Corporation	33256
8503004YA	HC2702UD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Hycomp, Incorporated	34707
8503004YA	2702UD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Analog Devices, Inc	34031
8503004YC	HS2702UD	1	VOLT. REFERENCE, ±10.000V, PRECISION	Sipex Corporation	33256
8503004YC	2702UD/883B	1	VOLT. REFERENCE, ±10.000V, PRECISION	Analog Devices, Inc	34031
85030053A	HC2701SLCC/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Hycomp, Incorporated	34707
8503005CA	HS2701SD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Sipex Corporation	33256
8503005CC	HS2701SD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Sipex Corporation	33256
8503005YA	HC2701SD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Hycomp, Incorporated	34707
8503005YA	2701SD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Analog Devices, Inc	34031
8503005YA	HS2701SD	1	VOLT. REFERENCE, -10.000V, PRECISION	Sipex Corporation	33256
8503005YC	HS2701SD	1	VOLT. REFERENCE, -10.000V, PRECISION	Sipex Corporation	33256
8503005YC	2701SD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Analog Devices, Inc	34031
85030063A	HC2701ULCC/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Hycomp, Incorporated	34707
8503006CA	HS2701UD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Sipex Corporation	33256
8503006CC	HS2701UD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Sipex Corporation	33256
8503006YA	HC2701UD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Hycomp, Incorporated	34707
8503006YA	2701UD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Analog Devices, Inc	34031
8503006YA	HS2701UD	1	VOLT. REFERENCE, -10.000V, PRECISION	Sipex Corporation	33256
8503006YC	HS2701UD	1	VOLT. REFERENCE, -10.000V, PRECISION	Sipex Corporation	33256
8503006YC	2701UD/883B	1	VOLT. REFERENCE, -10.000V, PRECISION	Analog Devices, Inc	34031

-110-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE I

96/01/12

STANDARDIZED MILITARY DRAWING	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	PRODUCT TYPE/ DESCRIPTION	SOURCE(S)	CAGE CODE
8508701ZA	ELH0041G/883B	1	OP AMP, POWER	Elantec Incorporated	64762
8508701ZA	CTS0041ZB	1	OP AMP, POWER	CTS Microelectronics	23223
8508701ZC	ELH0041G/883B	1	OP AMP, POWER	Elantec Incorporated	64762
8508701ZC	CTS0041ZB	1	OP AMP, POWER	CTS Microelectronics	23223
8508701ZC	MSK 0041B	1	OP AMP, POWER	M.S Kennedy Corp.	51651
8508801YA	CTS0021ZB	1	OP AMP, POWER	CTS Microelectronics	23223
8508801YA	ELH0021K/883B	1	OP AMP, POWER	Elantec Incorporated	64762
8508801YC	CTS0021ZB	1	OP AMP, POWER	CTS Microelectronics	23223
8508901YA	ELH0101AK/883B	1	OP AMP, POWER	Elantec Incorporated	64762
8508902YA	ELH0101AK/883B	1	OP AMP, POWER	Elantec Incorporated	64762

-111-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
A/D CONVERTER, 12-BIT	5962-9099501HXA	CLC925B8C		1	Comlinear Corp.	62839
A/D CONVERTER, 12-BIT	5962-9099501HXA	CLC925B8C		1	Comlinear Corp.	62839
A/D CONVERTER, 12-BIT	5962-9099501HXC	CLC925B8C		1	Comlinear Corp.	62839
A/D CONVERTER, 12-BIT	5962-9099501HXC	CLC925B8C		1	Comlinear Corp.	62839
A/D CONVERTER, 12-BIT	5962-9066601HXC	AD9005ATM/883B		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT	5962-9066601HXA	AD9005ATM/883B		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT	5962-8850801XC	ADC-HX/883B		1	Datel Incorporated	50721
A/D CONVERTER, 12-BIT	5962-8850802XA	MNADC87H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT	5962-8850802XC	ADC-HZ/883B		1	Datel Incorporated	50721
A/D CONVERTER, 12-BIT	5962-8850802XC	MNADC87H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, -10V TO +10V EXTERNAL REFERENCE	5962-8958306YC	MN5205H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, -10V TO +10V EXTERNAL REFERENCE	5962-8958306YA	MN5205H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, -10V TO +10V INTERNAL REFERENCE	5962-8958305YA	MN5202H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, -10V TO +10V INTERNAL REFERENCE	5962-8958305YC	MN5202H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, -5V TO +5V EXTERNAL REFERENCE	5962-8958304YC	MN5204H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, -5V TO +5V EXTERNAL REFERENCE	5962-8958304YA	MN5204H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, -5V TO +5V INTERNAL REFERENCE	5962-8958303YA	MN5201H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, -5V TO +5V INTERNAL REFERENCE	5962-8958303YC	MN5201H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0 TO +5V	5962-8959501XA	MN5245H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0 TO +5V	5962-8959501XC	MN5245H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0 TO +5V, WITH THREE-STATE OUTPUTS	5962-8959502XA	MN5245AH/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0 TO +5V, WITH THREE-STATE OUTPUTS	5962-8959502XC	MN5245AH/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0V TO -10V EXTERNAL REFERENCE	5962-8958302YA	MN5203H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0V TO -10V EXTERNAL REFERENCE	5962-8958302YC	MN5203H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0V TO -10V INTERNAL REFERENCE	5962-8958301YA	MN5200H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0V TO -10V INTERNAL REFERENCE	5962-8958301YC	MN5200H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0V TO 10V INTERNAL REFERENCE	5962-8958307YA	MN5206H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 0V TO 10V INTERNAL REFERENCE	5962-8958307YC	MN5206H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, 15 MSPS	5962-9203901HXC	CLC935B8C		1	Comlinear Corp.	62839
A/D CONVERTER, 12-BIT, 15 MSPS	5962-9203901HXA	CLC935B8C		1	Comlinear Corp.	62839
A/D CONVERTER, 12-BIT, HIGH-SPEED	5962-8865801XA	AD578X		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT, HIGH-SPEED	5962-8865801XC	AD578X		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT, HIGH-SPEED	5962-8865802XC	AD578T		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT, HIGH-SPEED	5962-8865802XA	AD578T		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT, HIGH-SPEED	5962-8865803XA	AD578ZSD		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT, HIGH-SPEED	5962-8865803XC	AD578ZSD		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT, HIGH-SPEED	5962-8865804XC	AD578ZTD		1	Analog Devices, Inc	34031

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
A/D CONVERTER, 12-BIT, HIGH-SPEED	5962-8865804XA	AD578ZTD		1	Analog Devices, Inc	34031
A/D CONVERTER, 12-BIT, HIGH-SPEED, -10V TO +10V EXTERNAL REFERENCE	5962-8958406YC	MN5215H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, -10V TO +10V EXTERNAL REFERENCE	5962-8958406YA	MN5215H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, -10V TO +10V INTERNAL REFERENCE	5962-8958405YA	MN5212H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, -10V TO +10V INTERNAL REFERENCE	5962-8958405YC	MN5212H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, -5V TO +5V EXTERNAL REFERENCE	5962-8958404YC	MN5214H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, -5V TO +5V EXTERNAL REFERENCE	5962-8958404YA	MN5214H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, -5V TO +5V INTERNAL REFERENCE	5962-8958403YC	MN5211H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, -5V TO +5V INTERNAL REFERENCE	5962-8958403YA	MN5211H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO -10V EXTERNAL REFERENCE	5962-8958402YC	MN5213H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO -10V EXTERNAL REFERENCE	5962-8958402YA	MN5213H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO -10V INTERNAL REFERENCE	5962-8958401YC	MN5210H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO -10V INTERNAL REFERENCE	5962-8958401YA	MN5210H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO 10V INTERNAL REFERENCE	5962-8958407YA	MN5216H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, HIGH-SPEED, 0V TO 10V INTERNAL REFERENCE	5962-8958407YC	MN5216H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, TRACK/HOLD	5962-8854201YA	ADC00302-112		1	ILC Data Device Corp	19645
A/D CONVERTER, 12-BIT, TRACK/HOLD	5962-8854201XA	ADC00300-112		1	ILC Data Device Corp	19645
A/D CONVERTER, 12-BIT, TRACK/HOLD	5962-8854201YC	ADC00302-112		1	ILC Data Device Corp	19645
A/D CONVERTER, 12-BIT, TRACK/HOLD	5962-8854201XC	ADC00300-112		1	ILC Data Device Corp	19645
A/D CONVERTER, 12-BIT, ±2.5V	5962-8959503XC	MN5246H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, ±2.5V	5962-8959503XA	MN5246H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, ±2.5V, WITH 3-STATE OUTPUTS	5962-8959504XC	MN5246AH/B		1	Micro Networks Co.	50507
A/D CONVERTER, 12-BIT, ±2.5V, WITH 3-STATE OUTPUTS	5962-8959504XA	MN5246AH/B		1	Micro Networks Co.	50507
A/D CONVERTER, 14-BIT	5962-9063101HXA	SP9588		1	Sipex Corporation	33256
A/D CONVERTER, 14-BIT	5962-9063101HXC	SP9588		1	Sipex Corporation	33256
A/D CONVERTER, 14-BIT, SAMPLING	5962-9319801HXC	ADS-944/883		1	Datel Incorporated	50721
A/D CONVERTER, 14-BIT, SAMPLING	5962-9319801HXA	ADS-944/883		1	Datel Incorporated	50721
A/D CONVERTER, 14-BIT, SAMPLING	5962-9319802HXC	ADS-30189		1	Datel Incorporated	50721
A/D CONVERTER, 14-BIT, SAMPLING	5962-9319802HXA	ADS-30189		1	Datel Incorporated	50721
A/D CONVERTER, 16-BIT	5962-8956901HXA	MN5295H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT	5962-8956901HXC	MN5295H/B		1	Micro Networks Co.	50507

-113-
HYBRID MICROCIRCUITS
QML-38534-23

■ 999968 0003919 7T7 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
A/D CONVERTER, 16-BIT RESOLUTION	5962-8956301HXC	MN5290H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT RESOLUTION	5962-8956301HXA	MN5290H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT RESOLUTION	5962-8956302HXA	MN5291H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT RESOLUTION	5962-8956302HXC	MN5291H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT SAMPLING	5962-9177001HXA	MN6400T/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT SAMPLING	5962-9177001HXC	MN6400T/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT SAMPLING	5962-9225301HXA	MN6450T/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT SAMPLING	5962-9225301HXC	MN6450T/B		1	Micro Networks Co.	50507
A/D CONVERTER, 16-BIT, SAMPLING, 400 HKZ	5962-9171201HXA	AD1385TD/883B		1	Analog Devices, Inc	34031
A/D CONVERTER, 16-BIT, SAMPLING, 400 HKZ	5962-9171201HXC	AD1385TD/883B		1	Analog Devices, Inc	34031
A/D CONVERTER, 16-BIT, ± 0.003 %FSR	5962-9079502HXC	HS9576T/B		1	Sipex Corporation	33256
A/D CONVERTER, 16-BIT, ± 0.003 %FSR	5962-9079502HXA	HS9576T/B		1	Sipex Corporation	33256
A/D CONVERTER, 16-BIT, ± 0.006 %FSR	5962-9079501HXA	HS9576S/B		1	Sipex Corporation	33256
A/D CONVERTER, 16-BIT, ± 0.006 %FSR	5962-9079501HXC	HS9576S/B		1	Sipex Corporation	33256
A/D CONVERTER, 8-BIT FLASH	5962-8877601XA	HS1068B		1	Sipex Corporation	33256
A/D CONVERTER, 8-BIT FLASH	5962-8877601XC	HS1068B		1	Sipex Corporation	33256
A/D CONVERTER, 8-BIT FLASH	5962-8997901XA	SP1078B		1	Sipex Corporation	33256
A/D CONVERTER, 8-BIT FLASH	5962-8997901XC	SP1078B		1	Sipex Corporation	33256
A/D CONVERTER, 8-BIT, 0 TO +10V INPUT RANGE	5962-9049704HXC	MN5143		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, 0 TO +10V INPUT RANGE	5962-9049704HXA	MN5143		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, 0 TO -10V INPUT RANGE	5962-9049701HXC	MN5140		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, 0 TO -10V INPUT RANGE	5962-9049701HXA	MN5140		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, 1.5 μ S	5962-9207301HXA	MN5100H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, 1.5 μ S	5962-9207301HXC	MN5100H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, 900 NS	5962-9207302HXC	MN5101H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, 900 NS	5962-9207302HXA	MN5101H/B		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, ± 10 V INPUT RANGE	5962-9049703HXA	MN5142		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, ± 10 V INPUT RANGE	5962-9049703HXC	MN5142		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, ± 5 V INPUT RANGE	5962-9049702HXA	MN5141		1	Micro Networks Co.	50507
A/D CONVERTER, 8-BIT, ± 5 V INPUT RANGE	5962-9049702HXC	MN5141		1	Micro Networks Co.	50507
AMPLIFIER, 16-BIT TRACK AND HOLD	5962-9063001HXA	SP9760B		1	Sipex Corporation	33256
AMPLIFIER, 16-BIT TRACK AND HOLD	5962-9063001HXC	SP9760B		1	Sipex Corporation	33256
AMPLIFIER, LOGARITHMIC, DC-COUPLED DEMODULATING, 120 MHZ	5962-9099501HXA	CLC92588C		1	Comlinear Corp.	62839
AMPLIFIER, LOGARITHMIC, DC-COUPLED DEMODULATING, 120 MHZ	5962-9099501HXC	CLC92588C		1	Comlinear Corp.	62839
ANALOG MULTIPLEXER	5962-9450601HXC	MX-826/883		1	Datel Incorporated	50721
BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	5962-9063601HXX			1	NO APPROVED SOURCE	XXXXX
BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	5962-9063601HYX			1	NO APPROVED SOURCE	XXXXX
BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	5962-9063603HXA	ARX2410		1	Aeroflex Lab. Inc.	88379

-114-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	5962-9063603HXC	ARX2410		1	Aeroflex Lab. Inc.	88379
BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	5962-9063604HXA	ARX3410		1	Aeroflex Lab. Inc.	88379
BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL	5962-9063604HXC	ARX3410		1	Aeroflex Lab. Inc.	88379
BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL, WITH HIGH DATA BUS DRIVER CAPABILITY	5962-9063602HXX			1	NO APPROVED SOURCE	XXXXX
BIT PROCESSOR, MIL-STD-1553 DATA TERMINAL, WITH HIGH DATA BUS DRIVER CAPABILITY	5962-9063602HYX			1	NO APPROVED SOURCE	XXXXX
BUFFER AMPLIFIER, FET-INPUT, CLOSED-LOOP, ±12V	5962-9090201HXC	MSK332B-12		1	M.S Kennedy Corp.	51651
BUFFER AMPLIFIER, FET-INPUT, CLOSED-LOOP, ±15V	5962-9090202HXC	MSK332B-15		1	M.S Kennedy Corp.	51651
BUFFER, FET	5962-8965901XC	EL2004G/883B		1	Elantec Incorporated	64762
BUFFER, FET	5962-8965901XA	EL2004G/883B		1	Elantec Incorporated	64762
BUFFER, FET	5962-8965901YX			1	NO APPROVED SOURCE	XXXXX
BUS CONTROLLER, DUAL REDUNDANT, RTU	5962-8858501YA	CT2565-FP		1	Aeroflex Lab. Inc.	88379
BUS CONTROLLER, DUAL REDUNDANT, RTU	5962-8858501XC	CT2565		1	Aeroflex Lab. Inc.	88379
BUS CONTROLLER, DUAL REDUNDANT, RTU	5962-8858501XA	CT2565		1	Aeroflex Lab. Inc.	88379
BUS CONTROLLER, DUAL REDUNDANT, RTU	5962-8858501YC	CT2565-FP		1	Aeroflex Lab. Inc.	88379
BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	5962-9216201HXC	BUS65153-883B		1	ILC Data Device Corp	19645
BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	5962-9216201HYA	BUS65163-140		1	ILC Data Device Corp	19645
BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	5962-9216201HYC	BUS65163-883B		1	ILC Data Device Corp	19645
BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	5962-9216201HXA	BUS65153-140		1	ILC Data Device Corp	19645
BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	5962-9216202HYC	BUS65164-883B		1	ILC Data Device Corp	19645
BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	5962-9216202HXA	BUS65154-140		1	ILC Data Device Corp	19645
BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	5962-9216202HXC	BUS65154-883B		1	ILC Data Device Corp	19645
BUS INTERFACE UNIT, REMOTE TERMINAL, DUAL REDUNDANT	5962-9216202HYA	BUS65164-140		1	ILC Data Device Corp	19645
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757902XC	BUS63125II		1	ILC Data Device Corp	19645
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757902XC	BUS63125II		1	DDC Ireland LTD.	S7631
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757902XA	BUS63125II		1	DDC Ireland LTD.	S7631
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757902XA	BUS63125II		1	ILC Data Device Corp	19645
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757902YC	BUS63126II		1	DDC Ireland LTD.	S7631
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757902YC	BUS63126II		1	ILC Data Device Corp	19645
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757903XA	ARX2411		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757903YC	ARX2411FP		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757903XC	ARX2411		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757903YA	ARX2411FP		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757904UC	ARX3411		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757904UA	ARX3411		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757904XA	ARX3411		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757904ZA	ARX3411FP		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757904YA	ARX3411FP		1	Aeroflex Lab. Inc.	88379

-115-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003921 355

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757904ZC	ARX3411FP	1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757904XC	ARX3411	1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757904YC	ARX3411FP	1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757905YA	NHI-1500FP	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757905YC	NHI-1500FP	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757905XA	NHI-1500	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757905XC	NHI-1500	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757906XC	FC1553623	1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757906YA	FC1553623FP	1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757906YC	FC1553623FP	1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757906XA	FC1553623	1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757907XX		1	NO APPROVED SOURCE	XXXXX
BUS TRANSCEIVER, DUAL CHANNEL, LOW-POWER	5962-8757907YX		1	NO APPROVED SOURCE	XXXXX
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952203YA	NHI-1529FP	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952203YC	NHI-1529FP	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952203XA	NHI-1529	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952203XC	NHI-1529	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952204XC	NHI-1559/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952204YC	NHI-1559FP/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952204XA	NHI-1559/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952204YA	NHI-1559FP/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952205UX		1	NO APPROVED SOURCE	XXXXX
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952205ZX		1	NO APPROVED SOURCE	XXXXX
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952201YA	NHI-1559FP/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952201XC	NHI-1559/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952201XA	NHI-1559/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952201YC	NHI-1559FP/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952202YC	NHI-1529FP/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952202YC	ARX-2453FP	1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952202XC	ARX-2453	1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952202YA	NHI-1529FP/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952202XA	NHI-1529/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952202XC	NHI-1529/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952202YA	ARX-2453FP	1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952202XA	ARX-2453	1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952209YA	NHI-1529/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952209YC	NHI-1529/883	1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952209XA	NHI-1529/883	1	National Hybrid, Inc	57363

-116-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003922 291

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952209XC	NHI-1529/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952210XA	NHI-1559/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952210YC	NHI-1559/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952210XC	NHI-1559/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952210YA	NHI-1559/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952206XA	NHI-1529/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952206XC	FC1553921		1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952206XC	NHI-1529/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952206YC	NHI-1529FP/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952206YA	NHI-1529FP/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952206YC	FC1553921FP		1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952206YA	FC1553921FP		1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952206XA	FC1553921		1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952207XA	FC1553923		1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952207YC	FC1553923		1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952207YA	FC1553923		1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952207XC	NHI-1559/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952207XA	NHI-1559/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952207YA	NHI-1559FP/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952207XC	FC1553923		1	C-MAC Microcircuits	U4388
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952207YC	NHI-1559FP/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952208XA	ARX-3453		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952208YA	ARX-3453FP		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952208XC	ARX-3453		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952208YC	ARX-3453FP		1	Aeroflex Lab. Inc.	88379
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952208XC	NHI-1529/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952208YC	NHI-1529/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952208YA	NHI-1529/883		1	National Hybrid, Inc	57363
BUS TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V	5962-8952208XA	NHI-1529/883		1	National Hybrid, Inc	57363
CURRENT AMPLIFIER	7801301GC	CTS0002XB		1	CTS Microelectronics	23223
CURRENT AMPLIFIER	7801301XC	CTS0002		1	CTS Microelectronics	23223
CURRENT AMPLIFIER	7801301XC	ELH0002H/883B		3	Elantec Incorporated	64762
CURRENT AMPLIFIER	7801301GA	CTS0002XB		1	CTS Microelectronics	23223
CURRENT AMPLIFIER	7801301XA	ELH0002H/883B		3	Elantec Incorporated	64762
CURRENT AMPLIFIER	7801301XA	CTS0002		1	CTS Microelectronics	23223
D/A CONVERTER, 12-BIT	5962-9063401HXC	ADH030-II12-1		1	ILC Data Device Corp	19645
D/A CONVERTER, 12-BIT	5962-9063401HXA	ADH030-II12-1		1	ILC Data Device Corp	19645
D/A CONVERTER, 12-BIT, BINARY INPUT CODE	5962-8952801XC	DAC HKB/883B		1	DateI Incorporated	50721

-117-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
D/A CONVERTER, 12-BIT, RANGE-PROGRAMMABLE VOLTAGE OUTPUT	8300201JA	DAC87		1	Analog Devices, Inc	34031
D/A CONVERTER, 12-BIT, RANGE-PROGRAMMABLE VOLTAGE OUTPUT	8300201JC	DAC87		1	Analog Devices, Inc	34031
D/A CONVERTER, 12-BIT, RANGE-PROGRAMMABLE VOLTAGE OUTPUT	8300201XX			1	NO APPROVED SOURCE	XXXXX
D/A CONVERTER, 12-BIT, RANGE-PROGRAMMABLE VOLTAGE OUTPUT	8300201XC	ADDAC87		1	Analog Devices, Inc	34031
D/A CONVERTER, 12-BIT, TWO'S COMPLEMENT	5962-8952802XC	DAC HKB-2/883B		1	Datel Incorporated	50721
D/A CONVERTER, 12-BIT, ULTRA HIGH SPEED	5962-9097801HXC	HDS1250ATM/883B		1	Analog Devices, Inc	34031
D/A CONVERTER, 12-BIT, WITH INPUT REGISTER	5962-9057001HXC	MN3860H/B		1	Micro Networks Co.	50507
D/A CONVERTER, 12-BIT, WITH INPUT REGISTER	5962-9057001HXA	MN3860H/B		1	Micro Networks Co.	50507
D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.006\%$ FSR	5962-8851702YC	DAC02311-113		1	ILC Data Device Corp	19645
D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.006\%$ FSR	5962-8851702XA	DAC02310-113		1	ILC Data Device Corp	19645
D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.006\%$ FSR	5962-8851702YA	DAC02311-113		1	ILC Data Device Corp	19645
D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.006\%$ FSR	5962-8851702XC	DAC02310-113		1	ILC Data Device Corp	19645
D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.012\%$ FSR	5962-8851701YA	DAC02311-112		1	ILC Data Device Corp	19645
D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.012\%$ FSR	5962-8851701XA	DAC02310-112		1	ILC Data Device Corp	19645
D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.012\%$ FSR	5962-8851701YC	DAC02311-112		1	ILC Data Device Corp	19645
D/A CONVERTER, 14-BIT, DEGLITCHED, $\pm 0.012\%$ FSR	5962-8851701XC	DAC02310-112		1	ILC Data Device Corp	19645
D/A CONVERTER, 16-BIT, 0 TO +10V AND $\pm 5V$ OUTPUT	5962-8953101HXC	DAC HPB/883B		1	Datel Incorporated	50721
D/A CONVERTER, 16-BIT, 0 TO +10V OUTPUT	5962-8953103HYA	MN3290T/B-V		1	Micro Networks Co.	50507
D/A CONVERTER, 16-BIT, 0 TO +10V OUTPUT	5962-8953103HYC	MN3290T/B-V		1	Micro Networks Co.	50507
D/A CONVERTER, 16-BIT, 15-BIT LINEARITY	5962-8986202XC	HS9378S/B		1	Sipex Corporation	33256
D/A CONVERTER, 16-BIT, 16-BIT LINEARITY	5962-8986201XC	HS9378T/S		1	Sipex Corporation	33256
D/A CONVERTER, 16-BIT, $\pm 10V$ OUTPUT	5962-8953102HXC	DAC HPB-1/883B		1	Datel Incorporated	50721
D/A CONVERTER, 16-BIT, $\pm 10V$ OUTPUT	5962-8953102HYA	MN3292T/B-V		1	Micro Networks Co.	50507
D/A CONVERTER, 16-BIT, $\pm 10V$ OUTPUT	5962-8953102HYC	MN3292T/B-V		1	Micro Networks Co.	50507
D/A CONVERTER, 16-BIT, $\pm 5V$ OUTPUT	5962-8953104HYA	MN3291T/B-V		1	Micro Networks Co.	50507
D/A CONVERTER, 16-BIT, $\pm 5V$ OUTPUT	5962-8953104HYC	MN3291T/B-V		1	Micro Networks Co.	50507
D/A CONVERTER, 8-BIT, -2V TO +2V OUTPUT	5962-8768802YX			1	NO APPROVED SOURCE	XXXXX
D/A CONVERTER, 8-BIT, -2V TO +2V OUTPUT	5962-8768802XC	MN3009H/B		1	Micro Networks Co.	50507
D/A CONVERTER, 8-BIT, -2V TO +2V OUTPUT	5962-8768802XA	MN3009H/B		1	Micro Networks Co.	50507
D/A CONVERTER, 8-BIT, 0V TO +4V OUTPUT	5962-8768801XA	MN3008H/B		1	Micro Networks Co.	50507
D/A CONVERTER, 8-BIT, 0V TO +4V OUTPUT	5962-8768801YX			1	NO APPROVED SOURCE	XXXXX
D/A CONVERTER, 8-BIT, 0V TO +4V OUTPUT	5962-8768801XC	MN3008H/B		1	Micro Networks Co.	50507
D/A CONVERTER, 8-BIT, TRIPLE, COLOR-MAPPED VIDEO	5962-8950901XA	RGBDAC3808H/B		1	Lambda Adv. Analog	52467
D/A CONVERTER, 8-BIT, WITH INPUT REGISTER	5962-8971801XC	HS3020B		1	Sipex Corporation	33256
D/A CONVERTER, 8-BIT, WITH INPUT REGISTER	5962-8971801XC	MN3020H/B		1	Micro Networks Co.	50507
D/A CONVERTER, 8-BIT, WITH INPUT REGISTER	5962-8971801XA	HS3020B		1	Sipex Corporation	33256
D/A CONVERTER, 8-BIT, WITH INPUT REGISTER	5962-8971801XA	MN3020H/B		1	Micro Networks Co.	50507
D/A CONVERTER, QUAD 12-BIT	5962-8862901XA	HS9342B		1	Sipex Corporation	33256

-118-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003924 064

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
D/A CONVERTER, QUAD 12-BIT	5962-8862901XC	HS9342B		1	Sipex Corporation	33256
D/A CONVERTER, QUAD 12-BIT	5962-8851001XA	AD394S		1	Analog Devices, Inc	34031
D/A CONVERTER, QUAD 12-BIT	5962-8851001XC	AD394S		1	Analog Devices, Inc	34031
D/A CONVERTER, QUAD 12-BIT	5962-8851002XC	AD394T		1	Analog Devices, Inc	34031
D/A CONVERTER, QUAD 12-BIT	5962-8851002XA	AD394T		1	Analog Devices, Inc	34031
D/A CONVERTER, QUAD 12-BIT	5962-8851003XX			1	NO APPROVED SOURCE	XXXXX
D/A CONVERTER, QUAD 12-BIT	5962-8851004XX			1	NO APPROVED SOURCE	XXXXX
D/A CONVERTER, QUAD 12-BIT	5962-8850901XA	AD390S		1	Analog Devices, Inc	34031
D/A CONVERTER, QUAD 12-BIT	5962-8850901XC	AD390S		1	Analog Devices, Inc	34031
D/A CONVERTER, QUAD 12-BIT	5962-8850902XA	AD390T		1	Analog Devices, Inc	34031
D/A CONVERTER, QUAD 12-BIT	5962-8850902XC	AD390T		1	Analog Devices, Inc	34031
D/S CONVERTER, 16-BIT, 7 VOLT-AMP OUTPUT DRIVE, $\pm$ 2 MIN ACCURACY	5962-9076002HXC	DSC-10510-114		1	ILC Data Device Corp	19645
D/S CONVERTER, 16-BIT, 7 VOLT-AMP OUTPUT DRIVE, $\pm$ 2 MIN ACCURACY	5962-9076002HXA	DSC-10510-144		1	ILC Data Device Corp	19645
D/S CONVERTER, 16-BIT, 7 VOLT-AMP OUTPUT DRIVE, $\pm$ 4 MIN ACCURACY	5962-9076001HXC	DSC-10510-113		1	ILC Data Device Corp	19645
D/S CONVERTER, 16-BIT, 7 VOLT-AMP OUTPUT DRIVE, $\pm$ 4 MIN ACCURACY	5962-9076001HXA	DSC-10510-143		1	ILC Data Device Corp	19645
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	5962-8851404XC	HS9403B-16-1		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	5962-8851404XC	HDAS-16/883		1	Datel Incorporated	50721
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	5962-8851404XA	HS9403B-16-1		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	5962-8851402XA	HS9403B-16		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT	5962-8851402XC	HS9403B-16		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT, 15 μ s	5962-9579903HXA	SP472TH/B		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT, 15 μ s	5962-9579903HXC	SP472TH/B		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT, 25 μ s	5962-9579901HXA	SP462TH/B		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 16-CHANNEL SINGLE-ENDED INPUT, 25 μ s	5962-9579901HXC	SP462TH/B		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL	5962-9079701HXA	MN7140H/B		1	Micro Networks Co.	50507
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL	5962-9079701HXC	MN7140H/B		1	Micro Networks Co.	50507
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	5962-8851403XC	HDAS-8/883		1	Datel Incorporated	50721
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	5962-8851403XA	HS9403B-8-1		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	5962-8851403XC	HS9403B-8-1		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL	5962-8851401XA	HS9403B-8		1	Sipex Corporation	33256

-119-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
INPUT						
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL INPUT	5962-8851401XC	HS9403B-8		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL-ENDED INPUT, 15 μ s	5962-9579904HXA	SP473TH/B		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL-ENDED INPUT, 15 μ s	5962-9579904HXC	SP473TH/B		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL-ENDED INPUT, 25 μ s	5962-9579902HXA	SP463TH/B		1	Sipex Corporation	33256
DATA ACQUISITION SYSTEM, 12-BIT, 8-CHANNEL DIFFERENTIAL-ENDED INPUT, 25 μ s	5962-9579902HXC	SP463TH/B		1	Sipex Corporation	33256
DC-TO-DC CONVERTER, +5 AND $\pm$ 12 VOLT, TRIPLE CHANNEL	5962-9307301HXC	MTR2812D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 12 VOLT, TRIPLE CHANNEL	5962-9307301HZA	MTR2812DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 12 VOLT, TRIPLE CHANNEL	5962-9307301HXA	MTR2812D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 12 VOLT, TRIPLE CHANNEL	5962-9307301HZC	MTR2812DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 12 VOLT, TRIPLE CHANNEL	5962-9560101HZA	MHF+28512TF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 12 VOLT, TRIPLE CHANNEL	5962-9560101HZC	MHF+28512TF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 12 VOLT, TRIPLE CHANNEL	5962-9560101HXC	MHF+28512T/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 12 VOLT, TRIPLE CHANNEL	5962-9560101HXA	MHF+28512T/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 15 VOLT, TRIPLE CHANNEL	5962-9307401HZC	MTR2815DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 15 VOLT, TRIPLE CHANNEL	5962-9307401HXC	MTR2815D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 15 VOLT, TRIPLE CHANNEL	5962-9307401HZA	MTR2815DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 15 VOLT, TRIPLE CHANNEL	5962-9307401HXA	MTR2815D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 15 VOLT, TRIPLE CHANNEL	5962-9560201HXC	MHF+28515T/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 15 VOLT, TRIPLE CHANNEL	5962-9560201HXA	MHF+28515T/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 15 VOLT, TRIPLE CHANNEL	5962-9560201HZA	MHF+28515TF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, +5 AND $\pm$ 15 VOLT, TRIPLE CHANNEL	5962-9560201HZC	MHF+28515TF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12 V	5962-9465601HZA	MHD2812SF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12 V	5962-9465601HXC	MHD2812S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12 V	5962-9465601HZC	MHD2812SF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12 V	5962-9465601HXA	MHD2812S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12 V, DUAL CHANNEL	5962-9466001HXC	MHD2812D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12 V, DUAL CHANNEL	5962-9466001HZA	MHD2812DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12 V, DUAL CHANNEL	5962-9466001HZC	MHD2812DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12 V, DUAL CHANNEL	5962-9466001HXA	MHD2812D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12-VOLT	5962-9556001HXC	MHP27012S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12-VOLT	5962-9556001HXA	MHP27012S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12-VOLT	5962-9556201HXA	MHP27028S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12-VOLT	5962-9556201HXC	MHP27028S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12-VOLT, DUAL	5962-9556301HXA	MHP27012D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12-VOLT, DUAL	5962-9556301HXC	MHP27012D/883		1	Interpoint Corp.	50821

-120-
HYBRID MICROCIRCUITS
QML-38534-23

■ 9999968 0003926 937 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DC-TO-DC CONVERTER, 12W, ± 5V OUTPUT	5962-9555901HZC	MHD2815DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12W, ± 5V OUTPUT	5962-9555901HXA	MHD2815D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12W, ± 5V OUTPUT	5962-9555901HXC	MHD2815D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 12W, ± 5V OUTPUT	5962-9555901HZA	MHD2815DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 15 V	5962-9465701HXC	MHD2815S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 15 V	5962-9465701HZC	MHD2815SF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 15 V	5962-9465701HZA	MHD2815SF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 15 V	5962-9465701HXA	MHD2815S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 15-VOLT	5962-9556101HXC	MHP27015S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 15-VOLT	5962-9556101HXA	MHP27015S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 15-VOLT, DUAL	5962-9556401HXA	MHP27015D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 15-VOLT, DUAL	5962-9556401HXC	MHP27015D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 18 V	5962-9465801HXA	MHD2818S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 18 V	5962-9465801HZA	MHD2818SF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 18 V	5962-9465801HXC	MHD2818S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 18 V	5962-9465801HZC	MHD2818SF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5 V	5962-9465501HXA	MHD2805S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5 V	5962-9465501HXC	MHD2805S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5 V	5962-9465501HZA	MHD2805SF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5 V	5962-9465501HZC	MHD2805SF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5 V, DUAL CHANNEL	5962-9465901HZC	MHD2805DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5 V, DUAL CHANNEL	5962-9465901HXA	MHD2805D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5 V, DUAL CHANNEL	5962-9465901HZA	MHD2805DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5 V, DUAL CHANNEL	5962-9465901HXC	MHD2805D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5-VOLT	5962-9477201HXC	MHP27005S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5-VOLT	5962-9477201HXA	MHP27005S/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, 5-VOLT, SINGLE CHANNEL	5962-9462901HXA	ASA2805S/CH		1	Lambda Adv. Analog	52467
DC-TO-DC CONVERTER, DUAL, 15 VOLT	5962-9466101HXA	MHD2815D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, DUAL, 15 VOLT	5962-9466101HXC	MHD2815D/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, DUAL, 15 VOLT	5962-9466101HZC	MHD2815DF/883		1	Interpoint Corp.	50821
DC-TO-DC CONVERTER, DUAL, 15 VOLT	5962-9466101HZA	MHD2815DF/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 12W, 12V OUTPUT	5962-9456801HXA	AHF2812S/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 12W, 12V OUTPUT	5962-9456801HZA	AHF2812SF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 12W, 5V OUTPUT	5962-9213901HXC	MHF-2805S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 12W, 5V OUTPUT	5962-9213901HZC	MHF-2805S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 12W, 5V OUTPUT	5962-9213901HZA	MHF-2805S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 12W, 5V OUTPUT	5962-9213901HXA	MHF-2805S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 12W, 5V OUTPUT	5962-9160001HZA	AHF2805SF/CH		1	Lambda Adv. Analog	52467

-121-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DC/DC CONVERTER, 12W, 5V OUTPUT	5962-9160001HXA	AHF2805S/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 12W, ±12V OUTPUT	5962-9211101HZA	AHV2812DF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 12W, ±12V OUTPUT	5962-9211101HXA	AHF2812D/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 12W, ±15V OUTPUT	5962-9235101HZA	AHF2815DF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 12W, ±15V OUTPUT	5962-9235101HXA	AHF2815D/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, +5V AND ±15V TRIPLE OUTPUT	5962-9095401HXA	AT02815T/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, +5V AND ±15V TRIPLE OUTPUT	5962-9095401HZA	AT02815TF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, +5V, ±12V TRIPLE OUTPUT	5962-9211501HZA	AHV2812TF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, +5V, ±12V, TRIPLE OUTPUT	5962-9160201HXA	AT02812T/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, +5V, ±12V, TRIPLE OUTPUT	5962-9160201HZA	AT02812TF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, +5V, ±15V TRIPLE OUTPUT	5962-9211601HZA	AHV2815T/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, 12V OUTPUT	5962-9166401HXC	MHF-2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, 12V OUTPUT	5962-9166401HXC	MHF-2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, 12V OUTPUT	5962-9166401HZA	MHF-2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, 12V OUTPUT	5962-9166401HXA	MHF-2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, 12V OUTPUT	5962-9211201HZA	AHV2812SF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, 5V OUTPUT	5962-9177301HZA	AHV2805SF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, SINGLE CHANNEL	5962-9160101HXC	MHF-2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, SINGLE CHANNEL	5962-9160101HXA	MHF-2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, SINGLE CHANNEL	5962-9160101HXC	MHF-2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, SINGLE CHANNEL	5962-9160101HZA	MHF-2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, ±12V OUTPUT	5962-9214401HXC	MHF-2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, ±12V OUTPUT	5962-9214401HXC	MHF-2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, ±12V OUTPUT	5962-9214401HXA	MHF-2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, ±12V OUTPUT	5962-9214401HZA	MHF-2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	5962-9204001HZA	AHE2812DF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	5962-9204001HXA	AHE2812D/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	5962-9204002HXA	AHE2812D/CHSLV		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	5962-9204002HZA	AHE2812DFCHSLV		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	5962-9204003HZA	AHE2812DFCHMST		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±12V, DUAL OUTPUT	5962-9204003HXA	AHE2812DCHMSTR		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	5962-9157501HXA	AHE2815D/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	5962-9157501HZA	AHE2815DF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	5962-9157502HXA	AHE2815D/CHSLV		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	5962-9157502HZA	AHE2815DFCHSLV		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	5962-9157503HZA	AHE2815DFCHMST		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±15V DUAL OUTPUT	5962-9157503HXA	AHE2815DCHMSTR		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 15W, ±15V OUTPUT	5962-9161401HZA	MHF-2815D/883		1	Interpoint Corp.	50821

-122-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003928 70T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DC/DC CONVERTER, 15W, ±15V OUTPUT	5962-9161401HXC	MHF-2815D/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, ±15V OUTPUT	5962-9161401HZC	MHF-2815D/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 15W, ±15V OUTPUT	5962-9161401HXA	MHF-2815D/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 20W, 12V OUTPUT	5962-9158001HXA	AHE2812S/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 12V OUTPUT	5962-9158001HZA	AHE2812SF/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 12V OUTPUT	5962-9158002HZA	AHE2812SFCHSLV	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 12V OUTPUT	5962-9158002HXA	AHE2812S/CHSLV	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 12V OUTPUT	5962-9158003HZA	AHE2812SFCHMST	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 12V OUTPUT	5962-9158003HXA	AHE2812SCHMSTR	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 15V OUTPUT	5962-9162501HZA	AHE2815SF/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 15V OUTPUT	5962-9162501HXA	AHE2815S/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 15V OUTPUT	5962-9162502HXA	AHE2815S/CHSLV	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 15V OUTPUT	5962-9162502HZA	AHE2815SF/CHSL	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 15V OUTPUT	5962-9162503HZA	AHE2815SFCHMS	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 20W, 15V OUTPUT	5962-9162503HXA	AHE2815SCHMST	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 25W, 5V OUTPUT	5962-9306801HXC	MTR2805S/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 25W, 5V OUTPUT	5962-9306801HXA	MTR2805S/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 25W, 5V OUTPUT	5962-9306801HZC	MTR2805SF/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 25W, 5V OUTPUT	5962-9306801HZA	MTR2805SF/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 25W, ±5V OUTPUT	5962-9320501HZA	MTR2805DF/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 25W, ±5V OUTPUT	5962-9320501HZC	MTR2805DF/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 25W, ±5V OUTPUT	5962-9320501HXC	MTR2805D/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 25W, ±5V OUTPUT	5962-9320501HXA	MTR2805D/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, +/-12V OUTPUT, DUAL CHANNEL	5962-9462701HXA	ATR2812D/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, +/-12V OUTPUT, DUAL CHANNEL	5962-9462701HZA	ATR2812DF/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, +/-15V OUTPUT, DUAL CHANNEL	5962-9462801HXA	ATR2815D/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, +/-15V OUTPUT, DUAL CHANNEL	5962-9462801HZA	ATR2815DF/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, +5V, ±12V TRIPLE OUTPUT	5962-9315801HZA	ATR2812TF/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, +5V, ±15V TRIPLE OUTPUT	5962-9215901HZA	ATR2815TF/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 12 V OUTPUT	5962-9462501HXA	ATR2812S/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 12 V OUTPUT	5962-9462501HZA	ATR2812SF/CH	1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 12V OUTPUT	5962-9306901HZC	MTR2812SF/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 12V OUTPUT	5962-9306901HXA	MTR2812S/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 12V OUTPUT	5962-9306901HXC	MTR2812S/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 12V OUTPUT	5962-9306901HZA	MTR2812SF/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 15V OUTPUT	5962-9307001HXA	MTR2815S/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 15V OUTPUT	5962-9307001HXC	MTR2815S/883	1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 15V OUTPUT	5962-9307001HZA	MTR2815SF/883	1	Interpoint Corp.	50821

-123-
HYBRID MICROCIRCUITS
QML-38534-23

■ 999968 0003929 646 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DC/DC CONVERTER, 30W, 15V OUTPUT	5962-9307001HZC	MTR2815SF/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 15V OUTPUT	5962-9462601HZA	ATR2815SF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 15V OUTPUT	5962-9462601HXA	ATR2815S/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 18V OUTPUT	5962-9320201HXA	MTR2818S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 18V OUTPUT	5962-9320201HZA	MTR2818SF/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 18V OUTPUT	5962-9320201HXC	MTR2818S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 18V OUTPUT	5962-9320201HZC	MTR2818SF/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, 5V OUTPUT	5962-9462401HXA	ATR2805S/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 5V OUTPUT	5962-9462401HZA	ATR2805SF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 5V OUTPUT	5962-9157901HZA	7870-01		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 5V OUTPUT	5962-9157902HZA	7870-02		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, 5V OUTPUT	5962-9157903HZA	7870-03		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, ±12V	5962-9210901HZA	ATW2812D/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, ±12V	5962-9210902HZA	ATW2812D/CHSLV		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, ±12V	5962-9210903HZA	ATW2812CHMSTR		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, ±12V OUTPUT	5962-9307101HXC	MTR2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, ±12V OUTPUT	5962-9307101HZA	MTR2812DF/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, ±12V OUTPUT	5962-9307101HZC	MTR2812DF/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, ±12V OUTPUT	5962-9307101HXA	MTR2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, ±15V OUTPUT	5962-9307201HXC	MTR2815D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, ±15V OUTPUT	5962-9307201HZC	MTR2815DF/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, ±15V OUTPUT	5962-9307201HZA	MTR2815DF/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, ±15V OUTPUT	5962-9307201HXA	MTR2815D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 30W, ±15V OUTPUT	5962-9161301HZA	ATW2815D/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, ±15V OUTPUT	5962-9161302HZA	ATW2815D/CHSLV		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 30W, ±15V OUTPUT	5962-9161303HZA	ATW2815DCHMSTR		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	5962-8968301HZA	AHE2805SF/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	5962-8968301HXA	AHE2805S/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	5962-8968302HZA	AHE2805SFCHSLV		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	5962-8968302HXA	AHE2805S/CHSLV		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	5962-8968303HXA	AHE2805S/CHMST		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 5-VOLT, SINGLE CHANNEL	5962-8968303HZA	AHE2805SFCHMST		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, 50W, 5V OUTPUT	5962-9316301HXA	MFL2805S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 50W, 5V OUTPUT	5962-9316301HXC	MFL2805S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 50W, 5V OUTPUT	5962-9319101HXA	MFL2805D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 50W, 5V OUTPUT	5962-9319101HXC	MFL2805D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 5W, +15V OUTPUT	5962-9309401HXA	MSA2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 5W, +15V OUTPUT	5962-9309401HXC	MSA2815S/883		1	Interpoint Corp.	50821

-124-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003930 368

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DC/DC CONVERTER, 5W, ±15V OUTPUT	5962-9309001HXC	MSA2815D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 5W, ±15V OUTPUT	5962-9309001HXA	MSA2815D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 60W, 12V OUTPUT	5962-9316201HXA	MFL2812S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 60W, 12V OUTPUT	5962-9316201HXC	MFL2812S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 65W, 15V OUTPUT	5962-9316101HXA	MFL2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, 65W, 15V OUTPUT	5962-9316101HXC	MFL2815S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, DUAL CHANNEL, 5W, ±12V OUTPUT	5962-9308901HXA	MSA2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, DUAL CHANNEL, 5W, ±12V OUTPUT	5962-9308901HXC	MSA2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, DUAL-CHANNEL, 60W, 12V OUTPUT	5962-9319201HXA	MFL2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, DUAL-CHANNEL, 60W, 12V OUTPUT	5962-9319201HXC	MFL2812D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, DUAL-CHANNEL, 65W, 15V OUTPUT	5962-9319301HXA	MFL2815D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, DUAL-CHANNEL, 65W, 15V OUTPUT	5962-9319301HXC	MFL2815D/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, SINGLE CHANNEL, 5W, +12V OUTPUT	5962-9309301HXC	MSA2812S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, SINGLE CHANNEL, 5W, +12V OUTPUT	5962-9309301HXA	MSA2812S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, SINGLE CHANNEL, 5W, +5V OUTPUT	5962-9309201HXA	MSA2805S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, SINGLE CHANNEL, 5W, +5V OUTPUT	5962-9309201HXC	MSA2805S/883		1	Interpoint Corp.	50821
DC/DC CONVERTER, SINGLE-CHANNEL, 12W, 15V OUTPUT	5962-9456301HXA	AHF2815S/CH		1	Lambda Adv. Analog	52467
DC/DC CONVERTER, SINGLE-CHANNEL, 12W, 15V OUTPUT	5962-9456301HZA	AHF2815SF/CH		1	Lambda Adv. Analog	52467
DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	5962-9464601HXA	HDSR2006-34V/S/2		1	Natel Engineering Co	09059
DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	5962-9464602HXA	HDSR2006-34V/R/2		1	Natel Engineering Co	09059
DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	5962-9464603HXA	HDSR2006-34H/2		1	Natel Engineering Co	09059
DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	5962-9464604HXA	HDSR2006-34S/2		1	Natel Engineering Co	09059
DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	5962-9464605HXA	HDSR2056-34V/S/2		1	Natel Engineering Co	09059
DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	5962-9464606HXA	HDSR2056-34V/R/2		1	Natel Engineering Co	09059
DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	5962-9464607HXA	HDSR2056-34H/2		1	Natel Engineering Co	09059
DIGITAL TO SYNCHRO/RESOLVER CONVERTER, 16-BIT, UP COMPATIBLE	5962-9464608HXA	HDSR2056-34S/2		1	Natel Engineering Co	09059
DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	5962-8998601HXC	DSC11520-112		1	ILC Data Device Corp	19645
DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	5962-8998601HXA	DSC11520-112		1	ILC Data Device Corp	19645
DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	5962-8998602HXA	DSC11520-113		1	ILC Data Device Corp	19645
DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	5962-8998602HXC	DSC11520-113		1	ILC Data Device Corp	19645
DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	5962-8998603HXC	DSC11520-114		1	ILC Data Device Corp	19645
DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	5962-8998603HXA	DSC11520-114		1	ILC Data Device Corp	19645
DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	5962-8998604HXC	DSC11520-115		1	ILC Data Device Corp	19645
DIGITAL-TO-SYNCHRO/DIGITAL-TO-RESOLVER CONVERTER, 16-BIT	5962-8998604HXA	DSC11520-115		1	ILC Data Device Corp	19645

-125-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003931 2T4
APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DIGITAL-TO-SYNCHRO/RESOLVER CONVERTER	5962-9155901HXC	HDSR2056P-34VR/		1	Natel Engineering Co	09059
DIGITAL-TO-SYNCHRO/RESOLVER CONVERTER	5962-9155902HXC	HDSR2056P-34VS/		1	Natel Engineering Co	09059
DIGITAL-TO-SYNCHRO/RESOLVER CONVERTER	5962-9155903HXC	HDSR2056P-34H/2		1	Natel Engineering Co	09059
DIGITAL-TO-SYNCHRO/RESOLVER CONVERTER	5962-9155904HXC	HDSR2056P-34S/2		1	Natel Engineering Co	09059
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205201HXC	SDC14603-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205201HXA	SDC14603-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205202HXA	SDC14603T-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205202HXC	SDC14603T-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205203HXA	SDC14608-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205203HXC	SDC14608-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205204HXA	SDC14608T-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205204HXC	SDC14608T-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205205HXC	SDC14608-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205205HXA	SDC14608-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205206HXC	SDC14608T-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205206HXA	SDC14608T-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205501HXA	SDC14613-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205501HXC	SDC14613-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205502HXA	SDC14613T-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205502HXC	SDC14613T-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205503HXC	SDC14618-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205503HXA	SDC14618-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205504HXC	SDC14618T-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205504HXA	SDC14618T-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205505HXC	SDC14618-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205505HXA	SDC14618-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205506HXC	SDC14618T-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205506HXA	SDC14618T-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205001HXC	SDC14573-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14-BIT, 2V, 400 HZ	5962-9205001HXA	SDC14573-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14/16-BIT, 2V, 400 HZ	5962-9205002HXC	SDC14578-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14/16-BIT, 2V, 400 HZ	5962-9205002HXA	SDC14578-112		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14/16-BIT, 2V, 400 HZ	5962-9205003HXA	SDC14578-114		1	ILC Data Device Corp	19645
DIRECT RESOLVER CONVERTER, 14/16-BIT, 2V, 400 HZ	5962-9205003HXC	SDC14578-114		1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055102YA	SDC14567III1-11		1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055102XC	SDC14567III112		1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055102XC	SDC14567-112		1	DDC Ireland LTD.	S7631
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055102YC	SDC14567III1-11		1	ILC Data Device Corp	19645

-126-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003932 130

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055103YA	SDC14567III1-60	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055103XC	SDC14567III114	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055103YC	SDC14567III1-60	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055103XC	SDC14567-114	1	DDC Ireland LTD.	S7631
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055104YA	SDC14567III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055104XC	SDC14567III115	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055104YC	SDC14567III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ	5962-9055104XC	SDC14567-115	1	DDC Ireland LTD.	S7631
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055105XC	SDC14569III111	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055105XC	SDC14569-111	1	DDC Ireland LTD.	S7631
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055105YA	SDC14569III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055105YC	SDC14569III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055106XC	SDC14569III112	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055106XC	SDC14569-112	1	DDC Ireland LTD.	S7631
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055106YA	SDC14569III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055106YC	SDC14569III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055107XC	SDC14569-114	1	DDC Ireland LTD.	S7631
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055107XC	SDC14569III114	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055107YC	SDC14569III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055107YA	SDC14569III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055108XC	SDC14569III115	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055108YC	SDC14569III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055108YA	SDC14569III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0 V, 400 HZ, TRIMMED VELOCITY	5962-9055108XC	SDC14569-115	1	DDC Ireland LTD.	S7631
DR/D CONVERTER, 1.0V, 400 HZ	5962-9055101XC	SDC14567III111	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0V, 400 HZ	5962-9055101YA	SDC14567III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0V, 400 HZ	5962-9055101YC	SDC14567III1-11	1	ILC Data Device Corp	19645
DR/D CONVERTER, 1.0V, 400 HZ	5962-9055101XC	SDC14567-111	1	DDC Ireland LTD.	S7631
DRIVER, HIGH VOLTAGE, 1.5A	5962-8761701XC	CTS00061B	1	CTS Microelectronics	23223
DRIVER, HIGH VOLTAGE, 1.5A	5962-8761701XA	CTS00061B	1	CTS Microelectronics	23223
DRIVER, HIGH VOLTAGE, HIGH CURRENT, 3.0A	5962-8761702XA	CTS00081B	1	CTS Microelectronics	23223
DRIVER, HIGH VOLTAGE, HIGH CURRENT, 3.0A	5962-8761702XC	CTS00081B	1	CTS Microelectronics	23223
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208501HXC	NHI-1551/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208501HXA	NHI-1551/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208501HYC	NHI-1551FP/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208501HYA	NHI-1551FP/883	1	National Hybrid, Inc	57363

-127-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208502HYC	ARX4451FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208502HXC	ARX4451		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208502HYA	ARX4451FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208502HXA	ARX4451		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208503HXA	ARX4418		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208503HYA	ARX4418FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208503HXC	ARX4418		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208503HYC	ARX4418FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208504HXC	NHI-1515/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208504HYA	NHI-1515FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208504HYC	NHI-1515FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208504HXA	NHI-1515/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208505HXC	FC155377		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208505HYC	FC155377FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208505HYA	FC155377FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER (UNIVERSAL TRANSCEIVER), SINGLE CHANNEL, LOW POWER	5962-9208505HXA	FC155377		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982607XA	FC1553722		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982607XC	FC1553722		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982607YC	FC1552722FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982607YA	FC1552722FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982608YC	FC1553726FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982608XC	FC1553726		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982608XA	FC1553726		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982608YA	FC1553726FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8757909XC	FC1553621		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8757909YA	FC1553621FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8757909XA	FC1553621		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8757909YC	FC1553621FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982601YC	BUS63128II		1	DDC Ireland LTD.	S7631
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982601XC	BUS63127II		1	DDC Ireland LTD.	S7631

-128-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003934 T03

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982601YC	BUS631281I		1	ILC Data Device Corp	19645
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982601XC	BUS631271I		1	ILC Data Device Corp	19645
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982602YA	ARX3419FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982602XA	ARX3419		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982602XC	ARX3419		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982602YC	ARX3419FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982603YC	NHI-1502FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982603XC	NHI-1502		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982603YA	NHI-1502FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982603XA	NHI-1502		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982604YC	NHI-1523FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982604YA	NHI-1523FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982604XC	NHI-1523		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982604XA	NHI-1523		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982605XC	FC1553721		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982605YC	FC1553721FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982605YA	FC1553721FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982605XA	FC1553721		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982606YX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8982606XX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, DUAL CHANNEL, LOW-POWER	5962-8757908XC			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944701HUC	ARX3436		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944701HXC	ARX3416		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944701HYC	ARX3416FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944701HUA	ARX3436		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944701HZC	ARX3436FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944701HXA	ARX3416		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944701HYA	ARX3416FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944701HZA	ARX3436FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944702HXC	NHI-1501		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944702HYA	NHI-1501FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944702HYC	NHI-1501FP		1	National Hybrid, Inc	57363

-129-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003935 94T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944702HXA	NHI-1501		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944703HYA	FC1553622FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944703HYC	FC1553622FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944703HXA	FC1553622		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944703HXC	FC1553622		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944704HXC	BUS63135II		1	ILC Data Device Corp	19645
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944704HYC	BUS63136II		1	ILC Data Device Corp	19645
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944705HXX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944706HXA	3416-511		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944706HXC	3416-511		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, DUAL CHANNEL, RECEIVER IDLE NORMALLY HIGH	5962-8944707HYX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, LOW-POWER	5962-8979901XC	FC155391		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, LOW-POWER	5962-8979901XA	FC155391		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, LOW-POWER	5962-8979902XC	FC155392		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, LOW-POWER	5962-8979902XA	FC155392		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL	5962-8604908XC	FC155362		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL	5962-8604908XA	FC155362		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604904UC	ARX3402		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604904UA	ARX3402		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604907XA	FC155361		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604907XC	FC155361		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604905XC	BUS63100-617		1	ILC Data Device Corp	19645
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604905XA	BUS63100-617		1	ILC Data Device Corp	19645
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604905YX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604903YA	ARX2402		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604903YC	ARX2402		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604906TC	NHI-1509FP		1	National Hybrid, Inc	57363

-130-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003936 886

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604906YA	NHI-1509		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604906TA	NHI-1509FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604906YC	NHI-1509		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174901HXC	NHI-1514/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174901HYA	NHI-1514FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174901HYC	NHI-1514FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174901HXA	NHI-1514/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174904HXX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174904HYX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174905HUX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174905HZX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HXA	ARX4407		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HYC	ARX4407FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HTA	ARX4407LPFP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HTA	NHI-1514FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HTC	NHI-1514FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HYA	NHI-1514FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HXC	ARX4407		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HXC	NHI-1514/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HTC	ARX4407LPFP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HYA	ARX4407FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HYC	NHI-1514FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), LOW POWER	5962-9174908HXA	NHI-1514/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	5962-8959201YA	ARX3407FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	5962-8959201YC	ARX3407FP		1	Aeroflex Lab. Inc.	88379

-131-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003937 712

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	5962-8959201XA	ARX3407		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	5962-8959201XC	ARX3407		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	5962-8959203XC	ARX3407-001		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	5962-8959203YC	ARX3407-001FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	5962-8959203YA	ARX3407-001FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY HIGH	5962-8959203XA	ARX3407-001		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY LOW	5962-8959205XC	ARX3467		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY LOW	5962-8959205YC	ARX3467FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY LOW	5962-8959205YA	ARX3467FP		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (MIL-STD-1553 A AND B), RECEIVER STANDBY LOW	5962-8959205XA	ARX3467		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082902HXC	FC155372		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082902HXA	FC155372		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082904HUC	ARX3424		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082904HUA	ARX3424		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082906HYC	NHI-1545		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082906HTA	NHI-1545FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082906HTC	NHI-1545FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082906HYA	NHI-1545		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082908HYX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082908HTX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY HIGH)	5962-9082908HXX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082901HXA	FC155371		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082901HYA	FC155371SSW		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082901HYC	FC155371SSW		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082901HXC	FC155371		1	C-MAC Microcircuits	U4388

-132-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003938 659

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082901HTA	FC155371FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082901HTC	FC155371FP		1	C-MAC Microcircuits	U4388
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082903HUA	ARX3420		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082903HUC	ARX3420		1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082905HYA	NHI-1531		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082905HTA	NHI-1531FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082905HTC	NHI-1531FP		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082905HYC	NHI-1531		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082907HYX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082907HTX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (RECEIVER IDLE NORMALLY LOW)	5962-9082907HXX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174902HXA	NHI-1513/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174902HXC	NHI-1513/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174902HYC	NHI-1513FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174902HYA	NHI-1513FP/883		1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174903HXA	BUS-63102II-637		1	ILC Data Device Corp	19645
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174903HXA	BUS-63102-637		1	DDC Ireland LTD.	S7631
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174903HYX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174903HXC	BUS-63102II-883B		1	ILC Data Device Corp	19645
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174903HXC	BUS-63102-883B		1	DDC Ireland LTD.	S7631
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174906HUX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174906HZX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174907HZX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174907HUX			1	NO APPROVED SOURCE	XXXXX
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HYC	ARX4404LP		1	Aeroflex Lab. Inc.	88379

-133-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003939 595

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HTC	NHI-1513FP/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HYC	NHI-1513FP/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HYA	NHI-1513FP/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HXA	NHI-1513/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HXC	NHI-1513/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HTA	NHI-1515FP/883	1	National Hybrid, Inc	57363
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HXA	ARX4404	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HTA	ARX4404LPFP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HTC	ARX4404LPFP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HXC	ARX4404	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), LOW POWER	5962-9174909HYA	ARX4404LP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	5962-8959202YA	ARX3404FP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	5962-8959202XA	ARX3404	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	5962-8959202XC	ARX3404	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	5962-8959202YC	ARX3404FP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	5962-8959204YA	ARX3404-001FP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	5962-8959204XA	ARX3404-001	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	5962-8959204XC	ARX3404-001	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY HIGH	5962-8959204YC	ARX3404-001FP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY LOW	5962-8959206YA	ARX3464FP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY LOW	5962-8959206XC	ARX3464	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY LOW	5962-8959206XA	ARX3464	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL (UNIVERSAL TRANSCEIVER), RECEIVER STANDBY LOW	5962-8959206YC	ARX3464FP	1	Aeroflex Lab. Inc.	88379
DRIVER-RECEIVER, SINGLE CHANNEL, (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604902ZC	BUS63105	1	DDC Ireland LTD.	S7631
DRIVER-RECEIVER, SINGLE CHANNEL, (INTERFACES WITH MANCHESTER ENCODER-DECODER)	5962-8604902ZA	BUS63105	1	DDC Ireland LTD.	S7631

-134-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
INTERFACE UNIT, BUS TO MICROPROCESSOR, MIL-STD-1553	5962-8858601XA	BUS66300I1883B	1	ILC Data Device Corp	19645
INTERFACE UNIT, BUS TO MICROPROCESSOR, MIL-STD-1553	5962-8858601YC	BUS66301I1883	1	ILC Data Device Corp	19645
INTERFACE UNIT, BUS TO MICROPROCESSOR, MIL-STD-1553	5962-8858601XC	BUS66300I1883B	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR	5962-9306518HYA	BU-61585V2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR	5962-9306518HYC	BU-61585V2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR	5962-9306518HXC	BU-61585S2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR	5962-9306518HXA	BU-61585S2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR, RT ADR LCH	5962-9306520HYA	BU-61586V2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR, RT ADR LCH	5962-9306520HYC	BU-61586V2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR, RT ADR LCH	5962-9306520HXC	BU-61586S2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-12 V TR, RT ADR LCH	5962-9306520HXA	BU-61586S2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR	5962-9306517HYA	BU-61585V1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR	5962-9306517HYC	BU-61585V1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR	5962-9306517HXC	BU-61585S1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR	5962-9306517HXA	BU-61585S1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR, RT ADR LTC	5962-9306519HYC	BU-61586V1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR, RT ADR LTC	5962-9306519HYA	BU-61586V1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR, RT ADR LTC	5962-9306519HXC	BU-61586S1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5/-15 V TR, RT ADR LTC	5962-9306519HXA	BU-61586S1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	5962-9306521HYA	BU-61585V3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	5962-9306521HXA	BU-61585S3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	5962-9306521HYC	BU-61585V3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	5962-9306521HXC	BU-61585S3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	5962-9306522HYC	BU-61585V6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	5962-9306522HXC	BU-61585S6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	5962-9306522HYA	BU-61585V6-140	1	ILC Data Device Corp	19645

-135-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003941 143

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER	5962-9306522HXA	BU-61585S6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	5962-9306523HYC	BU-61586V3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	5962-9306523HYA	BU-61586V3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	5962-9306523HXA	BU-61586S3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	5962-9306523HXC	BU-61586S3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	5962-9306524HYA	BU-61586V6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	5962-9306524HXA	BU-61586S6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	5962-9306524HXC	BU-61586S6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/12K RAM, +5V TRANSCEIVER, RT ADR	5962-9306524HYC	BU-61586V6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306504HYC	BU-61580F2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306504HXC	BU-61580D2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306504HZA	BU-61580J2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306504HYA	BU-61580F2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306504HXA	BU-61580D2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306504HXC	BU-61580J2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306508HYA	BU-61581F2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306508HZA	BU-61581J2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306508HXC	BU-61581J2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306508HXA	BU-61581D2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306508HYC	BU-61581F2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306508HXC	BU-61581D2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306503HXC	BU-61580D1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306503HXA	BU-61580D1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306503HXC	BU-61580J1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306503HZA	BU-61580J1-140	1	ILC Data Device Corp	19645

-136-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306503HYC	BU-61580F1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306503HYA	BU-61580F1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306507HYC	BU-61581F1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306507HXC	BU-61581D1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306507HXC	BU-61581J1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306507HYA	BU-61581F1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306507HXA	BU-61581D1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306507HZA	BU-61581J1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER	5962-9306511HYA	BU-65180V3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER	5962-9306511HYC	BU-65180V3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER	5962-9306511HXC	BU-65180S3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER	5962-9306511HXA	BU-65180S3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER	5962-9306512HYA	BU-65180V6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER	5962-9306512HXC	BU-65180S6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER	5962-9306512HXA	BU-65180S6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER	5962-9306512HYC	BU-65180V6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	5962-9306515HYC	BU-61581V3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	5962-9306515HXA	BU-61581S3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	5962-9306515HYA	BU-61581V3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	5962-9306515HXC	BU-61581S3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	5962-9306516HXC	BU-61581S6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	5962-9306516HYA	BU-61581V6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	5962-9306516HYC	BU-61581V6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RT/MT, W/4K RAM, +5V TRANSCEIVER, RT ADR	5962-9306516HXA	BU-61581S6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173401HYC	BUS61569	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173401HXC	BUS61569	1	ILC Data Device Corp	19645

-137-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003943 T16

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173401HYA	BUS61569		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173401HXC	BUS61559		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173401HXA	BUS61559		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173401HZA	BUS61569		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173402HYC	BUS61570		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173402HXC	BUS61560		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173402HXA	BUS61560		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173402HXC	BUS61570		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173402HZA	BUS61570		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173402HYA	BUS61570		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173403HYA	BUS61571		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173403HZA	BUS61571		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173403HXA	BUS61561		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173403HXC	BUS61571		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173403HYC	BUS61561		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173403HYC	BUS61571		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173404HYC	BUS61569-601		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173404HXC	BUS61569-601		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173404HXA	BUS61559-601		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173404HXA	BUS61559-601		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173404HYA	BUS61569-601		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-9173404HZA	BUS61569-601		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201TA	BUS61563II-601		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201ZC	BUS61563-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201YC	BUS61563-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201XC	BUS61553II-883		1	DDC Ireland LTD.	S7631
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201ZA	BUS61563-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201XC	BUS61553-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201YA	BUS61563-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201XA	BUS61553-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869201TC	BUS61563II-601		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869202XA	BUS61554-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869202XC	BUS61554-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869202XC	BUS61554II-883		1	DDC Ireland LTD.	S7631
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869202YC	BUS61564-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869202ZC	BUS61564-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT	5962-8869202ZA	BUS61564-883B		1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT,	5962-8869203XC	BUS61555-883B		1	ILC Data Device Corp	19645

-138-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
TRANSCEIVER					
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT, TRANSCEIVER	5962-8869203ZC	BUS61565-883B	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT, TRANSCEIVER	5962-8869203YC	BUS61565-883B	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, BC/RTU/MT, TRANSCEIVERLESS	5962-8869204XC	BUS61556-883B	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306502HXC	BU-65170D2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306502HYC	BU-65170F2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306502HZC	BU-65170J2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306502HYA	BU-65170F2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306502HXA	BU-65170D2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306502HZA	BU-65170J2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306506HZA	BU-65171J2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306506HYA	BU-65171F2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306506HYC	BU-65171F2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306506HXA	BU-65171D2-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306506HXC	BU-65171D2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-12V TRANSCEIVER	5962-9306506HZC	BU-65171J2-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306501HYC	BU-65170F1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306501HXC	BU-65170D1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306501HZC	BU-65170J1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306501HXA	BU-65170D1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306501HZA	BU-65170J1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306501HYA	BU-65170F1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306505HXA	BU-65171D1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306505HXC	BU-65171D1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306505HYA	BU-65171F1-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306505HZA	BU-65171J1-140	1	ILC Data Device Corp	19645

-139-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306505HZC	BU-65171J1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5/-15V TRANSCEIVER	5962-9306505HYC	BU-65171F1-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	5962-9306509HYA	BU-65170VS-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	5962-9306509HXA	BU-65170S3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	5962-9306509HXC	BU-65170S3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	5962-9306509HYC	BU-65170VS-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	5962-9306510HXA	BU-65170S6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	5962-9306510HYA	BU-65170V6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	5962-9306510HYC	BU-65170V6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER	5962-9306510HXC	BU-65170S6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER, RT ADR LATCH	5962-9306513HYC	BU-65171V3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER, RT ADR LATCH	5962-9306513HXC	BU-65171S3-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER, RT ADR LATCH	5962-9306513HYA	BU-65171V3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER, RT ADR LATCH	5962-9306513HXA	BU-65171S3-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER, RT ADR LATCH	5962-9306514HYA	BU-65171V6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER, RT ADR LATCH	5962-9306514HXA	BU-65171S6-140	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER, RT ADR LATCH	5962-9306514HXC	BU-65171S6-110	1	ILC Data Device Corp	19645
MULTIPLEXED TERMINAL, MIL-STD-1553, RT, W/4K RAM, +5V TRANSCEIVER, RT ADR LATCH	5962-9306514HYC	BU-65171V6-110	1	ILC Data Device Corp	19645
MULTIPLEXER, DUAL 8-CHANNEL, WITH SAMPLE AND HOLD	5962-8956501XA	HS362SB	1	Sipex Corporation	33256
MULTIPLEXER, DUAL 8-CHANNEL, WITH SAMPLE AND HOLD	5962-8956501XC	HS362SB	1	Sipex Corporation	33256
OP AMP	8001301ZA	ELH0032G/883B	1	Elantec Incorporated	64762
OP AMP	8001301ZA	CTS0032ZB	1	CTS Microelectronics	23223
OP AMP	8001301ZC	CTS0032ZB	1	CTS Microelectronics	23223
OP AMP	8001301ZC	ELH0032G/883B	1	Elantec Incorporated	64762
OP AMP	8001301ZC	MSK 0032B	1	M.S Kennedy Corp.	51651
OP AMP	5962-9566801HXC	MSK 1259B	1	M.S Kennedy Corp.	51651
OP AMP, DUAL, HIGH POWER	5962-9215201HXC	PA21M/883	1	Apex Microtechnology	60024
OP AMP, DUAL, HIGH POWER	5962-9215201HXA	PA21M/883	1	Apex Microtechnology	60024
OP AMP, DUAL, HIGH-POWER	5962-9083802HXA	OMA2541SKCB	1	Omnirel Corporation	69210

-140-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
OP AMP, DUAL, HIGH-POWER	5962-9083801HXC	MSK 2541B	1	M.S Kennedy Corp.	51651
OP AMP, DUAL, HIGH-POWER	5962-9083801HYA	OMA2541SDB	1	Omnirel Corporation	69210
OP AMP, DUAL, HIGH-POWER	5962-9083801HXA	OMA2541SKB	1	Omnirel Corporation	69210
OP AMP, FAST SETTLING VIDEO	5962-8857901XC	HOS-050A	1	Analog Devices, Inc	34031
OP AMP, FAST SETTLING VIDEO	5962-8857902XC	HOS-060SH	1	Analog Devices, Inc	34031
OP AMP, FET-INPUT, DIFFERENTIAL	5962-9157401HXC	MSK 801B	1	M.S Kennedy Corp.	51651
OP AMP, HIGH-POWER	5962-8762002YA	PA51M/883	1	Apex Microtechnology	60024
OP AMP, HIGH-POWER	5962-8870102XA	OMA541SKCB	1	Omnirel Corporation	69210
OP AMP, HIGH-POWER	5962-8762001XC	MIOP42106/883	1	Micropac Industries	31757
OP AMP, HIGH-POWER	5962-8762001XA	MIOP42106/883	1	Micropac Industries	31757
OP AMP, HIGH-POWER	5962-8870101XC	MSK541B	1	M.S Kennedy Corp.	51651
OP AMP, HIGH-POWER	5962-8870101YA	OMA541SDB	1	Omnirel Corporation	69210
OP AMP, HIGH-POWER	5962-8870101XA	OMA541SKB	1	Omnirel Corporation	69210
OP AMP, HIGH-POWER	5962-8870101UA	OMA541SDZB	1	Omnirel Corporation	69210
OP AMP, HIGH-POWER	5962-8870101YC	MSK146B	1	M.S Kennedy Corp.	51651
OP AMP, HIGH-POWER	5962-8870101ZC	MSK145B	1	M.S Kennedy Corp.	51651
OP AMP, HIGH-POWER	5962-8870101UC	MSK 147B	1	M.S Kennedy Corp.	51651
OP AMP, HIGH-POWER	5962-8762002YC	PA51M/883	1	Apex Microtechnology	60024
OP AMP, HIGH-SPEED, WIDEBAND	5962-8959401XC	CLC231A8C	1	Comlinear Corp.	62839
OP AMP, HIGH-SPEED, WIDEBAND	5962-8959401XA	CLC231A8C	1	Comlinear Corp.	62839
OP AMP, HIGH-SPEED, WIDEBAND	5962-8991001XA	CLC200A8C	1	Comlinear Corp.	62839
OP AMP, HIGH-SPEED, WIDEBAND	5962-8991001XC	CLC200A8C	1	Comlinear Corp.	62839
OP AMP, HIGH-SPEED, WIDEBAND	5962-8991101XA	CLC220A8C	1	Comlinear Corp.	62839
OP AMP, HIGH-SPEED, WIDEBAND	5962-8991101XC	CLC220A8C	1	Comlinear Corp.	62839
OP AMP, HIGH-SPEED, WIDEBAND	5962-9083601HXX		1	NO APPROVED SOURCE	XXXXX
OP AMP, HIGH-VOLTAGE	5962-9073601HXA	PA84M/883	1	Apex Microtechnology	60024
OP AMP, HIGH-VOLTAGE	5962-9073601HXC	PA84M/883	1	Apex Microtechnology	60024
OP AMP, POWER	5962-9065901HXA	PA12M/883	1	Apex Microtechnology	60024
OP AMP, POWER	5962-9065901HXC	PA12M/883	1	Apex Microtechnology	60024
OP AMP, POWER	5962-9065901HXC	MIOP42109/883	1	Micropac Industries	31757
OP AMP, POWER	5962-9065901HXA	MIOP42109/883	1	Micropac Industries	31757
OP AMP, POWER	5962-9067901HXA	MIOP42120/883	1	Micropac Industries	31757
OP AMP, POWER	5962-9067901HXC	MIOP42120/883	1	Micropac Industries	31757
OP AMP, POWER	5962-9067901HXA	PA02M/883	1	Apex Microtechnology	60024
OP AMP, POWER	5962-9067901HXC	PA02M/883	1	Apex Microtechnology	60024
OP AMP, POWER	5962-9082801HXC	PA10M/883	1	Apex Microtechnology	60024
OP AMP, POWER	5962-9082801HXC	MIOP42115/883	1	Micropac Industries	31757
OP AMP, POWER	5962-9082801HXA	MIOP42115/883	1	Micropac Industries	31757

-141-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
OP AMP, POWER	5962-9082801HXA	PA10M/883		1	Apex Microtechnology	60024
OP AMP, POWER	5962-9072301HXC	MIOP42116/883		1	Micropac Industries	31757
OP AMP, POWER	5962-9072301HXA	PA08M/883		1	Apex Microtechnology	60024
OP AMP, POWER	5962-9072301HXC	PA08M/883		1	Apex Microtechnology	60024
OP AMP, POWER	5962-9072301HXA	MIOP42116/883		1	Micropac Industries	31757
OP AMP, POWER	5962-9063801HXC	MIOP42114/883		1	Micropac Industries	31757
OP AMP, POWER	5962-9063801HXC	PA07M/883		1	Apex Microtechnology	60024
OP AMP, POWER	5962-9063801HXA	MIOP42114/883		1	Micropac Industries	31757
OP AMP, POWER	5962-9063801HXA	PA07M/883		1	Apex Microtechnology	60024
OP AMP, POWER	5962-9162101HXA	PA83M/883		1	Apex Microtechnology	60024
OP AMP, POWER	5962-9162101HXC	PA83M/883		1	Apex Microtechnology	60024
OP AMP, POWER	8508801YA	CTS0021ZB		1	CTS Microelectronics	23223
OP AMP, POWER	8508801YA	ELH0021K/883B		1	Elantec Incorporated	64762
OP AMP, POWER	8508801YC	CTS0021ZB		1	CTS Microelectronics	23223
OP AMP, POWER	8508701ZC	ELH0041G/883B		1	Elantec Incorporated	64762
OP AMP, POWER	8508701ZA	ELH0041G/883B		1	Elantec Incorporated	64762
OP AMP, POWER	8508701ZC	CTS0041ZB		1	CTS Microelectronics	23223
OP AMP, POWER	8508701ZA	CTS0041ZB		1	CTS Microelectronics	23223
OP AMP, POWER	8508701ZC	MSK 0041B		1	M.S Kennedy Corp.	51651
OP AMP, POWER	8508902YA	ELH0101AK/883B		1	Elantec Incorporated	64762
OP AMP, POWER	8508901YA	ELH0101AK/883B		1	Elantec Incorporated	64762
OP AMP, POWER	5962-9170001HXC	PA09M/883		1	Apex Microtechnology	60024
OP AMP, POWER	5962-9170001HXA	PA09M/883		1	Apex Microtechnology	60024
OP AMP, POWER	5962-9170001HXC	MIOP42119/883		1	Micropac Industries	31757
OP AMP, POWER	5962-9170001HXA	MIOP42119/883		1	Micropac Industries	31757
OP AMP, VIDEO DRIVER	5962-9472701HXC	MSK 640B		1	M.S Kennedy Corp.	51651
OP AMP, VIDEO DRIVER	5962-9472702HXC	MSK 641B		1	M.S Kennedy Corp.	51651
OP AMP, WIDE BAND	5962-8981302GC	MSK 438B		1	M.S Kennedy Corp.	51651
OP AMP, WIDEBAND	5962-89813013A	HC1437L/883		1	Hycomp, Incorporated	34707
OP AMP, WIDEBAND	5962-8981301GC	MSK 437B		1	M.S Kennedy Corp.	51651
OP AMP, WIDEBAND, HIGH-SPEED	5962-9083301HXA	CLC201A8C		1	Comlinear Corp.	62839
OP AMP, WIDEBAND, HIGH-SPEED	5962-9083301HXC	CLC201A8C		1	Comlinear Corp.	62839
OP AMP, WIDEBAND, LOW DISTORTION	5962-9166501HXA	CLC232A8C		1	Comlinear Corp.	62839
OP AMP, WIDEBAND, LOW DISTORTION	5962-9166501HXC	CLC232A8C		1	Comlinear Corp.	62839
OP AMP, WIDEBAND, LOW DISTORTION	5962-9097701HXC	CLC207A8C		1	Comlinear Corp.	62839
OP AMP, WIDEBAND, LOW DISTORTION	5962-9097701HXA	CLC207A8C		1	Comlinear Corp.	62839
OP AMP, WIDEBAND, OVERDRIVE PROTECTED	5962-8985801XC	CLC206A8C		1	Comlinear Corp.	62839
OP AMP, WIDEBAND, OVERDRIVE PROTECTED	5962-8985801XA	CLC206A8C		1	Comlinear Corp.	62839

-142-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
OP AMP, WIDEBAND, OVERDRIVE PROTECTED	5962-9083501HXA	CLC205A8C	1	Comlinear Corp.	62839
OP AMP, WIDEBAND, OVERDRIVE PROTECTED	5962-9083501HXC	CLC205A8C	1	Comlinear Corp.	62839
OPTOCOUPLER, 4-CHANNEL	8302401XA	6N140A/883B	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, 4-CHANNEL	8302401YC	6N140A/883B	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, 4-CHANNEL	8302401EA	6N140A/883B	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, 4-CHANNEL	8302401EA	6N140/883B	1	Micropac Industries	31757
OPTOCOUPLER, 4-CHANNEL	8302401EC	6N140A/883B	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, 4-CHANNEL	8302401ZA	6N140A/883B#600	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, 4-CHANNEL	8302401YA	6N140A/883B	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, 4-CHANNEL	8302401ZC	6N140A/883B#600	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, 4-CHANNEL	8302401EC	6N140/883B	1	Micropac Industries	31757
OPTOCOUPLER, 4-CHANNEL	8302401FC	HCPL-6751	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	5962-8947701YA	HCPL-5761#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	5962-8947701PC	HCPL-5761	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	5962-8947701PA	HCPL-5761	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	5962-8947701YC	HCPL-5761#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, AC/DC TO LOGIC INTERFACE	5962-8947701XA	HCPL-5761#300	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	5962-8767901UA	4N55/883B#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	5962-8767901EC	4N55/883B	1	Micropac Industries	31757
OPTOCOUPLER, DUAL	5962-8767901EA	4N55/883B	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	5962-8767901EC	4N55/883B	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	5962-8767901TA	4N55/883B#300	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	5962-8767901EA	4N55/883B	1	Micropac Industries	31757
OPTOCOUPLER, DUAL	5962-8767901UC	4N55/883B#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	8102801TA	6N134/883B#300	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	8102801EC	66013-001	1	Micropac Industries	31757
OPTOCOUPLER, DUAL	8102801UA	6N134/883B#100	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	8102801XA	66072-001/883B	1	Micropac Industries	31757
OPTOCOUPLER, DUAL	8102801XC	66072-001/883B	1	Micropac Industries	31757
OPTOCOUPLER, DUAL	8102801EA	6N134/883B	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	8102801UC	6N134/883B#100	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL	8102801EA	66013-001	1	Micropac Industries	31757
OPTOCOUPLER, DUAL	8102801EC	6N134/883B	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL	5962-8876901YA	HCPL-5231#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL	5962-8876901PC	HCPL-5231	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL	5962-8876901YC	HCPL-5231#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL	5962-8876901PA	HCPL-5231	3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL	5962-8876901XA	HCPL-5231#300	1	Hewlett-Packard Co.	50434

-143-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	5962-8957201EC	HCPL-1931		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	5962-8957201YC	HCPL-1931		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	5962-8957201EA	HCPL-1931		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	5962-8957201XA	HCPL-1931		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL LINE RECEIVER	5962-8957201YA	HCPL-1931		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501YC	HCPL-5731#100		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501ZA	HCPL-5731#300		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501YA	HCPL-5731#100		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501PA	66058-003		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501XA	66071-001		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501PC	HCPL-5731		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501XC	66071-001		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501PA	HCPL-5731		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8978501PC	66058-003		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8957101YA	HCPL-5431#100		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8957101YC	HCPL-5431#100		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8957101PA	HCPL-5431		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8957101XA	HCPL-5431#300		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8957101PC	HCPL-5431		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	8102802PA	HCPL-5631		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	8102802YA	HCPL-5631#100		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	8102802PA	66056-103		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	8102802PC	HCPL-5631		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	8102802YC	HCPL-5631#100		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	8102802PC	66056-103		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	8102802ZA	HCPL-5631#300		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8767902YC	HCPL-5531#100		1	Hewlett-Packard Co.	50434

9999968 0003950 156

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8767902PC	HCPL-5531		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8767902PA	66126-103		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8767902PC	66126-103		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8767902PA	HCPL-5531		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8767902YA	HCPL-5531#100		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH COMMON SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-8767902XA	HCPL-5531#300		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLT. AND GND. CONNECTIONS	5962-88769022A	HCPL-6231		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	81028032A	HCPL-6631		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	81028032C	66123-001		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	81028032A	66123-001		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-87679032A	HCPL-6531		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-89571022A	HCPL-6431		3	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-89785022A	HCPL-6731		2	Hewlett-Packard Co.	50434
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-89785022A	66124-001		1	Micropac Industries	31757
OPTOCOUPLER, DUAL-CHANNEL, WITH SEPARATE SUPPLY VOLTAGE AND GROUND CONNECTIONS	5962-89785022C	66124-001		1	Micropac Industries	31757
OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	5962-9314001HZA	HSSR-7111#600		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	5962-9314001HYA	HSSR-7111#100		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	5962-9314001HYC	HSSR-7111#100		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	5962-9314001HXA	HSSR-7111#300		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	5962-9314001HPC	HSSR-7111		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	5962-9314001HZC	HSSR-7111#600		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	5962-9314001HPA	HSSR-7111		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGE-CHANNEL, POWER MOSFET	5962-9314001HZA	HSSR-7111#600		2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL	5962-9167601HXC	66079-001		1	Micropac Industries	31757
OPTOCOUPLER, SINGLE-CHANNEL	5962-9167601HXA	66079-001		1	Micropac Industries	31757
OPTOCOUPLER, SINGLE-CHANNEL	5962-9167601HYA	66079-000		1	Micropac Industries	31757
OPTOCOUPLER, SINGLE-CHANNEL	5962-9167601HYC	66079-000		1	Micropac Industries	31757
OPTOCOUPLER, SINGLE-CHANNEL	5962-8876801YC	HCPL-5201#100		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL	5962-8876801PA	HCPL-5201		1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL	5962-8876801XA	HCPL-5201#300		1	Hewlett-Packard Co.	50434

-145-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
OPTOCOUPLER, SINGLE-CHANNEL	5962-8876801YA	HCPL-5201#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL	5962-8876801XC	HCPL-5201#300	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL	5962-8876801PC	HCPL-5201	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	5962-8981001PC	HCPL-5701	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	5962-8981001PA	66058-105	1	Micropac Industries	31757
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	5962-8981001PA	HCPL-5701	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	5962-8981001XA	HCPL-5701#300	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	5962-8981001YA	HCPL-5701#100	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	5962-8981001YC	HCPL-5701#100	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	5962-8981001XC	HCPL-5701#300	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-GAIN	5962-8981001PC	66058-105	1	Micropac Industries	31757
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-8957001YC	HCPL-5401#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-8957001PC	HCPL-5401	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-8957001XA	HCPL-5401#300	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-8957001YA	HCPL-5401#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-8957001PA	HCPL-5401	2	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-9085501HXC	HCPL-5601#300	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-9085501HYC	HCPL-5601#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-9085501HPC	HCPL-5601	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-9085501HXA	HCPL-5601#300	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-9085501HYA	HCPL-5601#100	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, HIGH-SPEED	5962-9085501HPA	HCPL-5601	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	5962-9085401HXA	HCPL-5501	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	5962-9085401HPC	66126-105	1	Micropac Industries	31757
OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	5962-9085401HPC	HCPL-5501	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	5962-9085401HYC	HCPL-5501	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	5962-9085401HYA	HCPL-5501	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	5962-9085401HPA	HCPL-5501	1	Hewlett-Packard Co.	50434
OPTOCOUPLER, SINGLE-CHANNEL, TRANSISTOR OUTPUT	5962-9085401HPA	66126-105	1	Micropac Industries	31757
POWER CONTROLLER, 28V, 10 AMP, SOLID STATE	5962-9560504HXA	RP-21010D0-140	1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 10 AMP, SOLID STATE	5962-9560504HXC	RP-21010D0-110	1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 15 AMP, SOLID STATE	5962-9560505HXC	RP-21015D0-110	1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 15 AMP, SOLID STATE	5962-9560505HXA	RP-21015D0-140	1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 2 AMP, SOLID STATE	5962-9560501HXC	RP-21002D0-110	1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 2 AMP, SOLID STATE	5962-9560501HXA	RP-21002D0-140	1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 20 AMP, SOLID STATE	5962-9560506HXA	RP-21020D0-140	1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 20 AMP, SOLID STATE	5962-9560506HXC	RP-21020D0-110	1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 25 AMP, SOLID STATE	5962-9560507HXA	RP-21025D0-140	1	ILC Data Device Corp	19645

-146-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
POWER CONTROLLER, 28V, 25 AMP, SOLID STATE	5962-9560507HXC	RP-21025D0-110		1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 5 AMP, SOLID STATE	5962-9560502HXC	RP-21005D0-110		1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 5 AMP, SOLID STATE	5962-9560502HXA	RP-21005D0-140		1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 7 AMP, SOLID STATE	5962-9560503HXA	RP-21007D0-140		1	ILC Data Device Corp	19645
POWER CONTROLLER, 28V, 7 AMP, SOLID STATE	5962-9560503HXC	RP-21007D0-110		1	ILC Data Device Corp	19645
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458501HUA	WE128K32N-300HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458501HXA	WE128K32-300HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458501HYA	WE128K32-300HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458501HTA	WE128K32N-300HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458501HTC	WE-128K32N-300HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458501HUC	WE-128K32N-300HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458501HXC	WE-128K32-300HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458501HYC	WE-128K32-300HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458502HYA	WE128K32-250HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458502HUA	WE128K32N-250HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458502HXA	WE128K32-250HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458502HTA	WE128K32N-250HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458502HXC	WE-128K32-250HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458502HYC	WE-128K32-250HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458502HUC	WE-128K32N-250HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458502HTC	WE-128K32N-250HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458503HUC	WE-128K32N-200HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458503HUA	WE128K32N-200HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458503HTC	WE-128K32N-200HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458503HXC	WE-128K32-200HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458503HXA	WE128K32-200HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458503HYC	WE-128K32-200HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458503HTA	WE128K32N-200HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458503HYA	WE128K32-200HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458504HYC	WE-128K32-150HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458504HXC	WE-128K32-150HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458504HUA	WE128K32N-150HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458504HUC	WE-128K32N-150HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458504HXA	WE128K32-150HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458504HTA	WE128K32N-150HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458504HYA	WE128K32-150HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32	5962-9458504HTC	WE-128K32N-150HQ		1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461001HXA	WF128K32-200HQ		1	White Microelect.	54230

-147-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003953 965

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461001HWA	WF128K32-200HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461001HXC	WF128K32-200HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461001HYC	WF128K32-200HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461001HZC	WF128K32-200HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461001HYA	WF128K32-200HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461001HWC	WF128K32-200HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461001HZA	WF128K32-200HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461002HXC	WF128K32-150HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461002HWC	WF128K32-150HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461002HXA	WF128K32-150HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461002HYA	WF128K32-150HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461002HZA	WF128K32-150HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461002HZC	WF128K32-150HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461002HWA	WF128K32-150HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461002HYC	WF128K32-150HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461003HYA	WF128K32-120HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461003HZC	WF128K32-120HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461003HYC	WF128K32-120HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461003HWC	WF128K32-120HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461003HZA	WF128K32-120HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461003HWA	WF128K32-120HSQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461003HXA	WF128K32-120HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 32, FLASH	5962-9461003HXC	WF128K32-120HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 8, 150 NS ACCESS TIME	5962-9315402HXC	WE-128K8-150CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 8, 150 NS ACCESS TIME	5962-9315402HXA	WS-128K8-150CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 8, 200 NS ACCESS TIME	5962-9315401HXC	WE-128K8-200CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 128K X 8, 200 NS ACCESS TIME	5962-9315401HXA	WS-128K8-200CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 256K X 8, 150 NS ACCESS TIME	5962-9315502HXA	WS-256K8-150CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 256K X 8, 150 NS ACCESS TIME	5962-9315502HXC	WE-256K8-150CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 256K X 8, 200 NS ACCESS TIME	5962-9315501HXA	WS-256K8-200CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 256K X 8, 200 NS ACCESS TIME	5962-9315501HXC	WE-256K8-200CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 32K X 32-BIT	5962-9461401HYA	WE-32K32N-150HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 32K X 32-BIT	5962-9461401HXA	WE-32K32N-150HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 32K X 32-BIT	5962-9461401HXC	WE-32K32N-150HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 32K X 32-BIT	5962-9461401HYC	WE-32K32N-150HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 32K X 32-BIT	5962-9461402HXA	WE-32K32N-120HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 32K X 32-BIT	5962-9461402HXC	WE-32K32N-120HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 32K X 32-BIT	5962-9461402HYC	WE-32K32N-120HQ	1	White Microelect.	54230

-148-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
PROM, ELECTR. ERASABLE, 32K X 32-BIT	5962-9461402HYA	WE-32K32N-120HQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 512K X 8, 150 NS ACCESS TIME	5962-9309101HXA	WS-512K8-150CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 512K X 8, 150 NS ACCESS TIME	5962-9309101HXC	WE-512K8-150CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 512K X 8, 200 NS ACCESS TIME	5962-9309104HXC	WE-512K8-200CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 512K X 8, 200 NS ACCESS TIME	5962-9309104HXA	WS-512K8-200CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 512K X 8, 250 NS ACCESS TIME	5962-9309103HXC	WE-512K8-250CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 512K X 8, 250 NS ACCESS TIME	5962-9309103HXA	WS-512K8-250CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 512K X 8, 300 NS ACCESS TIME	5962-9309102HXA	WS-512K8-300CQ	1	White Microelect.	54230
PROM, ELECTR. ERASABLE, 512K X 8, 300 NS ACCESS TIME	5962-9309102HXC	WE-512K8-300CQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461301HXA	WF1024K32-150HSQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461301HZC	WF1024K32-150G4TQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461301HXC	WF1024K32-150HSQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461301HYA	WF1024K32A-150HSQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461301HYC	WF1024K32A-150HSQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461301HZA	WF1024K32-150G4TQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461302HZA	WF1024K32-100G4TQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461302HZC	WF1024K32-100G4TQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461302HXC	WF1024K32-100HSQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461302HYA	WF1024K32A-100HSQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461302HYC	WF1024K32A-100HSQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 1024K X 32-BIT	5962-9461302HXA	WF1024K32-100HSQ	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471601HUC	WF128K32-150HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471601HYC	WF128K32N-150HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471601HZC	WF128K32N-150HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471601HSC	WF128K32A-150HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471601HXC	WF128K32NA-150HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471601HWC	WF128K32NA-150HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471601HTC	WF128K32A-150HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471601HVC	WF128K32-150HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471602HXC	WF128K32NA-120HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471602HZC	WF128K32N-120HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471602HYC	WF128K32N-120HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471602HWC	WF128K32NA-120HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471602HVC	WF128K32-120HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471602HSC	WF128K32A-120HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471602HTC	WF128K32A-120HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471602HUC	WF128K32-120HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471603HYC	WF128K32N-90HQ5	1	White Microelect.	54230

999968 0003955 738

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
PROM, FLASH ERASABLE, 128K X 32	5962-9471603HZC	WF128K32N-90HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471603HXC	WF128K32NA-90HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471603HTC	WF128K32A-90HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471603HWC	WF128K32NA-90HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471603HSC	WF128K32A-90HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471603HUC	WF128K32-90HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471603HVC	WF128K32-90HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471604HVC	WF128K32-70HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471604HYC	WF128K32N-70HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471604HZC	WF128K32N-70HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471604HXC	WF128K32NA-70HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471604HWC	WF128K32NA-70HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471604HSC	WF128K32A-70HQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471604HTC	WF128K32A-70HSQ5	1	White Microelect.	54230
PROM, FLASH ERASABLE, 128K X 32	5962-9471604HUC	WF128K32-70HQ5	1	White Microelect.	54230
R/D CONVERTER, 11.8 V, 2.4 KHZ, 1.0 MINUTES ACCURACY	5962-8990809XC	SDC14565-602	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 2.4 KHZ, 1.0 MINUTES ACCURACY	5962-8990809XA	SDC14565-602	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 2.4 KHZ, 1.0 MINUTES ACCURACY	5962-8990809ZC	SDC14565-602	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 2.4 KHZ, 1.0 MINUTES ACCURACY	5962-8990809ZA	SDC14565-602	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 2.4 KHZ, 2.0 MINUTES ACCURACY	5962-8990810ZA	SDC14565-603	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 2.4 KHZ, 2.0 MINUTES ACCURACY	5962-8990810XC	SDC14565-603	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 2.4 KHZ, 2.0 MINUTES ACCURACY	5962-8990810ZC	SDC14565-603	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 2.4 KHZ, 2.0 MINUTES ACCURACY	5962-8990810XA	SDC14565-603	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990807XC	HRD1066-381V/2	1	Natel Engineering Co	09059
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990802XA	SDC14565-115	1	DDC Ireland LTD.	S7631
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990802ZA	SDC14565-622	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990802XC	SDC14565-115	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990802XC	SDC14565-115	1	DDC Ireland LTD.	S7631
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990802YA	SDC14565-630	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990802XA	SDC14565-145	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990802YC	SDC14565-630	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8990802ZC	SDC14565-622	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990803XC	SDC14565-616	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990803ZC	SDC14565-616C	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990803XA	SDC14565-616	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990803XC	SDC14565-616	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990803ZC	SDC14565-616	1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990803ZA	SDC14565-616	1	ILC Data Device Corp	19645

-150-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990803XC	SDC14565-616		1	DDC Ireland LTD.	S7631
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990801XA	SDC14565-144		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990801YC	SDC14565-629		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990801YA	SDC14565-629		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990801ZC	SDC14565-621		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990801ZA	SDC14565-621		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990801XC	SDC14565-114		1	DDC Ireland LTD.	S7631
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990801XA	SDC14565-114		1	DDC Ireland LTD.	S7631
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990801XC	SDC14565-114		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8990806XC	HRD1066-341H/2		1	Natel Engineering Co	09059
R/D CONVERTER, 11.8 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	5962-8990808XC	HRD1066-381H/2		1	Natel Engineering Co	09059
R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	5962-8990804XC	SDC14566-115		1	DDC Ireland LTD.	S7631
R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	5962-8990804ZC	SDC14565-611		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	5962-8990804YC	SDC14565-609		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	5962-8990804XA	SDC14565-145		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	5962-8990804XC	SDC14566-115		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	5962-8990804XA	SDC14566-115		1	DDC Ireland LTD.	S7631
R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	5962-8990804YA	SDC14565-609		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8 V, 400 HZ, TRIMMED VELOCITY, 1.0 MINUTE ACCURACY P	5962-8990804ZA	SDC14565-611		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8V, 400 HZ	5962-9082002HXC	SDC14531-631		1	ILC Data Device Corp	19645
R/D CONVERTER, 11.8V, 400 HZ	5962-9082004HXC	HRD1006-C148A/2		1	Natel Engineering Co	09059
R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	5962-8990805XC	SDC14565-618		1	DDC Ireland LTD.	S7631
R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	5962-8990805ZA	SDC14565-618		1	ILC Data Device Corp	19645
R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	5962-8990805XA	SDC14565-618		1	ILC Data Device Corp	19645
R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	5962-8990805XC	SDC14565-618		1	ILC Data Device Corp	19645
R/D CONVERTER, 7.0 V, 400 HZ, 80 HZ BANDWIDTH, 2.0 MINUTES ACCURACY	5962-8990805ZC	SDC14565-618		1	ILC Data Device Corp	19645
REMOTE TERMINAL AND BUS CONTROLLER	5962-9477501HXC	CT 1990-1-20		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL AND BUS CONTROLLER	5962-9477501HXA	CT 1990-1-20		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979801XC	CT2542		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979801YC	CT2542-FP		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979801YA	BUS-65144		1	ILC Data Device Corp	19645

-151-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003957 500

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979801XC	BUS-65142		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979801YC	BUS-65144		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979801XA	BUS-65142		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979801XA	CT2542		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979801YA	CT2542-FP		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979802XC	CT2543		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979802YC	CT2543-FP		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979802YA	CT2543-FP		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979802XC	BUS-65143-883B		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979802YC	BUS-65145-883B		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979802XA	CT2543		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979802YA	BUS-65145-883B		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8979802XA	BUS-65143-883B		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8753502YA	ARX2452FP		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8753502YC	ARX2452FP		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8753502XA	ARX2452		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8753502XC	ARX2452		1	Aeroflex Lab. Inc.	88379
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8753501YC	BUS65117		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, DUAL REDUNDANT	5962-8753501XA	BUS65112		1	ILC Data Device Corp	19645
REMOTE TERMINAL UNIT, LOW POWER, DUAL, REDUNDANT	5962-8763201XX			1	NO APPROVED SOURCE	XXXXX
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	5962-9168703HZA	NHI-1561RT		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	5962-9168703HUA	NHI-1561RTFP		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	5962-9168703HZA	NHI-1561RT		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	5962-9168703HUC	NHI-1561RTFP		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	5962-9168704HUC	NHI-1562RTFP		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	5962-9168704HUA	NHI-1562RTFP		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	5962-9168704HZA	NHI-1562RT		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT	5962-9168704HZA	NHI-1562RT		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE INPUT PIN FOR SSFLAG	5962-9168706HXA	NHI-1576RT/883		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE INPUT PIN FOR SSFLAG	5962-9168706HYX			1	NO APPROVED SOURCE	XXXXX
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE INPUT PIN FOR SSFLAG	5962-9168706HXC	NHI-1576RT/883		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE VCC FOR INTERNAL RAM	5962-9168705HYX			1	NO APPROVED SOURCE	XXXXX
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE VCC FOR INTERNAL RAM	5962-9168705HXC	NHI-1572RT/883		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553, DUAL REDUNDANT, SEPARATE VCC FOR INTERNAL RAM	5962-9168705HXA	NHI-1572RT/883		1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553B	5962-9168701HYA	NHI-1553RTFP		1	National Hybrid, Inc	57363

-152-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
REMOTE TERMINAL, MIL-STD-1553B	5962-9168701HXC	NHI-1553RT	1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553B	5962-9168701HYC	NHI-1553RTFP	1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553B	5962-9168701HXA	NHI-1553RT	1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553B	5962-9168702HYA	NHI-1554RTFP	1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553B	5962-9168702HXC	NHI-1554RT	1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553B	5962-9168702HXA	NHI-1554RT	1	National Hybrid, Inc	57363
REMOTE TERMINAL, MIL-STD-1553B	5962-9168702HYC	NHI-1554RTFP	1	National Hybrid, Inc	57363
REMOTE TERMINAL, MUX BUS, MIL-STD-1553B	5962-9230401HXX		1	NO APPROVED SOURCE	XXXXX
REMOTE TERMINAL, MUX BUS, MIL-STD-1553B	5962-9230401HYX		1	NO APPROVED SOURCE	XXXXX
RESOLVER CONVERTER, 2 VOLT, DIRECT	5962-9454501HXA	SD14553DX-142	1	ILC Data Device Corp	19645
RESOLVER CONVERTER, 2 VOLT, DIRECT	5962-9454501HXC	SD14553DX-112	1	ILC Data Device Corp	19645
RESOLVER CONVERTER, 2 VOLT, DIRECT	5962-9454501HXA	SD14553DX-152	1	ILC Data Device Corp	19645
RESOLVER CONVERTER, 2 VOLT, DIRECT	5962-9454501HXC	SD14553DX-132	1	ILC Data Device Corp	19645
RESOLVER CONVERTER, 2 VOLT, DIRECT	5962-9454502HXC	SD14553DX-134	1	ILC Data Device Corp	19645
RESOLVER CONVERTER, 2 VOLT, DIRECT	5962-9454502HXA	SD14553DX-154	1	ILC Data Device Corp	19645
RESOLVER CONVERTER, 2 VOLT, DIRECT	5962-9454502HXA	SD14553DX-144	1	ILC Data Device Corp	19645
RESOLVER CONVERTER, 2 VOLT, DIRECT	5962-9454502HXC	SD14553DX-114	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, 11.8V, 400HZ	5962-9453602HXC	SD-14621DX-112	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, 11.8V, 400HZ	5962-9453602HXA	SD-14621DX-142	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, 11.8V, 400HZ	5962-9453604HXA	SD-14621DX-144	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, 11.8V, 400HZ	5962-9453604HXC	SD-14621DX-114	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, 6.8V, 400HZ	5962-9453605HXC	SDC-14621-602	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, 6.8V, 400HZ	5962-9453605HXA	SDC-14621-602	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, DIRECT, 2V	5962-9454801HXA	SD-14623DX-142	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, DIRECT, 2V	5962-9454801HXC	SD-14623DX-112	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, DIRECT, 2V	5962-9454802HXC	SD-14623DX-114	1	ILC Data Device Corp	19645
RESOLVER TO DIGITAL CONVERTER, DIRECT, 2V	5962-9454802HXA	SD-14623DX-144	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	5962-8768701YA	RDC14505-638C	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	5962-8768701YC	RDC14505-638C	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	5962-8768701XC	HSDC8920A883B	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	5962-8768701XC	HSDC8920A883B	1	DDC Ireland LTD.	S7631
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	5962-8768702YC	RDC14505-639C	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	5962-8768702XC	RDC14505-639	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	5962-8768702XC	HSDC8920883B	1	DDC Ireland LTD.	S7631
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ	5962-8768702YA	RDC14505-639C	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ, 6V INPUT	5962-8768703YC	RDC14505-641C	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ, 6V INPUT	5962-8768703XC	RDC14505-641	1	ILC Data Device Corp	19645
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ, 6V INPUT	5962-8768703YA	RDC14505-641C	1	ILC Data Device Corp	19645

-153-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
RESOLVER-TO-DIGITAL CONVERTER, 400 HZ, 6V INPUT	5962-8768703XC	RDC14505-641		1	DDC Ireland LTD.	S7631
S-R/D CONVERTER, 11.8V, 400 HZ	5962-9082001HXC	SDC14531-690		1	ILC Data Device Corp	19645
S-R/D CONVERTER, 11.8V, 400 HZ	5962-9213801HXC	HRSD-1006-341VR		1	Natel Engineering Co	09059
S-R/D CONVERTER, 11.8V, 400 HZ	5962-9082003HXC	HSRD1006-C148/2		1	Natel Engineering Co	09059
S-R/D CONVERTER, 11.8V, 400 HZ	5962-9082005HXC	HRD1056-C775B/2		1	Natel Engineering Co	09059
S-R/D CONVERTER, 11.8V, 400 HZ	5962-9213802HXC	HSRD-1006-341VS		1	Natel Engineering Co	09059
S-R/D CONVERTER, 11.8V, 400 HZ	5962-9213803HXC	HSRD-1006-341H		1	Natel Engineering Co	09059
S-R/D CONVERTER, 11.8V, 400 HZ	5962-9213804HXC	HSRD-1006-341S		1	Natel Engineering Co	09059
S/D CONVERTER, 10-BIT, 90V, 60 HZ	5962-9161501HXC	HSD1510-369/2		1	Natel Engineering Co	09059
S/D CONVERTER, 11.8 VOLT	5962-8949907YA	SDC-14560-142		1	ILC Data Device Corp	19645
S/D CONVERTER, 11.8 VOLT	5962-8949907YC	SDC-14560-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 11.8 VOLT	5962-8949907XC	SDC-14560-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 11.8 VOLT	5962-8949907XA	SDC-14560-142		1	ILC Data Device Corp	19645
S/D CONVERTER, 11.8 VOLT	5962-8949908YA	SDC-14560-141		1	ILC Data Device Corp	19645
S/D CONVERTER, 11.8 VOLT	5962-8949908YC	SDC-14560-111		1	ILC Data Device Corp	19645
S/D CONVERTER, 11.8 VOLT	5962-8949908XC	SDC-14560-111		1	ILC Data Device Corp	19645
S/D CONVERTER, 11.8 VOLT	5962-8949908XA	SDC-14560-141		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173601HXC	SDC14600-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173601HXA	SDC14600-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173602HXA	SDC14600T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173602HXC	SDC14600T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173603HXC	SDC14601-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173603HXA	SDC14601-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173604HXA	SDC14601T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173604HXC	SDC14601T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173605HXA	SDC14605-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173605HXC	SDC14605-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173606HXA	SDC14605T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173606HXC	SDC14605T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173607HXC	SDC14606-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173607HXA	SDC14606-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173608HXA	SDC14606T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173608HXC	SDC14606T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173609HXA	SDC14605-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173609HXC	SDC14605-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173610HXA	SDC14605T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173610HXC	SDC14605T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173611HXA	SDC14606-114		1	ILC Data Device Corp	19645

-154-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003960 075

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
S/D CONVERTER, 14-BIT, 11.8V	5962-9173611HXC	SDC14606-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173612HXC	SDC14606T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V	5962-9173612HXA	SDC14606T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205301HXC	SDC14610-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205301HXA	SDC14610-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205302HXC	SDC14610T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205302HXA	SDC14610T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205303HXC	SDC14611-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205303HXA	SDC14611-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205304HXC	SDC14611T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205304HXA	SDC14611T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205305HXC	SDC14615-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205305HXA	SDC14615-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205306HXA	SDC14615T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205306HXC	SDC14615T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205307HXA	SDC14616-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205307HXC	SDC14616-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205308HXC	SDC14616T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205308HXA	SDC14616T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205309HXA	SDC14615-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205309HXC	SDC14615-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205310HXA	SDC14615T-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205310HXC	SDC14615T-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205311HXA	SDC14616-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205311HXC	SDC14616-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205312HXC	SDC14616T-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9205312HXA	SDC14616T-114	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9204801HXC	SDC14570-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9204801HXA	SDC14570-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9204802HXC	SDC14571-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 11.8V, 400 HZ	5962-9204802HXA	SDC14571-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9204901HXC	SDC14572-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9204901HXA	SDC14572-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205101HXC	SDC14602-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205101HXA	SDC14602-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205102HXC	SDC14602T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205102HXA	SDC14602T-112	1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205105HXC	SDC14607-112	1	ILC Data Device Corp	19645

-155-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003961 T31

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205105HXA	SDC14607-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205106HXA	SDC14607T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205106HXC	SDC14607T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205109HXC	SDC14607-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205109HXA	SDC14607-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205110HXA	SDC14607T-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205110HXC	SDC14607T-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205401HXC	SDC14612-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205401HXA	SDC14612-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205402HXC	SDC14612T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205402HXA	SDC14612T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205405HXA	SDC14617-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205405HXC	SDC14617-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205406HXA	SDC14617T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205406HXC	SDC14617T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205409HXC	SDC14617-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205409HXA	SDC14617-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205410HXA	SDC14617T-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 400 HZ	5962-9205410HXC	SDC14617T-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205103HXC	SDC14604-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205103HXA	SDC14604-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205104HXC	SDC14604T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205104HXA	SDC14604T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205107HXC	SDC14609-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205107HXA	SDC14609-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205108HXA	SDC14609T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205108HXC	SDC14609T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205111HXA	SDC14609-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205111HXC	SDC14609-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205112HXA	SDC14609T-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205112HXC	SDC14609T-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205403HXA	SDC14614-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205403HXC	SDC14614-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205404HXC	SDC14614T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205404HXA	SDC14614T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205407HXA	SDC14619-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205407HXC	SDC14619-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205408HXA	SDC14619T-112		1	ILC Data Device Corp	19645

-156-
HYBRID MICROCIRCUITS
QML-38534-23

■ 9999968 0003962 978 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205408HXC	SDC14619T-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205411HXA	SDC14619-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205411HXC	SDC14619-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205412HXA	SDC14619T-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9205412HXC	SDC14619T-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9204902HXA	SDC14574-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14-BIT, 90V, 60 HZ	5962-9204902HXC	SDC14574-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	5962-9204803HXC	SDC14575-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	5962-9204803HXA	SDC14575-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	5962-9204804HXC	SDC14576-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	5962-9204804HXA	SDC14576-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	5962-9204805HXA	SDC14575-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	5962-9204805HXC	SDC14575-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	5962-9204806HXC	SDC14576-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 11.8V, 400 HZ	5962-9204806HXA	SDC14576-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 90V, 400 HZ	5962-9204903HXC	SDC14577-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 90V, 400 HZ	5962-9204903HXA	SDC14577-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 90V, 400 HZ	5962-9204905HXC	SDC14577-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 90V, 400 HZ	5962-9204905HXA	SDC14577-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 90V, 60 HZ	5962-9204904HXC	SDC14579-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 90V, 60 HZ	5962-9204904HXA	SDC14579-112		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 90V, 60 HZ	5962-9204906HXC	SDC14579-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 14/16-BIT, 90V, 60 HZ	5962-9204906HXA	SDC14579-114		1	ILC Data Device Corp	19645
S/D CONVERTER, 16-BIT, 11.8V, 400 HZ	5962-9156001HXC	HSD1046-341V/2		1	Natel Engineering Co	09059
S/D CONVERTER, 16-BIT, 11.8V, 400 HZ	5962-9156002HXC	HSD1046-341H/2		1	Natel Engineering Co	09059
S/D CONVERTER, 16-BIT, 11.8V, 400 HZ	5962-9156003HXC	HSD1046-341S/2		1	Natel Engineering Co	09059
SAMPLE AND HOLD AMPLIFIER, 16-BIT	5962-8956601HXA	HS9716TB-1		1	Sipex Corporation	33256
SAMPLE AND HOLD AMPLIFIER, 16-BIT	5962-8956601HCX			1	NO APPROVED SOURCE	XXXXX
SAMPLE AND HOLD AMPLIFIER, 16-BIT	5962-8956601HXC	HS9716TB-1		1	Sipex Corporation	33256
SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	5962-9073001HYA	HTC-0300AM/883		1	Analog Devices, Inc	34031
SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	5962-9073001HYC	HTC-0300AM/883		1	Analog Devices, Inc	34031
SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	5962-9073001HXA	MN376H/B		1	Micro Networks Co.	50507
SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	5962-9073001HXC	MN376H/B		1	Micro Networks Co.	50507
SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	5962-8994001HXA	AD346SD/883		1	Analog Devices, Inc	34031
SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	5962-8994001HXC	AD346SD/883		1	Analog Devices, Inc	34031
SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	5962-8994002HXC	MN346H/B		1	Micro Networks Co.	50507
SAMPLE AND HOLD AMPLIFIER, HIGH-SPEED	5962-8994002HXA	MN346H/B		1	Micro Networks Co.	50507
SAMPLE AND HOLD AMPLIFIER, MULTIPLEXED	5962-9057101HXA	MN7130H/B		1	Micro Networks Co.	50507

-157-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003963 804

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
SAMPLE AND HOLD AMPLIFIER, MULTIPLEXED	5962-9057101HXC	MN7130H/B	1	Micro Networks Co.	50507
STATIC RAM, 128K X 32	5962-9318701HYA	WS-128K32-120HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318701HTC	ACT-S128K32N-120P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318701HXA	WS-128K32-120HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318701HTA	WS-128K32-120HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318701HXC	WS-128K32-120HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318701HUC	WS-128K32-120HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318701HUA	WS-128K32-120HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318701HYC	WS-128K32-120HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318701HUC	ACT-S128K32N-120P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318701HTC	WS-128K32-120HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318701HYA	ACT-S128K32-120P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318701HXA	ACT-S128K32-120P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318701HUA	ACT-S128K32N-120P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318701HYC	ACT-S128K32-120P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318701HTA	ACT-S128K32N-120P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318701HXC	ACT-S128K32-120P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318702HXC	WS-128K32-100HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318702HYC	WS-128K32-100HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318702HUA	ACT-S128K32N-100P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318702HUA	WS-128K32-100HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318702HXA	ACT-S128K32-100P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318702HYA	WS-128K32-100HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318702HTA	ACT-S128K32N-100P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318702HXA	WS-128K32-100HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318702HTA	WS-128K32-100HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318702HXC	ACT-S128K32-100P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318702HUC	ACT-S128K32N-100P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318702HTC	ACT-S128K32N-100P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318702HYA	ACT-S128K32-100P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318702HTC	WS-128K32-100HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318702HUC	WS-128K32-100HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318702HYC	ACT-S128K32-100P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318703HYC	WS-128K32-85HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318703HXC	WS-128K32-85HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318703HXA	WS-128K32-85HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318703HYA	WS-128K32-85HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318703HTC	WS-128K32-85HQ	1	White Microelect.	54230

-158-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003964 740

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
STATIC RAM, 128K X 32	5962-9318703HUC	WS-128K32-85HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318703HYC	ACT-S128K32-085P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318703HUC	ACT-128K32N-085P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318703HXC	ACT-128K32-085P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318703HTA	ACT-S128K32N-085P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318703HYA	ACT-S128K32-085P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318703HXA	ACT-128K32-085P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318703HTA	WS-128K32-85HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318703HTC	ACT-S128K32N-085P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318703HUA	WS-128K32-85HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318703HUA	ACT-128K32N-085P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HTA	WS-128K32-70HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318704HXA	ACT-S128K32-070P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HUA	ACT-S128K32N-070P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HUA	WS-128K32-70HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318704HTC	ACT-S128K32N-070P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HYA	ACT-S128K32-070P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HTA	ACT-S128K32N-070P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HUC	ACT-S128K32N-070P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HYC	WS-128K32-70HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318704HYC	ACT-S128K32-070P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HYA	WS-128K32-70HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318704HXA	WS-128K32-70HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318704HUC	WS-128K32-70HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318704HTC	WS-128K32-70HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318704HXC	ACT-S128K32-070P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318704HXC	WS-128K32-70HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318705HYA	ACT-S128K32-055P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318705HXC	WS-128K32-55HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318705HTC	WS-128K32-55HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318705HUC	WS-128K32-55HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318705HYC	WS-128K32-55HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318705HYA	WS-128K32-55HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318705HUA	WS-128K32-55HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318705HYC	ACT-S128K32-055P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318705HXC	ACT-S128K32-055P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318705HXA	ACT-S128K32-055P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318705HTA	ACT-S128K32N-055P2Q	1	Aeroflex Lab. Inc.	88379

-159-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE 11

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
STATIC RAM, 128K X 32	5962-9318705HUC	ACT-S128K32N-055P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318705HXA	WS-128K32-55HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318705HTC	ACT-S128K32N-055P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318705HUA	ACT-S128K32N-055P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318705HTA	WS-128K32-55HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318706HTC	ACT-S128K32N-045P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318706HYC	ACT-S128K32-045P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318706HUC	ACT-S128K32N-045P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318706HXC	ACT-S128K32-045P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318706HTA	ACT-S128K32N-045P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318706HTC	WS-128K32-45HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318706HUA	ACT-S128K32N-045P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318706HXC	WS-128K32-45HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318706HYC	WS-128K32-45HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318706HYA	WS-128K32-45HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318706HUC	WS-128K32-45HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318706HYA	ACT-S128K32-045P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318706HXA	ACT-S128K32-045P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318706HTA	WS-128K32-45HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318706HXA	WS-128K32-45HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318706HUA	WS-128K32-45HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318707HUC	WS-128K32-35HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318707HUA	ACT-S128K32N-035P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318707HXC	WS-128K32-35HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318707HYC	WS-128K32-35HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318707HYA	WS-128K32-35HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318707HYC	ACT-S128K32-035P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318707HXA	ACT-S128K32-035P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318707HYA	ACT-S128K32-035P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318707HTA	WS-128K32-35HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318707HUC	ACT-S128K32N-035P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318707HUA	WS-128K32-35HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318707HXA	WS-128K32-35HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318707HTA	ACT-S128K32N-035P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318707HTC	ACT-S128K32N-035P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318707HXC	ACT-S128K32-035P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318707HTC	WS-128K32-35HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318708HTC	WS-128K32-25HQ	1	White Microelect.	54230

-160-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
STATIC RAM, 128K X 32	5962-9318708HTC	ACT-S128K32N-025P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318708HUC	WS-128K32-25HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318708HUC	ACT-S128K32N-025P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318708HXC	WS-128K32-25HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318708HYC	ACT-S128K32-025P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318708HXC	ACT-S128K32-025P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318708HXA	ACT-S128K32-025P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318708HYA	ACT-S128K32-025P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318708HUA	ACT-S128K32N-025P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318708HYA	WS-128K32-25HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318708HTA	ACT-S128K32N-025P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318708HYC	WS-128K32-25HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318708HUA	WS-128K32-25HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318708HTA	WS-128K32-25HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318708HXA	WS-128K32-25HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318709HUC	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318709HXC	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318709HTC	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318709HYA	ACT-S128K32-020P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318709HUC	ACT-S128K32N-020P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318709HUA	ACT-S128K32N-020P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318709HYC	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318709HXA	ACT-S128K32-020P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318709HYA	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318709HTA	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318709HUA	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32	5962-9318709HXC	ACT-S128K32-020P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318709HYC	ACT-S128K32-020P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318709HTC	ACT-S128K32N-020P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318709HTA	ACT-S128K32N-020P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32	5962-9318709HXA	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9318710HUC	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9318710HYC	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9318710HTA	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9318710HTC	ACT-S128K32N-017P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32-BIT	5962-9318710HYA	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9318710HUA	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9318710HXA	WS-128K32-20HQ	1	White Microelect.	54230

-161-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003967 45T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
STATIC RAM, 128K X 32-BIT	5962-9318710HTC	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9318710HXC	WS-128K32-20HQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9318710HYA	ACT-S128K32-017P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32-BIT	5962-9318710HXC	ACT-S128K32-017P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32-BIT	5962-9318710HUC	ACT-S128K32N-017P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32-BIT	5962-9318710HTA	ACT-S128K32N-017P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32-BIT	5962-9318710HXA	ACT-S128K32-017P2Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32-BIT	5962-9318710HUA	ACT-S128K32N-017P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32-BIT	5962-9318710HYC	ACT-S128K32-017P6Q	1	Aeroflex Lab. Inc.	88379
STATIC RAM, 128K X 32-BIT	5962-9559501HYC	WS-128K32-120G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559501HYA	WS-128K32-120G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559501HXA	WS-128K32-120G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559501HXC	WS-128K32-120G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559502HXC	WS-128K32-100G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559502HYA	WS-128K32-100G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559502HYC	WS-128K32-100G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559502HXA	WS-128K32-100G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559503HYA	WS-128K32-85G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559503HYC	WS-128K32-85G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559503HXA	WS-128K32-85G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559503HXC	WS-128K32-85G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559504HYC	WS-128K32-70G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559504HYA	WS-128K32-70G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559504HXC	WS-128K32-70G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559504HXA	WS-128K32-70G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559505HYC	WS-128K32-55G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559505HYA	WS-128K32-55G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559505HXC	WS-128K32-55G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559505HXA	WS-128K32-55G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559506HYA	WS-128K32-45G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559506HYC	WS-128K32-45G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559506HXA	WS-128K32-45G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559506HXC	WS-128K32-45G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559507HXA	WS-128K32-35G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559507HYC	WS-128K32-35G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559507HXC	WS-128K32-35G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559507HYA	WS-128K32-35G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559508HYC	WS-128K32-25G4TQ	1	White Microelect.	54230

-162-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003968 396

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
STATIC RAM, 128K X 32-BIT	5962-9559508HYA	WS-128K32-25G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559508HXA	WS-128K32-25G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559508HXC	WS-128K32-25G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559509HYC	WS-128K32-20G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559509HYA	WS-128K32-20G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559509HXA	WS-128K32-20G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559509HXC	WS-128K32-20G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559510HYC	WS-128K32-17G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559510HYA	WS-128K32-17G4TQ	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559510HXA	WS-128K32-17G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 32-BIT	5962-9559510HXC	WS-128K32-17G4Q	1	White Microelect.	54230
STATIC RAM, 128K X 8, 100 NS ACCESS TIME	5962-9315602HXA	WS-128K8-100CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 100 NS ACCESS TIME	5962-9315602HXC	WS-128K8-100CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 120 NS ACCESS TIME	5962-9315601HXA	WS-128K8-120CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 120 NS ACCESS TIME	5962-9315601HXC	WS-128K8-120CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 25 NS ACCESS TIME	5962-9315608HXA	WS-128K8-25CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 25 NS ACCESS TIME	5962-9315608HXC	WS-128K8-25CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 35 NS ACCESS TIME	5962-9315607HXC	WS-128K8-35CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 35 NS ACCESS TIME	5962-9315607HXA	WS-128K8-35CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 45 NS ACCESS TIME	5962-9315606HXC	WS-128K8-45CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 45 NS ACCESS TIME	5962-9315606HXA	WS-128K8-45CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 55 NS ACCESS TIME	5962-9315605HXA	WS-128K8-55CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 55 NS ACCESS TIME	5962-9315605HXC	WS-128K8-55CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 70 NS ACCESS TIME	5962-9315604HXC	WS-128K8-70CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 70 NS ACCESS TIME	5962-9315604HXA	WS-128K8-70CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 85 NS ACCESS TIME	5962-9315603HXC	WS-128K8-85CQ	1	White Microelect.	54230
STATIC RAM, 128K X 8, 85 NS ACCESS TIME	5962-9315603HXA	WS-128K8-85CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 100 NS ACCESS TIME	5962-9315702HXA	WS-256K8-100CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 100 NS ACCESS TIME	5962-9315702HXC	WS-256K8-100CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 120 NS ACCESS TIME	5962-9315701HXC	WS-256K8-120CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 120 NS ACCESS TIME	5962-9315701HXA	WS-256K8-120CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 25 NS ACCESS TIME	5962-9315708HXC	WS-256K8-25CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 25 NS ACCESS TIME	5962-9315708HXA	WS-256K8-25CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 35 NS ACCESS TIME	5962-9315707HXC	WS-256K8-35CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 35 NS ACCESS TIME	5962-9315707HXA	WS-256K8-35CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 45 NS ACCESS TIME	5962-9315706HXC	WS-256K8-45CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 45 NS ACCESS TIME	5962-9315706HXA	WS-256K8-45CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 55 NS ACCESS TIME	5962-9315705HXA	WS-256K8-55CQ	1	White Microelect.	54230

-163-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003969 222

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
STATIC RAM, 256K X 8, 55 NS ACCESS TIME	5962-9315705HXC	WS-256K8-55CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 70 NS ACCESS TIME	5962-9315704HXA	WS-256K8-70CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 70 NS ACCESS TIME	5962-9315704HXC	WS-256K8-70CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 85 NS ACCESS TIME	5962-9315703HXC	WS-256K8-85CQ	1	White Microelect.	54230
STATIC RAM, 256K X 8, 85 NS ACCESS TIME	5962-9315703HXA	WS-256K8-85CQ	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461101HYA	WS512K32N-120G4Q	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461101HYC	WS512K32N-120G4Q	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461101HXC	WS512K32N-120HSQ	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461101HXA	WS512K32N-120HSQ	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461102HYC	WS512K32N-100G4Q	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461102HXA	WS512K32N-100HSQ	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461102HXC	WS512K32N-100HSQ	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461102HYA	WS512K32N-100G4Q	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461103HXA	WS512K32N-85HSQ	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461103HYC	WS512K32N-85G4Q	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461103HYA	WS512K32N-85G4Q	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461103HXC	WS512K32N-85HSQ	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461104HXC	WS512K32N-70HSQ	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461104HYA	WS512K32N-70G4Q	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461104HYC	WS512K32N-70G4Q	1	White Microelect.	54230
STATIC RAM, 512K X 32	5962-9461104HXA	WS512K32N-70HSQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9207809HYA	WS-512K8-20CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9207809HYC	WS-512K8-20CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9207809HXA	WS-512K8-20CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9207809HXC	WS-512K8-20CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9561301HYA	WMS512K8-120CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9561301HYC	WMS512K8-120CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9561302HYC	WMS512K8-100CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9561302HYA	WMS512K8-100CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9561303HYC	WMS512K8-85CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9561303HYA	WMS512K8-85CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9561304HYC	WMS512K8-70CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8	5962-9561304HYA	WMS512K8-70CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 100 NS ACCESS TIME	5962-9207802HYA	WS-512K8-100CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 100 NS ACCESS TIME	5962-9207802HXC	WS-512K8-100CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 100 NS ACCESS TIME	5962-9207802HXA	WS-512K8-100CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 120 NS ACCESS TIME	5962-9207801HYA	WS-512K8-120CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 120 NS ACCESS TIME	5962-9207801HXC	WS-512K8-120CQ	1	White Microelect.	54230

-164-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003970 T44

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
STATIC RAM, 512K X 8, 120 NS ACCESS TIME	5962-9207801HXA	WS-512K8-120CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 25 NS ACCESS TIME	5962-9207808HXA	WS-512K8-25CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 25 NS ACCESS TIME	5962-9207808HYA	WS-512K8-25CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 25 NS ACCESS TIME	5962-9207808HXC	WS-512K8-25CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 35 NS ACCESS TIME	5962-9207807HXC	WS-512K8-35CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 35 NS ACCESS TIME	5962-9207807HYA	WS-512K8-35CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 35 NS ACCESS TIME	5962-9207807HXA	WS-512K8-35CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 45 NS ACCESS TIME	5962-9207806HXC	WS-512K8-45CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 45 NS ACCESS TIME	5962-9207806HYA	WS-512K8-45CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 45 NS ACCESS TIME	5962-9207806HXA	WS-512K8-45CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 55 NS ACCESS TIME	5962-9207805HYA	WS-512K8-55CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 55 NS ACCESS TIME	5962-9207805HXC	WS-512K8-55CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 55 NS ACCESS TIME	5962-9207805HXA	WS-512K8-55CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 70 NS ACCESS TIME	5962-9207804HXC	WS-512K8-70CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 70 NS ACCESS TIME	5962-9207804HXA	WS-512K8-70CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 70 NS ACCESS TIME	5962-9207804HYA	WS-512K8-70CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 85 NS ACCESS TIME	5962-9207803HYA	WS-512K8-85CLQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 85 NS ACCESS TIME	5962-9207803HXA	WS-512K8-85CQ	1	White Microelect.	54230
STATIC RAM, 512K X 8, 85 NS ACCESS TIME	5962-9207803HXC	WS-512K8-85CQ	1	White Microelect.	54230
SYNCHRO TO DIGITAL CONVERTER, 11.8V, 400HZ	5962-9453601HXC	SD-14620DX-112	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 11.8V, 400HZ	5962-9453601HXA	SD-14620DX-142	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 11.8V, 400HZ	5962-9453603HXA	SD-14620DX-144	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 11.8V, 400HZ	5962-9453603HXC	SD-14620DX-114	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 90V, 400HZ	5962-9454701HXC	SD-14622DX-112	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 90V, 400HZ	5962-9454701HXA	SD-14622DX-142	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 90V, 400HZ	5962-9454703HXA	SD-14622DX-144	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 90V, 400HZ	5962-9454703HXC	SD-14622DX-114	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 90V, 60HZ	5962-9454702HXC	SD-14624DX-112	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 90V, 60HZ	5962-9454702HXA	SD-14624DX-142	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 90V, 60HZ	5962-9454704HXC	SD-14624DX-114	1	ILC Data Device Corp	19645
SYNCHRO TO DIGITAL CONVERTER, 90V, 60HZ	5962-9454704HXA	SD-14624DX-144	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8949902XC	SDC-14560-115	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8949902YA	SDC-14560-145	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8949902XC	SDC14560-115	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8949902XA	SDC14560-115	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE	5962-8949902YC	SDC-14560-115	1	ILC Data Device Corp	19645

-165-
HYBRID MICROCIRCUITS
QML-38534-23

■ 9999968 0003971 980 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
ACCURACY					
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8949902XA	SDC-14560-145	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 1.0 MINUTE ACCURACY	5962-8949905XC	HSD1066-341V/2	1	Nate1 Engineering Co	09059
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949906XC	HSD1066-C778H/2	1	Nate1 Engineering Co	09059
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949901XA	SDC14560-114	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949901XC	SDC14560-114	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949901YA	SDC-14560-144	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949901XA	SDC-14560-144	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949901XC	SDC-14560-114	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949901YC	SDC-14560-114	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949903YA	SDC-14560-605	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949903YC	SDC-14560-605	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949903XC	SDC14560-605	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949903XC	SDC-14560-605	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070701HXC	SDC14500-635	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070701HYC	HSDC-8917II-1-A	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070701HYA	HSDC-8917II-1-A	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070701HXA	SDC14500-635	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070701HXC	SDC14500-635	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070701HXC	SDC14500-635	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070702HYC	HSDC-8917II-1	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070702HYA	HSDC-8917II-1	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070702HXA	SDC14500-636	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070702HXC	SDC14500-636	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070702HXC	SDC14500-636	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070702HXC	SDC14500-636	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070705HXC	HSD1024-C672H/2	1	Nate1 Engineering Co	09059
SYNCHRO-TO-DIGITAL CONVERTER, 400 HZ, 11.8V	5962-9070706HXC	HSD1024-C673H/2	1	Nate1 Engineering Co	09059
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070707HXC	HSD1024-C674H/2	1	Nate1 Engineering Co	09059
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070708HXC	HSD1024-C675H/2	1	Nate1 Engineering Co	09059
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070703HYC	HSDC-8919II-1-A	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070703HXC	SDC14502-605	1	ILC Data Device Corp	19645

-166-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070703HXC	SDC14502-605	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070703HYA	HSDC-891911-1-A	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070703HXA	SDC14502-605	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070703HXC	SDC14502-605	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070704HXC	SDC14502-606	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070704HYA	HSDC-891911-1	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070704HXA	SDC14502-606	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070704HXC	SDC14500-636	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070704HYC	HSDC-891911-1	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 60 HZ, 90V	5962-9070704HXC	SDC14502-606	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454401HXA	SD-14552DX-142	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454401HXC	SD-14552DX-132	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454401HXA	SD-14552DX-152	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454401HXC	SD-14552DX-112	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454402HXA	SD-14552DX-142	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454402HXC	SD-14552DX-132	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454402HXA	SD-14552DX-152	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454402HXC	SD-14552DX-112	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454403HXC	SD-14552DX-114	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454403HXA	SD-14552DX-144	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454403HXC	SD-14552DX-134	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454403HXA	SD-14552DX-154	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454404HXA	SD-14552DX-154	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454404HXC	SD-14552DX-134	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454404HXA	SD-14552DX-144	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V	5962-9454404HXC	SD-14552DX-114	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	5962-8949802XC	SDC14561-115	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	5962-8949802YA	SDC145611111-60	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	5962-8949802XA	SDC14561-115	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	5962-8949802XA	SDC14561111115	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	5962-8949802YC	SDC145611111-60	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 1.0 MINUTES ACCURACY	5962-8949802XC	SDC14561111115	1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949801XC	SDC14561-114	1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949801XA	SDC14561111114	1	ILC Data Device Corp	19645

-167-
HYBRID MICROCIRCUITS
QML-38534-23

■ 9999968 0003973 753 ■

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949801XC	SDC14561111114		1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949801YA	SDC145611111-60		1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949801XA	SDC14561-114		1	DDC Ireland LTD.	S7631
SYNCHRO-TO-DIGITAL CONVERTER, 90 V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949801YC	SDC145611111-60		1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90V, 400 HZ, 1.0 MINUTES ACCURACY	5962-8949804XC	HSD1066-349V/2		1	Natel Engineering Co	09059
SYNCHRO-TO-DIGITAL CONVERTER, 90V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949803XC	HSD1066-349H/2		1	Natel Engineering Co	09059
SYNCHRO-TO-DIGITAL CONVERTER, 90V, 60 HZ, 2.0 MINUTES ACCURACY	5962-8949805YA	SDC145621111-11		1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90V, 60 HZ, 2.0 MINUTES ACCURACY	5962-8949805YC	SDC145621111-11		1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90V, 60 HZ, 2.0 MINUTES ACCURACY	5962-8949805XC	SDC145621111-11		1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 90V, 60 HZ, 2.0 MINUTES ACCURACY	5962-8949805XA	SDC145621111-11		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454301HXA	SD-14550DX-152		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454301HXC	SD-14550DX-112		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454301HXA	SD-14550DX-142		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454301HXC	SD-14550DX-132		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454302HXA	SD-14550DX-142		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454302HXC	SD-14550DX-132		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454302HXC	SD-14550DX-112		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454302HXA	SD-14550DX-152		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454303HXC	SD-14550DX-134		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454303HXA	SD-14550DX-154		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454303HXC	SD-14550DX-114		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454303HXA	SD-14550DX-144		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454304HXC	SD-14550DX-114		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454304HXA	SD-14550DX-144		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454304HXA	SD-14550DX-154		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 11.8 V	5962-9454304HXC	SD-14550DX-134		1	ILC Data Device Corp	19645
SYNCHRO/RESOLVER TO DIGITAL CONVERTER, 6.8 V	5962-9454305HXC	SD-14550DX-601		1	ILC Data Device Corp	19645
SYNCHRO-TO-DIGITAL CONVERTER, 11.8V, 400 HZ, 2.0 MINUTES ACCURACY	5962-8949904XC	HSD1066-341H/2		1	Natel Engineering Co	09059
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HUA	NHI-1559FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HTA	NHI-1559/883		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HMA	NHI-1567		1	National Hybrid, Inc	57363

-168-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003974 69T

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HNA	NHI-1567FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HTC	NHI-1559/883		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103H4C	NHI-1579		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HZA	NHI-1573FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103H5C	NHI-1579FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103H5A	NHI-1579FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HUC	NHI-1559FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HZC	NHI-1573FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103H4A	NHI-1579		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HNC	NHI-1567FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANBY LOW)	5962-9206103HMC	NHI-1567		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104HNC	NHI-1568FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104HMC	NHI-1568		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104HMA	NHI-1568		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104HNA	NHI-1568FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104HTC	NHI-1560/883		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104H4C	NHI-1580		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104H4A	NHI-1580		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104HZA	NHI-1574FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104H5A	NHI-1580FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104HTA	NHI-1560/883		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104H5C	NHI-1580FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, +5V (STANDBY HIGH)	5962-9206104HZC	NHI-1574FP		1	National Hybrid, Inc	57363
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V (SMITH INTERFACE)	5962-9206102HXX			1	NO APPROVED SOURCE	XXXXX
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V (SMITH INTERFACE)	5962-9206102HYX			1	NO APPROVED SOURCE	XXXXX

-169-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, 5V (SMITH INTERFACE)	5962-9206102HZX			1	NO APPROVED SOURCE	XXXXX
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, ±5V (HARRIS INTERFACE)	5962-9206101HXX			1	NO APPROVED SOURCE	XXXXX
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, ±5V (HARRIS INTERFACE)	5962-9206101HZX			1	NO APPROVED SOURCE	XXXXX
TRANSCEIVER, DUAL CHANNEL, MIL-STD-1553, ±5V (HARRIS INTERFACE)	5962-9206101HYX			1	NO APPROVED SOURCE	XXXXX
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HNC	NHI-1570FP		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HMC	NHI-1570		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106H4A	NHI-1581		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HUA	NHI-1577FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HZC	NHI-1594FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106H4C	NHI-1581		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HZA	NHI-1594FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106H5A	NHI-1581FP		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HNA	NHI-1570FP		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106H5C	NHI-1581FP		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HTC	NHI-1577/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HMA	NHI-1570		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HTA	NHI-1577/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY HIGH)	5962-9206106HUC	NHI-1577FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HZC	NHI-1593FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HNA	NHI-1569FP		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HZA	NHI-1593FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HTC	NHI-1563/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HMC	NHI-1569		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HUC	NHI-1563FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105H4A	NHI-1578		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HMA	NHI-1569		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HTA	NHI-1563/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HNC	NHI-1569FP		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105H5C	NHI-1578FP		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105HUA	NHI-1563FP/883		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105H5A	NHI-1578FP		1	National Hybrid, Inc	57363
TRANSCEIVER, MAC-AIR, DUAL CHANNEL, +5V (STANDBY LOW)	5962-9206105H4C	NHI-1578		1	National Hybrid, Inc	57363
TRANSCEIVER, MIL-STD-1553, DUAL CHANNEL, -15 AND +5 VOLT	5962-9550501HXC	ARX4810-201-1		1	Aeroflex Lab. Inc.	88379
TRANSCEIVER, MIL-STD-1553, DUAL CHANNEL, -15 AND +5 VOLT	5962-9550501HXA	ARX4810-201-3		1	Aeroflex Lab. Inc.	88379
TRANSCEIVER, MIL-STD-1553, DUAL CHANNEL, -15 AND +5 VOLT	5962-9550501HXC	ARX4810-201-3		1	Aeroflex Lab. Inc.	88379
TRANSCEIVER, MIL-STD-1553, DUAL CHANNEL, -15 AND +5 VOLT	5962-9550501HXA	ARX4810-201-2		1	Aeroflex Lab. Inc.	88379

-170-
HYBRID MICROCIRCUITS
QML-38534-23

9999968 0003976 462

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER PART NUMBER	SIMILAR 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055401YC	XDC14507-628		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055401XC	HSDC8915A883B		1	DDC Ireland LTD.	S7631
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055401XC	XDC14507-628		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055401XC	HSDC8915A883B		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055401XA	XDC14507-628		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055401YA	XDC14507-628		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055402YA	XDC14507-627		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055402XC	HSDC8915883D		1	DDC Ireland LTD.	S7631
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055402XA	XDC14507-627		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055402XC	XDC14507-627		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055402XC	HSDC8915883B		1	ILC Data Device Corp	19645
VOLT. FOLLOWER, BUFFER INPUT, 400 HZ	5962-9055402YC	XDC14507-627		1	ILC Data Device Corp	19645
VOLT. FOLLOWER/BUFFER	8001401ZC	ELH0033G/883B		1	Elantec Incorporated	64762
VOLT. FOLLOWER/BUFFER	8001401ZA	ELH0033G/883B		1	Elantec Incorporated	64762
VOLT. FOLLOWER/BUFFER	8001401ZC	MSK 0033B		1	M.S Kennedy Corp.	51651
VOLT. REFERENCE, +10.000V, PRECISION	8503002YA	2700UD/883B		1	Analog Devices, Inc	34031
VOLT. REFERENCE, +10.000V, PRECISION	8503002YA	HC2700UD/883B		1	Hycomp, Incorporated	34707
VOLT. REFERENCE, +10.000V, PRECISION	8503002YA	HS2700UD		1	Sipex Corporation	33256
VOLT. REFERENCE, +10.000V, PRECISION	8503002YC	HS2700UD		1	Sipex Corporation	33256
VOLT. REFERENCE, +10.000V, PRECISION	8503002YC	2700UD/883B		1	Analog Devices, Inc	34031
VOLT. REFERENCE, +10.000V, PRECISION	85030023A	HC2700ULCC/883B		1	Hycomp, Incorporated	34707
VOLT. REFERENCE, +10.000V, PRECISION	8503002CA	HS2700UD/883B		1	Sipex Corporation	33256
VOLT. REFERENCE, +10.000V, PRECISION	8503002CC	HS2700UD/883B		1	Sipex Corporation	33256
VOLT. REFERENCE, +10.000V, PRECISION	8503001YA	HS2700SD		1	Sipex Corporation	33256
VOLT. REFERENCE, +10.000V, PRECISION	8503001YC	2700SD/883B		1	Analog Devices, Inc	34031
VOLT. REFERENCE, +10.000V, PRECISION	85030013A	HC2700SLCC/883B		1	Hycomp, Incorporated	34707
VOLT. REFERENCE, +10.000V, PRECISION	8503001YA	HC2700SD/883B		1	Hycomp, Incorporated	34707
VOLT. REFERENCE, +10.000V, PRECISION	8503001YC	HS2700SD		1	Sipex Corporation	33256
VOLT. REFERENCE, +10.000V, PRECISION	8503001CC	HS2700SD/883B		1	Sipex Corporation	33256
VOLT. REFERENCE, +10.000V, PRECISION	8503001YA	2700SD/883B		1	Analog Devices, Inc	34031
VOLT. REFERENCE, +10.000V, PRECISION	8503001CA	HS2700SD/883B		1	Sipex Corporation	33256
VOLT. REFERENCE, +10V/+1V, PRECISION	5962-9094301H3C	HC9172		1	Hycomp, Incorporated	34707
VOLT. REFERENCE, +10V/+1V, PRECISION	5962-9094301H3A	HC9172		1	Hycomp, Incorporated	34707
VOLT. REFERENCE, -10.000V, PRECISION	8503005YC	HS2701SD		1	Sipex Corporation	33256
VOLT. REFERENCE, -10.000V, PRECISION	8503005YA	HC2701SD/883B		1	Hycomp, Incorporated	34707
VOLT. REFERENCE, -10.000V, PRECISION	85030053A	HC2701SLCC/883B		1	Hycomp, Incorporated	34707
VOLT. REFERENCE, -10.000V, PRECISION	8503005YA	2701SD/883B		1	Analog Devices, Inc	34031
VOLT. REFERENCE, -10.000V, PRECISION	8503005YC	2701SD/883B		1	Analog Devices, Inc	34031

-171-
HYBRID MICROCIRCUITS
QML-38534-23

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

96/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
VOLT. REFERENCE, -10.000V, PRECISION	8503005CA	HS2701SD/883B	1	Sipex Corporation	33256
VOLT. REFERENCE, -10.000V, PRECISION	8503005YA	HS2701SD	1	Sipex Corporation	33256
VOLT. REFERENCE, -10.000V, PRECISION	8503005CC	HS2701SD/883B	1	Sipex Corporation	33256
VOLT. REFERENCE, -10.000V, PRECISION	8503006YA	HC2701UD/883B	1	Hycomp, Incorporated	34707
VOLT. REFERENCE, -10.000V, PRECISION	8503006YA	2701UD/883B	1	Analog Devices, Inc	34031
VOLT. REFERENCE, -10.000V, PRECISION	8503006CA	HS2701UD/883B	1	Sipex Corporation	33256
VOLT. REFERENCE, -10.000V, PRECISION	8503006YA	HS2701UD	1	Sipex Corporation	33256
VOLT. REFERENCE, -10.000V, PRECISION	8503006CC	HS2701UD/883B	1	Sipex Corporation	33256
VOLT. REFERENCE, -10.000V, PRECISION	8503006YC	HS2701UD	1	Sipex Corporation	33256
VOLT. REFERENCE, -10.000V, PRECISION	8503006YC	2701UD/883B	1	Analog Devices, Inc	34031
VOLT. REFERENCE, -10.000V, PRECISION	85030063A	HC2701ULCC/883B	1	Hycomp, Incorporated	34707
VOLT. REFERENCE, ±10.000V, PRECISION	8503003YA	HC2702SD/883B	1	Hycomp, Incorporated	34707
VOLT. REFERENCE, ±10.000V, PRECISION	8503003YA	2702SD/883B	1	Analog Devices, Inc	34031
VOLT. REFERENCE, ±10.000V, PRECISION	8503003CC	HS2702SD/883B	1	Sipex Corporation	33256
VOLT. REFERENCE, ±10.000V, PRECISION	85030033A	HC2702SLCC/883B	1	Hycomp, Incorporated	34707
VOLT. REFERENCE, ±10.000V, PRECISION	8503003YC	HS2702SD	1	Sipex Corporation	33256
VOLT. REFERENCE, ±10.000V, PRECISION	8503003YA	HS2702SD	1	Sipex Corporation	33256
VOLT. REFERENCE, ±10.000V, PRECISION	8503003CA	HS2702SD/883B	1	Sipex Corporation	33256
VOLT. REFERENCE, ±10.000V, PRECISION	8503003YC	2702SD/883B	1	Analog Devices, Inc	34031
VOLT. REFERENCE, ±10.000V, PRECISION	8503004CA	HS2702UD/883B	1	Sipex Corporation	33256
VOLT. REFERENCE, ±10.000V, PRECISION	8503004YA	HS2702UD	1	Sipex Corporation	33256
VOLT. REFERENCE, ±10.000V, PRECISION	8503004YC	HS2702UD	1	Sipex Corporation	33256
VOLT. REFERENCE, ±10.000V, PRECISION	85030043A	HC2702ULCC/883B	1	Hycomp, Incorporated	34707
VOLT. REFERENCE, ±10.000V, PRECISION	8503004YA	HC2702UD/883B	1	Hycomp, Incorporated	34707
VOLT. REFERENCE, ±10.000V, PRECISION	8503004YA	2702UD/883B	1	Analog Devices, Inc	34031
VOLT. REFERENCE, ±10.000V, PRECISION	8503004CC	HS2702UD/883B	1	Sipex Corporation	33256
VOLT. REFERENCE, ±10.000V, PRECISION	8503004YC	2702UD/883B	1	Analog Devices, Inc	34031
VOLT. REGULATOR	5962-9313401HXA	ARX5006	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313401HXC	ARX5006	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313401HXC	CJSE298	1	Solitron Devices	21845
VOLT. REGULATOR	5962-9313402HXA	ARX5007	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313402HXC	ARX5007	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313402HXC	CJSE299	1	Solitron Devices	21845
VOLT. REGULATOR	5962-9313403HXA	ARX5008	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313403HXC	CJSE300	1	Solitron Devices	21845
VOLT. REGULATOR	5962-9313403HXC	ARX5008	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313404HXC	ARX5009	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313404HXC	CJSE301	1	Solitron Devices	21845

-172-
HYBRID MICROCIRCUITS
QML-38534-23

999968 0003978 235

APPROVED SOURCE
MASTER PRODUCT LISTING
TABLE II

05/01/12

PRODUCT TYPE/ DESCRIPTION	STANDARDIZED MILITARY DRAWING (SMD)	MANUFACTURER SIMILAR PART NUMBER 4/	ESDS CLASS	SOURCE(S)	CAGE CODE
VOLT. REGULATOR	5962-9313404HXA	ARX5009	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313405HXC	ARX5010	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313405HXC	CJSE321	1	Soliton Devices	21845
VOLT. REGULATOR	5962-9313405HXA	ARX5010	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313406HXA	ARX5011	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313406HXC	ARX5011	1	Aeroflex Lab. Inc.	88379
VOLT. REGULATOR	5962-9313406HXC	CJSE322	1	Soliton Devices	21845
VOLT. REGULATOR, FIXED, DUAL, +12V AND -12V OUTPUT	5962-8949006XA	OM7505SC/883B	1	Omnirel Corporation	69210
VOLT. REGULATOR, FIXED, DUAL, +12V AND -15V OUTPUT	5962-8949007XA	OM7506SC/883B	1	Omnirel Corporation	69210
VOLT. REGULATOR, FIXED, DUAL, +12V AND -5V OUTPUT	5962-8949005XA	OM7504SC/883B	1	Omnirel Corporation	69210
VOLT. REGULATOR, FIXED, DUAL, +15V AND -12V OUTPUT	5962-8949009XA	OM7508SC/883B	1	Omnirel Corporation	69210
VOLT. REGULATOR, FIXED, DUAL, +15V AND -15V OUTPUT	5962-8949001XA	OM7509SC/883B	1	Omnirel Corporation	69210
VOLT. REGULATOR, FIXED, DUAL, +15V AND -5V OUTPUT	5962-8949008XA	OM7507SC/883B	1	Omnirel Corporation	69210
VOLT. REGULATOR, FIXED, DUAL, +5V AND -12V OUTPUT	5962-8949003XA	OM7502SC/883B	1	Omnirel Corporation	69210
VOLT. REGULATOR, FIXED, DUAL, +5V AND -15V OUTPUT	5962-8949004XA	OM7503SC/883B	1	Omnirel Corporation	69210
VOLT. REGULATOR, FIXED, DUAL, +5V AND -5V OUTPUT	5962-8949002XA	OM7501SC/883B	1	Omnirel Corporation	69210

-173-
HYBRID MICROCIRCUITS
QML-38534-23