

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-PRF-38999

CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT,
(BAYONET, THREADED, AND BREECH COUPLING)
ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS
GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE DEFENSE SUPPLY CENTER COLUMBUS (DSCC-VQ), COLUMBUS, OH 43216-5000.

NOTES:

- * INACTIVE FOR NEW DESIGN
- ** INACTIVE FOR NEW DESIGN FOR AIR FORCE
- # EXCEPT CLASS P

All parts listed on this QPL are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized category A distributors. Names and addresses of authorized assembly plants (distributor, category C per MIL-STD-790C) are listed on the last page of this QPL.

The qualified products are listed in tabular form for each manufacturer. Connectors are qualified to any combination of class, finish and style shown. The insert arrangement number applicable to each shell size is shown in a vertical column under the shell size. An example of the government designation which identifies the connector is as follows:

SERIES I AND II

<u>MS27466</u>	<u>I</u>	<u>15</u>	<u>A</u>	<u>18</u>	<u>P</u>	<u>A</u>
MS NUMBER	CLASS	SHELL SIZE	FINISH (COLOR) NUMBER	INSERT ARRANGEMENT	STYLE (P OR S)	POLARIZATION
						(NO LETTER REQUIRED FOR NORMAL EXCEPT SERIES III AND IV)

SERIES III AND IV

<u>D38999/</u>	<u>24</u>	<u>E</u>	<u>A</u>	<u>35</u>	<u>P</u>	<u>N</u>
DoD NO. PREFIX	SPECIFICATION SHEET NUMBER	CLASS	SHELL SIZE CODE	INSERT ARRANGEMENT	CONTACT STYLE	POLARIZING POSITION

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27466 CLASS: E, T FINISH: A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 5 4 5 6 11 1 1 1 35 13 22 18 8 28 16 21 4 98 35 35 19 26 32 35 32 24 98 98 35 35 35 41 35 29 99 37 55 66 35 97 61	AE166() STYLE: P, S	38999-032-96	Aero Electric Connector, Inc.
MS27466 () CLASS: T FINISH: B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 2 4 5 6 11 11 21 4 98 4 8 15 8 30 16 35 19 5 35 18 26 32 35 53 29 35 98 19 35 35 39 35 98 35 99 41 43 99 97 46 61	LJT00R STYLE: P, S	38999-899-82	Amphenol, Ltd.
MS27466 CLASS: T FINISH: B SHELL SIZE 9 11 13 15 17 23 INSERT ARRANGEMENT NUMBER 35 35 35 5 8 35 98 98 98 19 26 53 35 35 97 99	LJT00R STYLE: P, S	38999-1374-86	Amphenol/Socapex
MS27466 CLASS: *E, T, **P FINISH: *A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER *6 #2 4 5 2 11 *1 *1 *1 35 4 8 15 6 18 #11 *2 *2 *44 5 *22 18 8 32 16 21 4 98 *13 35 #19 26 35 35 35 #19 35 98 35 35 66 39 53 24 98 *37 *55 41 55 29 99 #97 99 35 #43 #46 61	LJT00R STYLE: P, S, H, J	38999-403-81	Amphenol Connectors
(11-99 - Style P Only)			
MS27466 CLASS: T FINISH: B SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 #11 21 4 98 35 35 18 8 32 16 35 19 99 98 35 26 35 35 53 24 #97 35 41 55 29 35 61	DJT10E() STYLE P, S, H, J	38999-136-84	Deutsch

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27466	8LT0-()-()								38999-566-84	Framatome Connectors France
CLASS: E, T	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	4	8	5	6	11	11	21	19		
98	5	35	18	8	32	16	35	24		
	35	98	19	26	35	35	53	29		
	98		35	35		39		35		
			97	99		41		43		
								61		
MS27466	KJL0								38999-602-81	ITT Cannon
CLASS: *E, T, **P	FINISH: *A, B, F STYLE: S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	4	8	5	6	11	#11	21	4		
98	5	35	15	8	32	16	35	19		
	35	98	18	26	35	35	53	24		
	98		#19	35		39	55	29		
			35			41		35		
			#97					#43		
								61		
MS27466	KJL0								38999-602-81	ITT Cannon
CLASS: *E, T, **P	FINISH: *A, B, F STYLE: P									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
*6	4	4	5	6	11	*1	*1	*1		
35	5	8	15	8	28	#11	*2	*2		
98	*13	*22	18	26	30	16	21	4		
	35	35	#19	35	32	35	32	19		
	98	98	35	*55	35	39	35	24		
	99		*37	99	*66	41	53	29		
			#97				55	35		
								#43		
								61		
MS27466 ()	MB910								38999-67-81	Matrix Science Connectors
CLASS: *E, T	FINISH: *A, B, F STYLE: P, S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	4	4	5	6	11	11	21	4		
98	5	8	15	8	30	16	32	19		
	35	35	18	26	32	35	35	24		
	98	98	19	35	35	39	53	29		
	99		35	99		41	55	35		
			97					#43		
(13-35 Finish E)								61		
MS27466()	T1()-18()-()								38999-325-87	Pyle-National Connectors
CLASS: T	FINISH: B, E, F STYLE: P, S									
	SHELL SIZE									
	17	19	21	25						
INSERT ARRANGEMENT NUMBER										
	8	18	35	24						
	35		41	35						
	26			29						
				61						
MS27466	LTT00RT								38999-308-89	TEC Electrical Components, Ltd.
CLASS: T	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
6	13	4	5	26	11	1	1	1		
35	35	8	18	35	32	11	21	29		
98	98	22	19	55	35	16	35	35		
		35	35		66	35		43		
		98	37		41			61		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27467 CLASS: E, T FINISH: A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 5 4 5 6 11 1 1 1 35 13 22 18 8 28 16 21 4 98 35 35 19 26 32 35 32 24 98 98 35 35 35 41 35 29 99 37 55 66 35 97 61	AE167() STYLE: P, S	38999-032-96	Aero Electric Connector, Inc.
MS27467 () CLASS: T FINISH: B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 2 4 5 6 11 11 21 4 98 4 8 15 8 30 16 35 19 5 35 18 26 32 35 53 29 35 98 19 35 35 39 35 98 35 99 41 43 99 97 46 61	LJT06R STYLE: P, S	38999-899-82	Amphenol, Ltd.
MS27467 CLASS: T FINISH: B SHELL SIZE 9 11 13 15 17 23 INSERT ARRANGEMENT NUMBER 35 35 35 5 8 35 98 98 98 19 26 53 35 35 97 99	LJT06R STYLE: P, S	38999-1374-86	Amphenol/Socapex
MS27467 CLASS: *E, T, **P FINISH: *A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER *6 #2 4 5 2 11 *1 *1 *1 35 4 8 15 6 18 #11 *2 *2 *44 5 *22 18 8 32 16 21 4 98 *13 35 #19 26 35 35 35 #19 35 98 35 35 66 39 53 24 98 *37 *55 41 55 29 99 #97 99 35 #43 #46 61	LJT06R STYLE: P, S, H, J	38999-403-81	Amphenol Connectors
(11-99 - Style P Only)			
MS27467 CLASS: T FINISH: B SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 #11 21 4 98 35 35 18 8 32 16 35 19 99 98 35 26 35 35 53 24 #97 35 41 55 29 35 61	DJT16E() STYLE: P, S, H, J	38999-136-84	Deutsch
MS27467 CLASS: E, T FINISH: B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 4 8 5 6 11 11 21 19 98 5 35 18 8 32 16 35 24 35 98 19 26 35 35 53 29 98 35 35 39 35 97 99 41 43 61	8LT5-()-() STYLE: P, S	38999-566-84	Framatome Connectors France

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27467	KJL6								38999-602-81	ITT Cannon
CLASS: *E, T, **P	FINISH: *A, B, F STYLE: P									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
*6	4	4	5	6	11	*1	*1	*1		
35	5	8	15	8	28	#11	*2	*2		
98	*13	*22	18	26	30	16	21	4		
	35	35	#19	35	32	35	32	19		
	98	98	35	*55	35	39	35	24		
	99		*37	99	*66	41	53	29		
			#97				55	35		
								#43		
								61		
MS27467	KJL6								38999-602-81	ITT Cannon
CLASS: *E, T, **P	FINISH: *A, B, F STYLE: S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	4	8	5	6	11	#11	21	4		
98	5	35	15	8	32	16	35	19		
	35	98	18	26	35	35	53	24		
	98		#19	35		39	55	29		
			35			41		35		
			#97					#43		
								61		
MS27467 ()	MB918								38999-67-81	Matrix Science Connectors
CLASS: *E T	FINISH: * A, B, F STYLE: P, S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	4	4	5	6	11	11	21	4		
98	5	8	15	8	30	16	32	19		
	35	35	18	26	32	35	35	24		
	98	98	19	35	35	39	53	29		
	99		35	99		41	55	35		
			97					43		
								46		
								61		
MS27467()	T1()-10()-()								38999-325-87	Pyle-National Connectors
CLASS: T	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
	17	19	21	25						
INSERT ARRANGEMENT NUMBER										
	8	18	35	24						
	26		41	25						
	35			35						
				61						
MS27467	LTT06RT								38999-308-89	TEC Electrical Components, Ltd.
CLASS: T	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
6	13	4	5	26	11	1	1	1		
35	35	8	18	35	32	11	21	29		
98	98	22	19	55	35	16	35	35		
		35	35		66	35		43		
		98	37			41		61		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27468 CLASS: E, T FINISH: A, B, F STYLE: P, S SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 5 4 5 6 11 1 1 1 35 13 22 18 8 28 16 21 4 98 35 35 19 26 32 35 32 24 98 98 35 35 35 41 35 29 99 37 55 66 35 97 61	AE168()	38999-032-96	Aero Electric Connector, Inc.
MS27468 CLASS: T FINISH: B, F STYLE: P, S SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 2 4 5 6 11 11 21 4 98 4 8 15 8 30 16 35 19 5 35 18 26 32 35 53 29 35 98 19 35 35 39 35 98 35 99 41 43 99 97 46 61	LJT07R	38999-899-82	Amphenol, Ltd.
MS27468 CLASS: T FINISH: B STYLE: P, S SHELL SIZE 9 11 13 15 17 23 INSERT ARRANGEMENT NUMBER 35 35 35 5 8 35 98 98 98 19 26 53 35 35 97 99	LJT07R	38999-1374-86	Amphenol/Socapex
MS27468 CLASS: *E, T, **P FINISH: *A, B, F STYLE: P, S, H, J SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER *6 #2 4 5 2 11 *1 *1 *1 35 4 8 15 6 18 #11 *2 *2 *44 5 *22 18 8 32 16 21 4 98 *13 35 #19 26 35 35 35 #19 35 98 35 35 66 39 53 24 98 *37 *55 41 55 29 99 #97 99 35 #43 #46 61 (11-99 - Style P Only)	LJT07R	38999-403-81	Amphenol Connectors
MS27468 CLASS: T FINISH: B STYLE: P, S, H, J SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 #11 21 4 98 35 35 18 8 32 16 35 19 99 98 35 26 35 35 53 24 #97 35 41 55 29 35 61	DJT14E()	38999-566-84	Deutsch
MS27468 CLASS: E, T FINISH: B, F STYLE: P, S SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 4 8 5 6 11 11 21 19 98 5 35 18 8 32 16 35 24 35 98 19 26 35 35 53 29 98 35 35 39 35 97 99 41 43 61	8LT7-()-()	38999-566-84	Framatome Connectors France

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27468	KJL7								38999-602-81	ITT Cannon
CLASS: *E, T, **P	FINISH: *A, B, F STYLE: P									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
*6	4	4	5	6	11	*1	*1	*1		
35	5	8	15	8	28	11	*2	*2		
98	*13	*22	18	26	30	16	21	4		
	35	35	#19	35	32	35	32	19		
	98	98	35	*55	35	39	35	24		
	99		*37	99	*66	41	53	29		
			#97				55	35		
								#43		
								61		
MS27468	KJL7								38999-602-81	ITT Cannon
CLASS: *E, T, **P	FINISH: *A, B, F STYLE: S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	4	8	5	6	11	#11	21	4		
98	5	35	15	8	32	16	35	19		
	35	98	18	26	35	35	53	24		
	98		#19	35		39	55	29		
			35			41		35		
			#97					#43		
								61		
MS27468	MB914								38999-67-81	Matrix Science Connectors
CLASS: *E, T	FINISH: *A, B, F STYLE: P, S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	4	4	5	6	11	11	21	4		
98	5	8	15	8	30	16	32	19		
	35	35	18	26	32	35	35	24		
	98	98	19	35	35	39	53	29		
	99		35	99		41	55	35		
			97					43		
								46		
								61		
MS27468	T1()-()-()								38999-325-87	Pyle-National Connectors
CLASS: T	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
	17	19	21	25						
INSERT	ARRANGEMENT NUMBER									
	8	18	35	24						
	26		41	29						
				35						
				61						
MS27468	LTT07RT								38999-308-89	TEC Electrical Components, Ltd.
CLASS: T	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
6	13	4	5	26	11	1	1	1		
35	35	8	18	35	32	11	21	29		
98	98	22	19	55	35	16	35	35		
		35	35		66	35		43		
		98	37		41			61		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27469	LJT00Y								38999-403-81	Amphenol Connectors
CLASS: Y	FINISH: D, E, N								STYLE: P, X	
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
*6	5	4	5	6	11	1	1	1		
35	*13	8	15	8	18	16	*2	4		
*44	35	*22	18	26	32	39	21	24		
98	98	35	19	35	35	35	32	35		
	99	98	35	55	*66	41	35	61		
			*37	99			53			
			97				55			
MS27469	91500								38999-618-81	Hermetic Seal Corp.
CLASS: Y	FINISH: D, E, N								STYLE: C, P, X	
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
*6	2	4	5	6	11	*1	*1	*1		
35	4	8	15	8	28	11	*2	*2		
*44	5	*22	18	26	30	16	21	4		
98	*13	35	19	35	32	24	32	19		
	35	98	35	55	35	25	34	24		
	98		*37	99	45	27	35	29		
	99		97		*66	35	36	35		
					67	39	53	43		
						41	55	61		
							97			
							99			
MS27469 ()	76000 ()								38999-1030-87	Hi-Rel Connectors, Inc.
CLASS: Y	FINISH: D, E, N								STYLE: P	
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	2	4	5	6	11	16	21	4		
98	5	8	15	8	28	24	32	19		
	35	35	18	26	30	25	34	24		
	98	98	19	35	32	27	35	29		
	99		35	99	35	35	36	35		
			97		45	39	53	61		
						41	55			
							97			
							99			
MS27469	KJL0Y								38999-602-81	ITT Cannon
CLASS: Y	FINISH: D, E								STYLE: P	
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	5	8	5	8	32	16	21	4		
98	35	35	15	26	35	35	32	29		
	98	98	18	35		39	35	35		
			35			41	53	61		
			97							
MS27469	A9703-()-()-()								38999-366-85	Sealtron, Inc.
CLASS: Y	FINISH: D, E, N								STYLE: C, P, X	
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
6	2	4	5	6	11	1	1	1		
35	4	8	15	8	28	11	2	2		
44	5	22	18	26	30	16	21	4		
98	13	35	19	35	32	24	32	19		
	35	98	35	55	35	25	34	24		
	98		97	99	45	27	35	29		
	99		*37		66	35	36	35		
					67	39	53	43		
						41	55	61		
							97			
							99			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27470	LJT07Y								38999-403-81	Amphenol Connectors
CLASS: Y	FINISH: D, E, N STYLE: P, X									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
INSERT ARRANGEMENT NUMBER										
*6	5	4	5	6	11	1	1	1		
35	*13	8	15	8	18	16	*2	4		
*44	35	*22	18	26	32	39	21	24		
98	98	35	19	35	35	35	32	35		
	99	98	35	55	*66	41	35	61		
			*37	99			53			
			97				55			
MS27470 ()	DJT14H()								38999-355-83	Deutsch
CLASS: Y	FINISH: D STYLE: P								38999-375-89	
	SHELL SIZE									
9	11	13	15	25						
INSERT ARRANGEMENT NUMBER										
35	35	35	35	4						
				35						
				61						
MS27470	92200								38999-618-81	Hermetic Seal Corp.
CLASS: Y	FINISH: D, E, N STYLE: C, P, X									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
INSERT ARRANGEMENT NUMBER										
*6	2	4	5	6	11	*1	*1	*1		
35	4	8	15	8	28	11	*2	*2		
*44	5	*22	18	26	30	16	21	4		
98	*13	35	19	35	32	24	32	19		
	35	98	35	55	35	25	34	24		
	98		*37	99	45	27	35	29		
	99		97		*66	35	36	35		
					67	39	53	43		
						41	55	61		
							97			
							99			
MS27470 ()	74000 ()								38999-1030-87	Hi-Rel Connectors, Inc.
CLASS: Y	FINISH: D, E, N STYLE: P									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
INSERT ARRANGEMENT NUMBER										
35	2	4	5	6	11	16	21	4		
98	5	8	15	8	28	24	32	19		
	35	35	18	26	30	25	34	24		
	98	98	19	35	32	27	35	29		
	99		35	99	35	35	36	35		
			97		45	39	53	61		
						41	55			
							97			
							99			
MS27470	KJL7Y								38999-602-81	ITT Cannon
CLASS: Y	FINISH: D, E STYLE: P									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
INSERT ARRANGEMENT NUMBER										
35	5	8	5	8	32	16	21	4		
98	35	35	15	26	35	35	32	29		
	98	98	18	35		39	35	35		
			35			41	53	61		
			97							

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27470	A9705-()-()-()								38999-366-85	Sealtron, Inc.
CLASS: Y	FINISH: D, E, N STYLE: C, P, X									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
6	2	4	5	6	11	*1	*1	*1		
35	4	8	15	8	28	11	2	2		
44	5	22	18	26	30	16	21	4		
98	13	35	19	35	32	24	32	19		
	35	98	35	55	35	25	34	24		
	98		97	99	45	27	35	29		
	99		*37		*66	35	36	35		
			97		67	39	53	43		
						41	55	61		
							97			
							99			
MS27471	LJTLY								38999-403-81	Amphenol Connectors
CLASS: Y	FINISH: D, E, N STYLE: P, X									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
*6	5	4	5	6	11	1	1	1		
35	*13	8	15	8	18	16	*2	4		
*44	35	*22	18	26	32	39	21	24		
98	98	35	19	35	35	35	32	35		
	99	98	35	55	*66	41	35	61		
			*37	99			53			
			97				55			
MS27471 ()	DJT11H ()								38999-355-83	Deutsch
CLASS: Y	FINISH: D STYLE: P									
	SHELL SIZE									
9	11	13	25							
	INSERT ARRANGEMENT NUMBER									
35	35	35	4							
			35							
			61							
MS27471	90000								38999-618-81	Hermetic Seal Corp.
CLASS: Y	FINISH: D, E, N STYLE: C, P, X									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
*6	2	4	5	6	11	*1	*1	*1		
35	4	8	15	8	28	11	*2	*2		
*44	5	*22	18	26	30	16	21	4		
98	*13	35	19	35	32	24	32	19		
	35	98	35	55	35	25	34	24		
	98		*37	99	45	27	35	29		
	99		97		*66	35	36	35		
					67	39	53	43		
						41	55	61		
							97			
							99			
MS27471 ()	75000 ()								38999-1030-87	Hi-Rel Connectors, Inc.
CLASS: Y	FINISH: D, E, N STYLE: P									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	2	4	5	6	11	16	21	4		
98	5	8	15	8	28	24	32	19		
	35	35	18	26	30	25	34	24		
	98	98	19	35	32	27	35	29		
	99		35	99	35	35	36	35		
			97		45	39	53	61		
						41	55			
							97			
							99			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27471	KJLLY								38999-602-81	ITT Cannon
CLASS: Y	FINISH: D, E									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	5	8	5	8	32	16	21	4		
98	35	35	15	26	35	35	32	29		
	98	98	18	35		39	35	35		
			35			41	53	61		
			97							
MS27471	A9702-()-()-()								38999-366-85	Sealtron, Inc.
CLASS: Y	FINISH: D, E, N									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
6	2	4	5	6	11	1	1	*1		
35	4	8	15	8	28	11	2	2		
44	5	22	18	26	30	16	21	4		
98	13	35	19	35	32	24	32	19		
	35	98	35	55	35	25	34	24		
	98		97	99	45	27	35	29		
	99		*37		*66	35	36	35		
			97		67	39	53	43		
						41	55	61		
							97			
							99			
MS27472	AE272()								38999-033-96	Aero Electric Connector, Inc.
CLASS: *E, T, P	FINISH: *A, B, C, F									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	24		
98	98	*22	35	35	32	35	32	29		
	99	35	*37	*42	35	39	35	35		
		98	#97	*55	45	41	55	61		
				99	*53					
					*66					
					*67					
(CLASS P EXCEPT SHELL SIZES 14 & 16)										
MS27472	JT00R								38999-899-82	Amphenol, Ltd.
CLASS: T	FINISH: B, F									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	5	3	5	6	11	16	21	4		
98	35	4	15	8	28	35	32	24		
	98	8	18	26	30	39	35	29		
	99	35	35	35	32	41	55	35		
		98	97	99	35			61		
MS27472	JT00R								38999-14-73	Amphenol Connectors
CLASS: *E, T, **P	FINISH: *A, B, C, F								38999-719-76	
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	4		
98	98	*22	35	35	32	35	32	#19		
	99	35	*37	*42	35	39	35	24		
		98	#97	*55	*53	41	55	29		
				96	*66			35		
				99				61		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27472 () 54020 () CLASS: T FINISH: B STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 35 35 35 35 35 35 35 35									38999-89-82	Hi-Rel Connectors, Inc.
MS27472 KJ0 CLASS: *E, T, **P FINISH: *A, B, C, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 *1 35 *13 4 15 8 28 *2 *2 *2 98 35 8 18 26 30 16 21 4 98 *22 35 35 32 35 32 19 99 35 *37 *42 35 39 35 24 98 #97 *55 *53 41 53 29 99 *66 55 35 61									38999-621-70 thru 38999-624-70 38999-724-76	ITT Cannon
(24-19 - Style P only)										
MS27472 () MB920 CLASS: *E, T FINISH: *A, B, C, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 16 21 4 98 35 8 15 8 30 35 32 19 98 35 18 26 32 39 35 24 99 98 35 35 35 41 53 29 97 99 55 35 61									38999-678-80	Matrix Science Connectors
MS27472 TT00RT CLASS: T FINISH: B, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 6 13 3 5 26 [11] 1 1 1 35 35 4 18 35 [32] [6] [21] 19 44 [98] 22 35 55 35 35 35 [29] 35 37 66 [41] 55 35 98 [61]									38999-308-89	TEC Electrical Components, Ltd.
[] Style P Only										
MS27473 AE273() CLASS: *E, T, P FINISH: *A, B, C, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 *1 35 *13 4 15 8 28 *2 *2 *2 *44 35 8 18 26 30 16 21 24 98 98 *22 35 35 32 35 32 29 99 35 *37 *42 35 39 35 35 98 #97 *55 45 41 55 61 99 *53 *66 *67									38999-033-96	Aero Electric Connector, Inc.
(CLASS P EXCEPT SHELL SIZES 14 & 16)										
MS27473 () JT06R CLASS: T FINISH: B, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 5 3 5 6 11 16 21 4 98 35 4 15 8 28 35 32 24 98 8 18 26 30 39 35 29 99 35 35 35 32 41 55 35 98 97 99 35 61									38999-899-82	Amphenol, Ltd.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27473 CLASS: *E, **P, T FINISH: *A, B, C, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 35 *13 4 15 8 28 *2 *2 *2 *44 35 8 18 26 30 16 21 4 98 98 *22 35 35 32 35 32 #19 99 35 *37 *42 35 39 35 24 98 #97 *55 *53 41 55 29 99 *66 35 #96 61	JT06R	38999-14-73 38999-719-76	Amphenol Connectors
MS27473 CLASS: T FINISH: B, C, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 35 35 18 8 35 16 35 24 35 35 35 29 41 35 61	8T6-()-()	38999-566-84	Framatome Connectors France
MS27473 CLASS: *E, T, **P FINISH: *A, B, C, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 35 *13 4 15 8 28 *2 *2 *2 98 35 8 18 26 30 16 21 4 98 *22 35 35 32 35 32 19 99 35 *37 *42 35 39 35 24 98 #97 *55 *53 41 53 29 99 *66 55 35 61	KJ6	38999-621-70 thru 38999-624-76 38999-724-76	ITT Cannon
(24-19 - Style P only)			
MS27473 () CLASS: *E, T FINISH: *A, B, C, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 16 21 4 98 35 8 15 8 30 35 32 19 98 35 18 26 32 39 35 24 99 98 35 35 35 41 53 29 97 99 55 35 61	MB926	38999-678-80	Matrix Science Connectors
MS27473 CLASS: T FINISH: B, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 6 13 3 5 26 [11] 1 1 1 35 35 4 18 35 [32] [6] [21] 19 44 [98] 22 35 55 35 35 35 [29] 35 37 66 [41] 55 35 98 [61]	TT06RT	38999-308-89	TEC Electrical Components, Ltd.
[] Style P Only			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27474	AE274()								38999-033-96	Aero Electric Connector, Inc.
CLASS: *E, T, P	FINISH: *A, B, C, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	24		
98	98	*22	35	35	32	35	32	29		
	99	35	*37	*42	35	39	35	35		
		98	#97	*55	45	41	55	61		
				99	*53					
					*66					
					*67					
(CLASS P EXCEPT SHELL SIZES 14 & 16)										
MS27474	JT07R								38999-899-82	Amphenol, Ltd.
CLASS: T	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	5	3	5	6	11	16	21	4		
98	35	4	15	8	28	35	32	24		
	98	8	18	26	30	39	35	29		
	99	35	35	35	32	41	55	35		
		98	97	99	35			61		
MS27474	JT07R								38999-14-73 38999-719-76	Amphenol Connectors
CLASS: *E, T, **P	FINISH: *A, B, C, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	4		
98	98	*22	35	35	32	35	32	#19		
	99	35	*37	*42	35	39	35	24		
		98	#97	*55	*53	41	55	29		
				99	*66			35		
					96			61		
MS27474	8T7-()-()								38999-566-84	Framatome Connectors France
CLASS: T	FINISH: B, C, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	35	35	18	8	35	16	35	24		
			35	35		35		29		
						41		35		
								61		
MS27474	54010 ()								38999-202-85	Hi-Rel Connectors, Inc.
CLASS: T	FINISH: B STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	35	35	35	35	35	35	35	35		
MS27474	KJ7								38999-621-70 thru 38999-624-70 38999-724-76	ITT Cannon
CLASS: *E, T, **P	FINISH: *A, B, C, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
98	35	8	18	26	30	16	21	4		
	98	*22	35	35	32	35	32	19		
	99	35	*37	*42	35	39	35	24		
		98	#97	*55	*53	41	53	29		
				99	*66		55	35		
								61		
(24-19 - Style P only)										

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER							TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27474	MB924							38999-678-80	Matrix Science Connectors
CLASS: *E, T	FINISH: *A, B, C, F STYLE: P, S								
	SHELL SIZE								
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
35	5	4	5	6	11	16	21	4	
98	35	8	15	8	30	35	32	19	
	98	35	18	26	32	39	35	24	
	99	98	35	35	35	41	53	29	
			97	99			55	35	
								61	
MS27474	TT07RT							38999-308-89	TEC Electrical Components, Ltd.
CLASS: T	FINISH: B, F STYLE: P, S								
	SHELL SIZE								
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
6	13	3	5	26	[11]	1	1	1	
35	35	4	18	35	[32]	[6]	[21]	19	
44	[98]	22	35	55	35	35	35	[29]	
		35	37		66	[41]	55	35	
		98						[61]	
[] Style P Only									
MS27475	JT00Y							38999-14-73 38999-719-76	Amphenol Connectors
CLASS: Y	FINISH: D, E, N STYLE: P, X								
	SHELL SIZE								
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	1	1	1	
35	*13	4	15	8	28	16	*2	4	
*44	35	8	18	26	30	35	21	24	
98	98	*22	19	35	32	39	32	35	
	99	35	35	*42	35	41	35	61	
		98	*37	*55	*66			53	
			97	99				55	
MS27475	91500							38999-782-80	Hermetic Seal Corp.
CLASS: Y	FINISH: D, E, N STYLE: C, P, X								
	SHELL SIZE								
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1	
35	*13	4	15	8	28	*2	*2	*2	
*44	35	8	18	26	30	16	21	4	
98	98	*22	35	35	32	24	32	19	
	99	35	*37	99	35	25	34	24	
		98	97		45	27	35	29	
					*53	35	36	35	
					55	39	53	61	
					*66	41	55		
					*67		97		
							99		
MS27475	KJ0Y							38999-425-78	ITT Cannon
CLASS: Y	FINISH: D, E STYLE: P								
	SHELL SIZE								
8	10	12	14	16	18	20	22	24	
INSERT ARRANGEMENT NUMBER									
35	5	3	5	8	11	*2	*1	*1	
98	*13	4	15	26	30	16	*2	4	
	35	8	18	35	32	35	21	29	
	98	35	35	*42	35	39	32	35	
	99	98	*37	*55	*53	41	35	61	
				99	*66		53		
							55		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27475	A9803-()-()-90								38999-367-85	Sealtron, Inc.
CLASS: Y	FINISH: D, E, N STYLE: C, P, X									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
6	5	3	5	6	11	1	1	*1		
35	13	4	15	8	28	2	2	2		
44	35	8	18	26	30	16	21	4		
98	98	22	35	35	32	24	32	19		
99	99	35	*37	55	35	25	34	24		
		98	97		45	27	35	29		
					53	35	36	35		
					66	39	53	61		
					67	41	55			
							97			
							99			
MS27476	JT02Y								38999-14-73	Amphenol Connectors
CLASS: Y	FINISH: D, E, N STYLE: P, X								38999-719-76	
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	1	1	1		
35	*13	4	15	8	28	16	*2	4		
*44	35	8	18	26	30	35	21	24		
98	98	*22	19	35	32	39	32	35		
	99	35	35	*42	35	41	35	61		
		98	*37	*55	*66		53			
		97	99				55			
MS27476	9100								38999-782-80	Hermetic Seal Corp.
CLASS: Y	FINISH: D, E, N STYLE: C, P, X									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	4		
98	98	*22	35	35	32	24	32	19		
	99	35	*37	*55	35	25	34	24		
		98	97	99	45	27	35	29		
					*53	35	36	35		
					*66	39	53	61		
					*67	41	55			
							97			
							99			
MS27476	53000								38999-89-82	Hi Rel Connectors, Inc.
CLASS: Y	FINISH: D, E STYLE: C, P, X									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	5	3	5	6	11	16	21	19		
98	35	4	15	8	28	24	32	24		
	98	8	18	26	32	25	34	29		
	99	35	35	35	35	27	35	35		
		98	97		45	35	36	61		
					96	41	53			
							55			
							97			
							99			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27476	53000								38999-89-82	Hi Rel Connectors, Inc.
CLASS: Y	FINISH: D, E, N									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	5	8	18	6	32	24	32	35		
98	35	35	35	26	35	25	34	61		
	98	98		35	45	27	35			
	99					35	36			
						41	53			
							55			
MS27476	KJ2Y								38999-425-78	ITT Cannon
CLASS: Y	FINISH: D, E									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	5	3	5	8	11	*2	*1	*1		
98	*13	4	15	26	30	16	*2	4		
	35	8	18	35	32	35	21	29		
	98	35	35	*42	35	39	32	35		
	99	98	*37	*55	*53	41	35	61		
				99	*66		53			
							55			
MS27476	M9813-()-()-()								38999-367-85	Sealtron, Inc.
CLASS: Y	FINISH: D, E, N									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
6	5	3	5	6	11	1	1	*1		
35	13	4	15	8	28	2	2	2		
44	35	8	18	26	30	16	21	4		
98	98	22	35	35	32	24	32	19		
	99	35	*37	55	35	25	34	24		
		98	97		45	27	35	29		
					53	35	36	35		
					66	39	53	61		
					67	41	55			
							97			
							99			
MS27477	JT07Y								38999-14-73	Amphenol Connectors
CLASS: Y	FINISH: D, E, N								38999-719-76	
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	1	1	1		
35	*13	4	15	8	28	16	*2	4		
*44	35	8	18	26	30	35	21	24		
98	98	*22	19	35	32	39	32	35		
	99	35	35	*42	35	41	35	61		
		98	*37	*55	*66		53			
			97	99			55			
MS27477	92500								38999-782-80	Hermetic Seal Corp.
CLASS: Y	FINISH: D, E, N									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	4		
98	98	*22	35	35	32	24	32	19		
	99	35	*37	*55	35	25	34	24		
		98	97	99	45	27	35	29		
					*53	35	36	35		
					*66	39	53	61		
					*67	41	55			
							97			
							99			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27477 () CLASS: Y	54000 () FINISH: D, E STYLE: P								38999-89-82	Hi Rel Connectors, Inc.
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	3	5	6	11	16	21	19		
98	35	4	15	8	28	24	32	24		
	98	8	18	26	32	25	34	29		
	99	35	35	35	35	27	35	35		
		98	*37		45	35	36	61		
			97		96	41	53			
							55			
							97			
							99			
MS27477 CLASS: Y	54000 FINISH: D, E, N STYLE: C, S, Z								38999-89-82	Hi Rel Connectors, Inc.
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	8	18	6	32	24	32	35		
98	35	35	35	26	35	25	34	61		
	98	98		35	45	27	35			
	99					35	36			
						41	53			
							55			
MS27477 CLASS: Y	KJ7Y FINISH: D, E STYLE: P								38999-425-78	ITT Cannon
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	3	5	8	11	*2	*1	*1		
98	*13	4	15	26	30	16	*2	4		
	35	8	18	35	32	35	21	29		
	98	35	35	*42	35	39	32	35		
	99	98	*37	*55	*53	41	35	61		
				99	*66		53			
							55			
MS27477 CLASS: Y	A9805-()-()-() FINISH: D, E, N STYLE: C, P, X								38999-367-85	Sealtron, Inc.
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
6	5	3	5	6	11	*1	*1	*1		
35	13	4	15	8	28	2	2	2		
44	35	8	18	26	30	16	21	4		
98	98	22	35	35	32	24	32	19		
	99	35	*37	55	35	25	34	24		
		98	97		45	27	35	29		
					53	35	36	35		
					*66	39	53	61		
					67	41	55			
							97			
							99			
MS27478 CLASS: Y	JTLY FINISH: D, E, N STYLE: P, X								38999-14-73 38999-719-76	Amphenol Connectors
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
*6	5	3	5	6	11	1	1	1		
35	*13	4	15	8	28	16	*2	4		
*44	35	8	18	26	30	35	21	24		
98	98	*22	19	35	32	39	32	35		
	99	35	35	*42	35	41	35	61		
		98	*37	*55	*66		53			
			97	99			55			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27478	90000								38999-782-80	Hermetic Seal Corp.
CLASS: Y	FINISH: D, E								STYLE: C, P, X	
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	4		
98	98	*22	35	35	32	24	32	19		
	99	35	*37	*55	35	25	34	24		
		98	97	99	45	27	35	29		
					*53	35	36	35		
					*66	39	53	61		
					*67	41	55			
							97			
							99			
MS27478	52000								38999-89-82	Hi Rel Connectors, Inc.
CLASS: Y	FINISH: D, E, N								STYLE: C, P, X	
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	3	5	6	11	16	21	19		
98	*13	4	15	8	28	24	32	24		
	35	8	18	26	32	25	34	29		
	98	35	35	35	35	27	35	35		
	99	98	97		45	35	36	61		
					96	41	53			
							55			
							97			
							99			
MS27478	52000								38999-89-82	Hi Rel Connectors, Inc.
CLASS: Y	FINISH: D, E, N								STYLE: C, S, Z	
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	8	18	6	32	24	32	35		
98	*13	35	35	26	35	25	34	61		
	35	98		35	45	27	35			
	98					35	36			
	99					41	53			
							55			
MS27478	KJLY								38999-425-78	ITT Cannon
CLASS: Y	FINISH: D, E								STYLE: P	
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	3	5	8	11	*2	*1	*1		
98	*13	4	15	26	30	16	*2	4		
	35	8	18	35	32	35	21	29		
	98	35	35	*42	35	39	32	35		
	99	98	*37	*55	*53	41	35	61		
				99	*66		53			
							55			
MS27478	M9802-()-()-()								38999-367-85	Sealtron, Inc.
CLASS: Y	FINISH: D, E, N								STYLE: P, X	
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
6	5	3	5	6	11	*1	*1	1		
35	13	4	15	8	28	2	2	2		
44	35	8	18	26	30	16	21	4		
98	98	22	35	35	32	24	32	19		
	99	35	*37	55	35	25	34	24		
		98	97		45	27	35	29		
					53	35	36	35		
					66	39	53	61		
					67	41	55			
							97			
							99			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27479	JTS00R								38999-14-73	Amphenol Connectors
CLASS: E, T	FINISH: C STYLE: P, S								38999-719-76	INACTIVE FOR NEW DESIGN (USE MS27472)
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
6	5	3	5	6	11	1	1	1		
35	13	4	15	8	28	2	2	2		
44	35	8	18	26	30	16	21	4		
98	98	22	35	35	32	35	32	19		
	99	35	37	42	35	39	35	24		
		98	97	55	53	41	55	29		
				99	66			35		
					96			61		
MS27479	KJ0-C								38999-621-70	ITT Cannon
CLASS: E, T	FINISH: C STYLE: P, S								thru	INACTIVE FOR NEW DESIGN (USE MS27472)
	SHELL SIZE								38999-624-70	
8	10	12	14	16	18	20	22	24	38999-724-76	
	INSERT ARRANGEMENT NUMBER									
35	5	3	5	6	11	1	1	1		
98	13	4	15	8	28	2	2	2		
	35	8	18	26	30	16	21	4		
	98	22	35	35	32	35	35	19		
	99	35	37	42	35	39	53	24		
		98	97	55	53	41	55	29		
				99	66			35		
								61		
(24-19 - Style P only)										
MS27480	JTS06R								38999-14-73	Amphenol Connectors
CLASS: E, T	FINISH: C STYLE: P, S								38999-719-76	INACTIVE FOR NEW DESIGN (USE MS27473)
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
6	5	3	5	6	11	1	1	1		
35	13	4	15	8	28	2	2	2		
44	35	8	18	26	30	16	21	4		
98	98	22	35	35	32	35	32	19		
	99	35	37	42	35	39	35	24		
		98	97	55	53	41	55	29		
				99	66			35		
					96			61		
MS27480	KJ6-C								38999-621-70	ITT Cannon
CLASS: E, T,	FINISH: C STYLE: P, S								thru	INACTIVE FOR NEW DESIGN (USE MS27473)
	SHELL SIZE								38999-624-70	
8	10	12	14	16	18	20	22	24	38999-724-76	
	INSERT ARRANGEMENT NUMBER									
35	5	3	5	6	11	1	1	1		
98	13	4	15	8	28	2	2	2		
	35	8	18	26	30	16	21	4		
	98	22	35	35	32	35	35	19		
	99	35	37	42	35	39	53	24		
		98	97	55	53	41	55	29		
				99	66			35		
								61		
(24-19 - Style P only)										
MS27481	JTS07R								38999-14-73	Amphenol Connectors
CLASS: E, T	FINISH: C STYLE: P, S								38999-719-76	INACTIVE FOR NEW DESIGN (USE MS27474)
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
6	5	3	5	6	11	1	1	1		
35	13	4	15	8	28	2	2	2		
44	35	8	18	26	30	16	21	4		
98	98	22	35	35	32	35	32	19		
	99	35	37	42	35	39	35	24		
		98	97	55	53	41	55	29		
				99	66			35		
					96			61		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27481	KJ7-C								38999-621-70	ITT Cannon
CLASS: E, T	FINISH: C STYLE: P, S								thru	
	SHELL SIZE								38999-624-70	INACTIVE FOR NEW DESIGN (USE MS27474)
8	10	12	14	16	18	20	22	24	38999-724-76	
INSERT ARRANGEMENT NUMBER										
35	5	3	5	6	11	1	1	1		
98	13	4	15	8	28	2	2	2		
	35	8	18	26	30	16	21	4		
	98	22	35	35	32	35	35	19		
	99	35	37	42	35	39	53	24		
		98	97	55	53	41	55	29		
			99	66				35		
(24-19 - Style P only)								61		
MS27484	AE284()								38999-033-96	Aero Electric Connector, Inc.
CLASS: *E, T, P	FINISH: *A, B, C, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	24		
98	98	*22	35	35	32	35	32	29		
	99	35	*37	*42	35	39	35	35		
		98	#97	*55	45	41	55	61		
			99	*53						
				*66						
				*67						
(CLASS P EXCEPT SHELL SIZES 14 & 16)										
MS27484 ()	JTG06R								38999-899-82	Amphenol, Ltd.
CLASS: T	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	3	5	6	11	16	21	4		
98	35	4	15	8	28	35	32	24		
	98	8	18	26	30	39	35	29		
	99	35	35	35	32	41	55	35		
		98	97	99	35			61		
MS27484	JTG06R								38999-14-73	Amphenol Connectors
CLASS: *E, T, **P	FINISH: *A, B, F STYLE: P, S								38999-719-76	
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	4		
98	98	*22	35	35	32	35	32	#19		
	99	35	*37	*42	35	39	35	24		
		98	#97	*55	*53	41	55	29		
			99	*66				35		
				#96				61		
MS27484	KJG6								38999-621-70	ITT Cannon
CLASS: *E, T, **P	FINISH: *A, B, F STYLE: P, S								thru	
	SHELL SIZE								38999-624-70	
8	10	12	14	16	18	20	22	24	38999-724-76	
INSERT ARRANGEMENT NUMBER										
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
98	35	8	18	26	30	16	21	4		
	98	*22	35	35	32	35	32	19		
	99	35	*37	*42	35	39	35	24		
		98	#97	*55	*53	41	53	29		
			99	*66			55	35		
(24-19 - Style P only)								61		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27484 CLASS: *E, T FINISH: *A, B, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 16 21 4 98 35 8 15 8 30 35 32 19 98 35 18 26 32 39 35 24 99 98 35 35 35 41 53 29 97 99 55 35 61	MB928	38999-55-82	Matrix Science Connectors
MS27484 CLASS: T FINISH: B, F STYLE: P, S SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 6 13 3 5 26 [11] 1 1 1 35 35 4 18 35 [32] [6] [21] 19 44 [98] 22 35 55 35 35 35 [29] 35 37 66 [41] 55 35 98 [61] [] Style P Only	TTG06RT	38999-308-89	TEC Electrical Components, Ltd.
MS27487-()-() ADAPTER GEOMETRY: l, 2 SHELL SIZE: 8 thru 25	10-44309()-()	38999-468-75	Amphenol Connectors
MS27489-() DASH NO: 81 thru 83 101 121 thru 123 141 thru 146 161 thru 165 181 thru 185 201 thru 206 221 thru 225 241	10-352425-()	38999-468-75	Amphenol Connectors
MS27496 CLASS: E FINISH: A, B, F STYLE: P, S SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 5 35 5 6 11 35 21 24 98 35 98 18 8 28 41 35 29 98 19 26 32 35 99 35 35 35 61	LCT02RE()	38999-1683-85 38999-80-88	AB Connector, Ltd.
MS27496 CLASS: E FINISH: A, B, F STYLE: P, S SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 5 22 5 6 11 1 1 1 35 13 35 18 8 28 35 21 24 98 35 98 19 26 32 41 35 29 98 35 35 35 35 99 37 55 66 61	AE196()	38999-032-96	Aero Electric Connector, Inc.
MS27496 CLASS: E FINISH: B, F STYLE: P, S SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 35 4 5 6 11 16 21 4 98 98 8 15 8 32 35 35 28 35 18 26 35 39 53 35 98 19 35 41 61 35 99	LJT02RE	38999-899-82	Amphenol, Ltd.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27496	LJT02R								38999-403-81	Amphenol Connectors
CLASS: E	FINISH: *A, B, F STYLE: P, S, H, J									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
*6	4	4	5	6	11	*1	*1	*1		
35	*13	8	15	8	18	16	*2	*2		
*44	35	*22	18	26	32	35	21	4		
98	98	35	35	35	35	39	35	24		
	99	98	*37	*55	66	41	53	29		
			99					35		
								61		
(11-99 - Style P Only)										
MS27496	DJT13E								38999-136-84	Deutsch
CLASS: E	FINISH: B STYLE: P, S, H, J									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	5	4	5	6	11	#11	21	4		
98	35	35	18	8	32	16	35	19		
	99	98	35	26	35	35	53	24		
			#97	35		41	55	29		
								35		
								61		
MS27496()	MB912()								38999-678-80	Matrix Science Connectors
CLASS: E	FINISH: *A, B, F STYLE: P, S									
	SHELL SIZE									
9	11	13	15	17	19	21	23	25		
	INSERT ARRANGEMENT NUMBER									
35	5	4	5	6	11	11	21	4		
98	35	8	15	8	30	16	32	19		
	98	35	18	26	32	35	35	24		
	99	98	19	35	35	39	53	29		
			35	99		41	55	35		
			97					43		
								61		
MS27496()	LTT02RE								38999-308-89	TEC Electrical Components, Ltd.
CLASS: E	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
	9	11	13	19						
	INSERT ARRANGEMENT NUMBER									
	6	13	22	35						
	35	35	35	66						
MS27497	AE297()								38999-033-96	Aero Electric Connector, Inc.
CLASS: *E, T, P	FINISH: *A, B, C, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	24		
98	98	*22	35	35	32	35	32	29		
	99	35	*37	*42	35	39	35	35		
		98	#97	*55	45	41	55	61		
				99	*53					
					*66					
					*67					
(CLASS P EXCEPT SHELL SIZES 14 & 16)										

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27497 () CLASS: T	JTPQ00R FINISH: B, F STYLE: P, S								38999-899-82	Amphenol, Ltd.
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	3	5	6	11	16	21	4		
98	35	4	15	8	28	35	32	24		
	98	8	18	26	30	39	35	29		
	99	35	35	35	32	41	55	35		
		98	97	99	35			61		
MS27497 CLASS: *E, **P, T	JTP00R FINISH: *A, B, C, F STYLE: P, S								38999-14-73 38999-719-76	Amphenol Connectors
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	4		
98	98	*22	35	35	32	35	32	#19		
	99	35	*37	*42	35	39	35	24		
		98	#97	*55	*53	41	55	29		
				99	*66			35		
					#96			61		
MS27497 CLASS: T	8T3-()-() FINISH: B, C, F STYLE: P, S								38999-566-84	Framatome Connectors France
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	35	35	18	8	35	16	35	24		
			35	35		35		29		
						41		35		
								61		
MS27497 CLASS: *E, **P, T	KJ3E FINISH: *A, B, C, F STYLE: P, S								38999-621-70 thru 38999-624-70 38999-724-76	ITT Cannon
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
98	35	8	18	26	30	16	21	4		
	98	*22	35	35	32	35	32	19		
	99	35	*37	*42	35	39	35	24		
		98	#97	*55	*53	41	53	29		
				99	*66		55	35		
(24-19 - Style P only)										61
MS27497 CLASS: *E, T	MB921 FINISH: *A, B, C, F STYLE: P, S								38999-678-80	Matrix Science Connectors
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
35	5	4	5	6	11	16	21	4		
98	35	8	15	8	30	35	32	19		
	98	35	18	26	32	39	35	24		
	99	98	35	35	35	41	53	29		
			#97	99			55	35		
								61		
MS27497 CLASS: T	TTPQ00RT FINISH: B, F STYLE: P, S								38999-308-89	TEC Electrical Components, Ltd.
SHELL SIZE										
8	10	12	14	16	18	20	22	24		
INSERT ARRANGEMENT NUMBER										
6	13	3	5	26	[11]	1	1	1		
35	35	4	18	35	[32]	[6]	[21]	19		
44	[98]	22	35	55	35	35	35	[29]		
		35	37		66	[41]	55	35		
		98						[61]		
[] Style P Only										

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27499	AE299()								38999-033-96	Aero Electric Connector, Inc.
CLASS: *E, T, P	FINISH: *A, B, C, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	24		
98	98	*22	35	35	32	35	32	29		
	99	35	*37	*42	35	39	35	35		
		98	#97	*55	45	41	55	61		
				99	*53					
					*66					
					*67					
MS27499	JT02RE								38999-899-82	Amphenol, Ltd.
CLASS: E	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	35	3	5	6	11	16	21	4		
98	98	4	15	8	28	35	35	24		
	99	8	18	26	30	39	55	29		
		35	35	35	32	41		35		
		98		99	35			61		
MS27499	JT02R								38999-14-73	Amphenol Connectors
CLASS: E	FINISH: *A, B, C, F STYLE: P, S								38999-719-76	
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
*6	5	3	5	6	11	*1	*1	*1		
35	*13	4	15	8	28	*2	*2	*2		
*44	35	8	18	26	30	16	21	4		
98	98	*22	35	35	32	35	32	24		
	99	35	*37	*42	35	39	35	29		
		98		*55	*53	41	55	35		
				99	*66			61		
MS27499	KJ2E								38999-621-70	ITT Cannon
CLASS: E	FINISH: *A, B, C, F STYLE: P, S								thru	
	SHELL SIZE								38999-624-70	
8	10	12	14	16	18	20	22	24	38999-724-76	
	INSERT ARRANGEMENT NUMBER									
*6	5	4	5	8	32	*1	1	*1		
35	*13	8	15	26	35	2	2	4		
98	35	*22	18	35	*66	16	21	24		
	98	35	35	*42		35	35	29		
	99	98	*37	*55		39	53	35		
			97	99		41	55	61		
MS27499()	MB922()								38999-678-80	Matrix Science Connectors
CLASS: E	FINISH: *A, B, C, F STYLE: P, S									
	SHELL SIZE									
8	10	12	14	16	18	20	22	24		
	INSERT ARRANGEMENT NUMBER									
35	5	4	5	6	11	16	21	4		
98	35	8	15	8	30	35	32	19		
	98	35	18	26	32	39	35	24		
	99	98	35	35	35	41	53	29		
			97	99			55	35		
								61		
MS27499()	TT02RE								38999-306-89	TEC Electrical Components, Ltd.
CLASS: E	FINISH: B, F STYLE: P, S									
	SHELL SIZE									
	8	10	12	18						
	INSERT ARRANGEMENT NUMBER									
	6	13	22	35						
	35	35	35	66						

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27500 CLASS: E FINISH: A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 6 5 3 5 6 11 1 1 1 35 13 4 15 8 28 2 2 2 44 35 8 18 26 30 16 21 24 98 98 22 35 35 32 35 32 29 99 35 37 42 35 39 35 35 98 97 55 45 41 55 61 99 53 66 67	AE200() STYLE: P, S	38999-033-96	Aero Electric Connector, Inc.
MS27500 CLASS: E FINISH: A, B SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 6 5 3 5 6 11 1 1 1 35 13 4 15 8 28 2 2 2 44 35 8 18 26 30 16 21 4 98 98 22 35 35 32 35 32 19 99 35 37 42 35 39 35 24 98 97 55 53 41 55 29 99 66 96 61	JT08R STYLE: P, S	38999-14-73 38999-719-76	Amphenol Connectors
MS27501() () () () FINISH: *A, B, C, F STYLE: C, A LENGTH: STD, L SHELL SIZE: 9 11 13 15 17 19 21 23 25	10-463090-()	38999-468-75	Amphenol Connectors
MS27501() () () () FINISH: B, C, F, *A STYLE: A, C LENGTH: STD. L, M, N SHELL SIZE: 9 11 13 15 17 19 21 23 25	229151() () () ()	38999-189-81 38999-624-81	ESC Technologies, Inc.
MS27501() () () () FINISH: *A, B, C, F STYLE: A, C LENGTH: L, M, N, STD SHELL SIZE: 9 11 13 15 17 19 21 23 25	660-012() () () ()	38999-891-83	Glenair, Inc.
MS27501() () () () FINISH: *A, B, C, F STYLE: A, C LENGTH: STD. L, M, N SHELL SIZE: 9 11 13 15 17 19 21 23 25	SE91FA() () () ()	38999-157-82	Sunbank Electronics, Inc.
MS27502() () () () FINISH: *A, B, C, F STYLE: C, N, A LENGTH: STD. L SHELL SIZE: 9 11 13 15 17 19 21 23 25	10-463092-()	38999-468-75	Amphenol Connectors
MS27502() () () () FINISH: B, C, F, *A STYLE: A, C, N LENGTH: STD. L SHELL SIZE: 9 11 13 15 17 19 21 23 25	229152() () () ()	38999-189-81 38999-624-81	ESC Technologies, Inc.
MS27502 FINISH: B & F STYLE: C SHELL SIZE: 9 11 13 15 17	8LTE01-() ()	38999-566-84	Framatome Connectors France
MS27502() () () () FINISH: *A, B, C, F STYLE: A, C, N LENGTH: STD. L SHELL SIZE: 9 11 13 15 17 19 21 23 25	606-013() () () ()	38999-891-83	Glenair, Inc.
MS27502() () () () FINISH: A, B, C, F STYLE: A, C, N LENGTH: STD. L SHELL SIZE: 9 11 13 15 17 19 21 23 25	SE91FA() () () ()	38999-157-82	Sunbank Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27504 CLASS: E FINISH: C SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 6 5 3 5 6 11 1 1 1 35 13 4 15 8 28 2 2 2 44 35 8 18 26 30 16 21 4 98 98 22 35 35 32 35 32 24 99 35 37 42 35 39 35 29 98 55 53 41 55 35 99 66 61	JTS02R STYLE: P, S	38999-14-73 38999-719-76	Amphenol Connectors
MS27505 CLASS: E FINISH: A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 5 22 5 6 11 1 1 1 35 13 35 18 8 28 35 21 24 98 35 98 19 26 32 41 35 29 98 35 35 35 99 37 55 66 61	AE105() STYLE: P, S	38999-032-96	Aero Electric Connector, Inc.
MS27505 CLASS: E FINISH: B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 35 4 5 6 11 16 21 4 98 98 8 15 8 32 35 35 28 35 18 26 35 39 53 35 98 19 35 41 61 35 99	LJTP02RE STYLE: P, S	38999-899-82	Amphenol, Ltd.
MS27505 CLASS: E FINISH: *A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER *6 4 4 5 6 11 *1 *1 35 *13 8 15 8 18 16 *2 *2 *44 35 *22 18 26 32 35 21 4 98 98 35 35 35 39 35 24 99 98 *37 *55 66 41 53 29 99 35 (11-99 - Style P Only) 61	LJTP02R() STYLE: P, S, H, J	38999-403-81	Amphenol Connectors
MS27505() CLASS: E FINISH: B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 35 35 19 35 35 35 35 35 35 97	8LT2-() () () STYLE: P, S	38999-236-92	Framatome Connectors France
MS27505 CLASS: E FINISH: *A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 5 4 5 8 32 *1 21 *1 *13 8 15 26 35 11 35 4 35 *22 18 35 *53 16 53 24 98 35 35 *42 *66 35 55 29 98 *37 *55 39 35 97 41 61	KJL5E STYLE: P, S	38999-602-81	ITT Cannon
(Style P only: 11-13, 13-4, 13-22, 15-37, 17-55, 19-53, 19-66, 21-1, 25-1)			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27505() CLASS: E FINISH: *A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 11 21 4 35 8 15 8 30 16 32 19 98 98 35 18 26 32 35 35 24 99 98 19 35 35 39 53 29 35 99 41 55 35 97 43 (11-35 Finish E) 61	MB913() STYLE: P, S	38999-67-81	Matrix Science Connectors
MS27505() CLASS: E FINISH: B, F SHELL SIZE 9 11 13 19 INSERT ARRANGEMENT NUMBER 6 13 22 35 35 35 35 66	LTTPO2RE STYLE: P, S	38999-308-89	TEC Electrical Components, Ltd.
MS27508 CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 *1 35 *13 4 15 8 28 *2 *2 *2 *44 35 8 18 26 30 16 21 24 98 98 *22 35 35 32 35 32 29 99 35 *37 *42 35 39 35 35 98 97 *55 45 41 55 61 99 *53 *66 *67	AE208() STYLE: P, S	38999-033-96	Aero Electric Connector, Inc.
MS27508 CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 35 3 5 6 11 16 21 4 98 98 4 15 8 28 35 35 24 99 8 18 26 30 39 55 29 35 35 35 32 41 35 98 99 35 61	JTP02RE STYLE: P, S	38999-899-82	Amphenol, Ltd.
MS27508 CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 *1 35 *13 4 15 8 28 *2 *2 *2 *44 35 8 18 26 30 16 21 4 98 98 *22 35 35 32 35 32 24 99 35 *37 *42 35 39 35 29 98 *55 *53 41 55 35 99 *66 61	JTP02R STYLE: P, S	38999-14-75 38999-719-76	Amphenol Connectors
MS27508 CLASS: E FINISH: B, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 35 35 18 35 35 35 35 35	8T2-()()() STYLE: P, S	38999-566-84	Framatome Connectors France

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27508 CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 4 5 8 30 *1 *1 35 *13 8 15 26 32 *2 *2 4 98 35 *22 18 35 35 16 21 24 98 35 35 *42 *66 35 35 29 99 98 *37 *55 39 53 35 97 99 41 55 61	KJ5E STYLE: P, S	38999-641-70 thru 38999-624-70 38999-724-76	ITT Cannon
MS27508() CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 16 21 4 98 35 8 15 8 30 35 32 19 98 35 18 26 32 39 35 24 99 98 35 35 35 41 53 29 97 99 55 35 61	MB923() STYLE: P, S	38999-67-81	Matrix Science Connectors
MS27508() CLASS: E FINISH: B, F SHELL SIZE 8 10 12 18 INSERT ARRANGEMENT NUMBER 6 13 22 35 35 35 35 66	TTP02RE STYLE: P, S	38999-306-89	TEC Electrical Components, Ltd.
MS27510() () () () FINISH: *A, B, C, F STYLE: A, C LENGTH: L, M, N, STD. SHELL SIZE: 8 10 12 14 16 18 20 22 24	10-463094-()	38999-468-75	Amphenol Connectors
MS27510() () () () FINISH: *A, B, C, F STYLE: A, C LENGTH: STD L, M, N SHELL SIZE: 8 10 12 14 16 18 20 22 24	229153() () () ()	38999-189-81 38999-624-81	ESC Technologies, Inc.
MS27510() () () () FINISH: *A, B, C, F STYLE: C, A LENGTH: STD, 5" SHELL SIZE: 8 10 12 14 16 18 20 22 24	G2470() () () ()	38999-395-7T	Glenair, Inc.
MS27510()22A FINISH: *A, B, C, F STYLE: A SHELL SIZE: 22	KJ22()59C	38999-980-76	ITT Cannon
MS27510() () () () FINISH: *A, B, C, F STYLE: A, C LENGTH: STD L SHELL SIZE: 8 10 12 14 16 18 20 22 24	SE91F() () () ()	38999-157-82	Sunbank Electronics, Inc.
MS27511() () () () FINISH: *A, B, C, F STYLE: A, C, N, R LENGTH: L STD SHELL SIZE: 8 10 12 14 16 18 20 22 24	10-463096-()	38999-468-75	Amphenol Connectors
MS27511() () () () FINISH: *A, B, C, F, STYLE: A, C, N, R LENGTH: STD L SHELL SIZE: 8 10 12 14 16 18 20 22 24	229154() () () ()	38999-189-81 38999-624-81	ESC Technologies, Inc.
MS27511() () () () FINISH: *A, B, C, F STYLE: A, C, N, R LENGTH: STD, 5" SHELL SIZE: 8 10 12 14 16 18 20 22 24	G2469() () () ()	38999-295-7T	Glenair, Inc.
MS27511()22A FINISH: *A, B, C, F STYLE: A SHELL SIZE: 22	KJ22()60C	38999-741-76	ITT Cannon
MS27511() () () () FINISH: *A, B, C, F STYLE: A, C, N, R LENGTH: STD L SHELL SIZE: 8 10 12 14 16 18 20 22 24	SE91F() () () ()	38999-157-82	Sunbank Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27512-() () FINISH: *A, B, C, F SHELL SIZE: 8 10 12 14 16 18 20 22 24	10-101917-()	38999-468-75	Amphenol Connectors
MS27512-() () FINISH: E SHELL SIZE: 8 10 12 14 16 18 20 22 24	10-260548-()	38999-468-75	Amphenol Connectors
MS27512-() () FINISH: *A, B, C, E, F SHELL SIZE: 8 10 12 14 16 18 20 22 24	229444 () ()	38999-15-83	ESC Technologies, Inc.
MS27513 CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 *1 35 *13 4 15 8 28 *2 *2 *2 *44 35 8 18 26 30 16 21 24 98 98 *22 35 35 32 35 32 29 99 35 *37 *42 35 39 35 35 98 97 *55 45 41 55 61 99 *53 *66 *67	AE213() STYLE: P, S	38999-033-96	Aero Electric Connector, Inc.
MS27513 CLASS: E FINISH: B, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 35 3 5 6 11 16 21 4 98 98 4 15 8 28 35 35 24 99 8 18 26 30 39 55 29 35 35 35 32 41 35 98 99 35 61	JT02RE STYLE: P, S	38999-899-82	Amphenol, Ltd.
MS27513 CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 *1 35 *13 4 15 8 28 *2 *2 *2 *44 35 8 18 26 30 16 21 4 98 98 *22 35 35 32 35 32 19 99 35 *37 *42 35 39 35 24 98 97 *55 *53 41 55 29 99 *66 35 96 61	JT02R STYLE: P, S	38999-14-73 38999-719-76	Amphenol Connectors
MS27513 CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER *6 5 3 5 6 11 *1 *1 *1 35 *13 4 15 8 28 *2 *2 *2 98 35 8 18 26 30 16 21 4 98 *22 35 35 32 35 32 19 99 35 *37 *42 35 39 35 24 98 97 *55 *53 41 53 29 99 *66 55 35 (24-19 - Style P only) 61	KJ2R-A/B STYLE: P, S	38999-621-70 thru 38999-624-70	ITT Cannon

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27513() CLASS: E FINISH: *A, B, C, F SHELL SIZE 8 10 12 14 16 18 20 22 24 INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 16 21 4 98 35 8 15 8 30 35 32 19 98 35 18 26 32 39 35 24 99 98 95 35 35 41 53 29 97 99 55 35 61	MB925() STYLE: P, S	38999-678-80	Matrix Science Connectors
MS27515 CLASS: E FINISH: *A, B SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 2 4 5 2 11 1 1 1 35 4 8 15 6 18 11 2 2 44 13 22 18 8 32 16 21 4 98 35 35 19 26 35 35 35 19 98 98 35 35 66 39 53 24 99 37 55 41 29 97 99 35 43 (11-99 - Style P Only) 46 61	LJTP00R() STYLE: P, S, H, J	38999-403-81 INACTIVE FOR NEW DESIGN (USE MS27656)	Amphenol Connectors
MS27652 CLASS: E, T FINISH: F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 2 4 5 2 11 1 1 1 35 4 8 15 6 18 11 2 2 44 13 22 18 8 32 16 21 4 98 35 35 19 26 35 35 35 19 98 98 35 35 66 39 53 24 99 37 55 41 29 97 99 35 43 (11-99 - Style P Only) 46 61	LJT00R STYLE: P, S, H, J	38999-403-81 INACTIVE FOR NEW DESIGN (USE MS27466)	Amphenol Connectors
MS27653 CLASS: E, T FINISH: F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 2 4 5 2 11 1 1 1 35 4 8 15 6 18 11 2 2 44 13 22 18 8 32 16 21 4 98 35 35 19 26 35 35 35 19 98 98 35 35 66 39 53 24 99 37 55 41 29 97 99 35 43 (11-99 - Style P Only) 46 61	LJT06R STYLE: P, S, H, J	38999-403-81 INACTIVE FOR NEW DESIGN (USE MS27467)	Amphenol Connectors

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27654	LJTP00R	38999-403-81	Amphenol Connectors
CLASS: E, T FINISH: F STYLE: P, S, H, J		INACTIVE FOR NEW DESIGN (USE MS27656)	
9 11 13 15 17 19 21 23 25			
INSERT ARRANGEMENT NUMBER			
6 2 4 5 2 11 1 1 1			
35 4 8 15 6 18 11 2 2			
44 13 22 18 8 32 16 21 4			
98 35 35 19 26 35 35 35 19			
98 98 35 35 66 39 53 24			
99 37 55 41 29			
97 99 35			
			43
			46
(11-99 - Style P Only)			61
MS27656	AE156()	38999-032-96	Aero Electric Connector, Inc.
CLASS: E, T FINISH: A, B, F STYLE: P, S			
SHELL SIZE			
9 11 13 15 17 19 21 23 25			
INSERT ARRANGEMENT NUMBER			
6 5 4 5 6 11 1 1 1			
35 13 22 18 8 18 16 21 24			
98 35 35 19 26 32 35 32 29			
98 98 35 35 35 41 35 35			
99 37 55 66 61			
97			
MS27656	LJTPQ00R	38999-899-82	Amphenol, Ltd.
CLASS: T FINISH: B, F STYLE: P, S			
SHELL SIZE			
9 11 13 15 17 19 21 23 25			
INSERT ARRANGEMENT NUMBER			
35 2 4 5 6 11 11 21 4			
98 4 8 15 8 30 16 35 19			
5 35 18 26 32 35 53 29			
35 98 19 35 35 39 35			
98 35 99 41 43			
99 97 46			
			61
MS27656	LJTP00R	38999-403-81	Amphenol Connectors
CLASS: *E, T, **P FINISH: *A, B, F STYLE: P, S, H, J			
SHELL SIZE			
9 11 13 15 17 19 21 23 25			
INSERT ARRANGEMENT NUMBER			
*6 #2 4 5 2 11 *1 *1 *1			
35 4 8 15 6 18 #11 *2 *2			
*44 5 *22 18 8 32 16 21 4			
98 *13 35 #19 26 35 35 35 #19			
35 98 35 35 66 39 53 24			
98 *37 *55 41 55 29			
99 #97 99 35			
			#43
			#46
(11-99 - Style P Only)			61
MS27656	DJT19E()	38999-566-84	Deutsch
CLASS: T FINISH: B STYLE: P, S, H, J			
SHELL SIZE			
11 13 15 17 19 21 23 25			
INSERT ARRANGEMENT NUMBER			
5 4 5 6 11 #11 21 4			
35 35 18 8 32 16 35 19			
99 98 35 26 35 35 53 24			
#97 35 41 55 29			
			35
			61

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27656 CLASS: E, T FINISH: B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 4 8 5 6 11 11 21 19 98 5 35 18 8 32 16 35 24 35 98 19 26 35 35 53 29 98 35 35 39 35 97 99 41 43 61	8LT3-()-() STYLE: P, S	38999-566-84	Framatome Connectors France
MS27656 CLASS: *E, T, **P FINISH: *A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER *6 4 4 5 6 11 *1 *1 *1 35 5 8 15 8 28 11 *2 *2 98 *13 *22 18 26 30 16 21 4 35 35 #19 35 32 35 32 19 98 98 35 *55 35 39 35 24 99 *37 99 *66 41 53 29 #97 55 35 #43 61	KJL3 STYLE: P	38999-602-81	ITT Cannon
MS27656 CLASS: *E, T, **P FINISH: *A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 4 8 5 6 11 #11 21 4 98 5 35 15 8 32 16 35 24 35 98 18 26 35 35 53 29 98 #19 35 39 55 35 35 41 #43 #97 61	KJL3 STYLE: S	38999-602-81	ITT Cannon Div
MS27656 CLASS: *E, T FINISH: *A, B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 35 4 4 5 6 11 11 21 4 98 5 8 15 8 30 16 32 19 35 35 18 26 32 35 35 24 98 98 19 35 35 39 53 29 99 35 99 41 55 35 97 43 46 61	MB911 STYLE: P, S	38999-67-81	Matrix Science Connectors
MS27656() CLASS: T FINISH: B, F SHELL SIZE 17 19 21 25 INSERT ARRANGEMENT NUMBER 8 18 35 24 26 41 25 35 35 61	T1()-17()-() STYLE: P, S	38999-325-87	Pyle-National Connectors
MS27656 CLASS: T FINISH: B, F SHELL SIZE 9 11 13 15 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 6 13 4 5 26 11 1 1 1 35 35 8 18 35 32 11 21 29 98 98 22 19 55 35 16 35 35 35 35 66 35 43 98 37 41 61	LTT06RT STYLE: P, S	38999-308-89	TEC Electrical Components, Ltd.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
MS27661 CLASS: E, T FINISH: B, F SHELL SIZE 11 13 17 19 21 23 25 INSERT ARRANGEMENT NUMBER 4 22 26 18 11 35 20 35 35 35 32 35 53 46 98 99 35 39 61 (13-22 - Style P Only)	88-5560 () - () STYLE: P, S	38999-1203-83 38999-904-87	Amphenol Connectors
MS27661 Class: T FINISH: A, B, F SHELL SIZE 25 INSERT ARRANGEMENT NUMBER 4 19 24 29 35 43 46 61	82277T ()P/S 82278T ()P/S STYLE: P, S	38999-1100-83	Matrix Science Connectors
MS27662E11F35C MS27662E25F4C	LJTBS-11-35PS LJTBS-25-4PS	38999-113-7T	Amphenol Connectors
M38999/9-9B -11B -13B -19B -21B -23B -25B	DRP07A9S DRP07A11S DRP07A13S DRP07A19S DRP07A21S DRP07A23S DRP07A25S	38999-799-84	ESC Technologies, Inc.
M38999/9-9B -11B -13B -15B -17B -19B -21B -23B -25B	G9114-9NF G9114-11NF G9114-13NF G9114-15NF G9114-17NF G9114-19NF G9114-21NF G9114-23NF G9114-25NF	38999-970-84	Glenair, Inc.
M38999/10-8B -10B -12B -14B -16B -18B -20B -22B -24B	DRP08A08S DRP08A10S DRP08A10S DRP08A14S DRP08A16S DRP08A18S DRP08A20S DRP08A22S DRP08A24S	38999-226-86 38999-799-84	ESC Technologies, Inc.
M38999/10-8B -10B -12B -14B -16B -18B -20B -22B -24B	G8449-8NF G8449-10NF G8449-12NF G8449-14NF G8449-16NF G8449-18NF G8449-20NF G8449-22NF G8449-24NF	38999-970-84	Glenair, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
---------------------------	---	---------------------------------------	---

SERIES III

D38999/20 AE320() 38999-034-96 Aero Electric Connector, Inc.
CLASS: F, W STYLE: P, S

SHELL SIZE								
A	B	C	D	E	F	G	H	J
INSERT ARRANGEMENT NUMBER								
6	5	22	18	6	35	1	1	1
35	13	35	35	26	66	35	35	35
98	35		37	35			55	
	98			55				
	99							

D38999/20() TVP00R 38999-308-88 Amphenol, Ltd.
CLASS: F, W STYLE: P, S

SHELL SIZE								
A	B	C	D	E	F	G	H	J
INSERT ARRANGEMENT NUMBER								
35	35	8	5	6	11	11	21	4
98	98	35	15	8	32	16	35	19
		98	18	26	35	35	53	20
			19	35		39		24
			35	99		41		29
			97					35
								43
								61

D38999/20() TVP00R () Class W 38999-403-81 Amphenol Connectors
TVSP00R () Class F, K 38999-756-80
CTVS00 () Class M NAC 02.12/2-11-92
CTVS06 () Class W NAC 02.12/1-21-92
NAC 02.12/3-20-92

SHELL SIZE								
A	B	C	D	E	F	G	H	J
INSERT ARRANGEMENT NUMBER								
35	2	4	5	2	11	11	21	4
98	5	8	15	6	18	16	35	7
	35	35	18	8	28	35	53	8
	98	98	19	26	32	39	55	11
	99		35	35	35	41		19
			97	99		75		20
								24
								29
								35
								43
								61
(J-20 - Classes F & W Only)								90

D38999/20 DTS20 38999-462-84 Deutsch
CLASS: F, J, M, W STYLE: P, S, H, J NAC 02.13/3-5-93

SHELL SIZE								
A	B	C	D	E	F	G	H	J
INSERT ARRANGEMENT NUMBER								
35	5	4	5	6	11	11	21	4
98	35	8	*15	8	32	16	35	19
	98	35	18	26	35	35	53	24
	99	98	19	35		39	55	29
			35	99		41		35
			97					43
								61

* Classes F & W only

D38999/20WJ20PN DTS20W-25-20PN 38999-340-88 Deutsch, Ltd.
/20WJ20SN

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/20 CLASS: F, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 11 21 4 98 35 35 18 8 32 16 35 19 98 98 19 26 35 35 53 24 99 35 35 41 55 29 97 35 61	DTS20	38999-301-93	Deutsch Dagan, Ltd.
D38999/20() CLASS: F, K, S, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 4 8 5 6 11 11 21 19 98 5 35 18 8 32 16 35 24 35 98 19 26 35 35 53 29 98 35 35 39 35 97 99 41 43 61	8D0-()	38999-223-91 38999-010-97	Framatome Connectors France
D38999/20WJ20SN D38999/20WJ4SN	G300W25-20SN G300W25-4SN	38999-695-87	G & H Technology, Inc.
D38999/20() CLASS: F, K, S STYLE: P, S SHELL SIZE A E G INSERT ARRANGEMENT NUMBER 35 8 16 26 39 35 41 99 (E-8, 35, 99; G-39, 41 - Style P only)	85010()-()-()	38999-357-92	Hi-Rel Connectors, Inc.
D38999/20() CLASS: F, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 5 8 5 6 11 11 21 4 98 35 35 15 8 32 16 35 19 98 98 18 26 35 35 53 24 19 35 39 55 29 35 41 35 97 43 61	KJA0() KJA6T	38999-765-83	ITT Cannon
D38999/20 () CLASS: F, K, S, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 4 4 5 6 11 11 21 4 98 5 8 15 8 30 16 32 19 35 35 18 26 32 35 35 24 98 98 19 35 35 39 53 29 99 35 99 41 55 35 97 43 61	MT930()	38999-67-81 38999-745-82	Matrix Science Connectors

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/20()	T3F-17()-() T3K-17()-() T3W-17()-() T3N-17()-() T3()-17B21-75()								38999-27-82 38999-141-82 38999-953-83 38999-818-84	Pyle-National Connectors
CLASS: F, K, S, W STYLE: P, S										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
35	35	8	5	2	11	11	21	4		
98	98	35	15	6	18	16	35	7		
		98	18	8	32	35	53	8		
			19	26	35	39		10		
			35	35		41		11		
			97	99		75		20		
								24		
								29		
								35		
								43		
								61		
								90		
D38999/20	VTTP00 NW Class W VTTP00 NF Class F								38999-303-89	TEC Electrical Components, Ltd.
CLASS: F, W STYLE: P, S										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
6	13	[4]	5	26	[11]	1	1	1		
35	35	8	8	35	32	[11]	21	29		
98	98	22	[18]	55	35	16	35	35		
		35	19		66	35		43		
		98	22			41		61		
			35							
			37							
			98							
[] Style S Only										
D38999/21 ()	TVPS02Y ()								38999-403-81	Amphenol Connectors
CLASS: N, Y STYLE: P										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
6	5	4	5	6	11	1	1	1		
35	13	8	15	8	18	11	2	4		
44	35	22	18	26	32	16	21	24		
98	98	35	19	35	35	35	32	29		
	99	98	35	55	66	39	35	35		
			37	99		41	53	61		
			97				55			
D38999/21 ()	DTS20()-()								38999-357-92	Deutsch
CLASS: N, Y STYLE: P										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
35	5	4	5	6	11	11	21	4		
98	35	35	18	8	32	16	35	19		
	98	98	19	26	35	35	53	24		
	99		35	35		41	55	29		
			97					35		
								61		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/21 CLASS: N, Y	STYLE: C, P, X SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER								HR-SS-91000-() 38999-410-83	Hermetic Seal Corp.
	*6	2	4	5	6	11	1	1	1	
	35	4	8	15	8	28	11	2	2	
	44	5	22	18	26	30	16	21	4	
	98	13	35	19	35	32	24	32	19	
		35	98	35	55	35	25	34	24	
		98		37	99	45	27	35	29	
		99		97		66	35	36	35	
						67	39	53	43	
							41	55	61	
								97		
								99		
D38999/21 () CLASS: N, Y	STYLE: C, P, X SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER								85000() 38999-692-87	Hi-Rel Connectors, Inc.
	35	2	4	5	6	11	16	21	19	
	98	5	8	15	8	28	24	32	24	
		35	35	18	26	32	25	34	29	
		98	98	19	35	35	27	35	35	
		99		35		45	35	36	61	
				97			41	53		
								55		
								97		
								99		
D38999/21 () CLASS: N, Y	STYLE: P SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER								KJA2 () 38999-1086-83	ITT Cannon
	35	5	8	5	8	11	16	21	4	
	98	35	35	15	26	32	35	32	29	
		98	98	18	35	35	39	35	35	
							41	53	61	
D38999/21 () CLASS: N, Y	STYLE: P, X, C SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER								T3Y-17H()-() T3N-17H()-() 38999-818-84 38999-957-83 38999-480-84	Pyle-National Connectors
	35	35	8	5	6	11	11	21	4	
	98	98	35	15	8	18	16	32	24	
			98	18	26	32	35	35	29	
				19	35	35	41	53	35	
				35					61	
D38999/21 () CLASS: N, Y	STYLE: P, X, C SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER								A9903()-SP-M136 (Class Y) A9903()-SP-M146 (Class N) 38999-1222-82	Sealtron, Inc.
	6	2	4	5	6	11	1	1	1	
	35	4	8	15	8	28	11	2	2	
	44	5	22	18	26	30	16	21	4	
	98	13	35	19	35	32	24	32	19	
		35	98	35	55	35	25	34	24	
		98		37	99	45	27	35	29	
		99		97		66	35	36	35	
						67	39	53	43	
							41	55	61	
								97		
								99		

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/22AW thru D38999/22JW	DRP09A9SN thru DRP09A25SN	38999/379-86	ESC Technologies, Inc.
D38999/22AW thru D38999/22JW	GS38999/22AW thru GS38999/22JW	38999/970-84	Glenair, Inc.
D38999/23 () CLASS: N, Y	TVS07Y () STYLE: P SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 6 5 4 5 6 11 1 1 1 35 13 8 15 8 18 11 2 4 44 35 22 18 26 32 16 21 24 98 98 35 19 35 35 35 32 29 99 98 35 55 66 39 35 35 37 99 41 53 61 97 55	38999-403-81	Amphenol Connectors
D38999/23 () CLASS: N, Y	DTS24()-() STYLE: P SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 11 21 4 98 35 35 18 8 32 16 35 19 98 98 19 26 35 35 53 24 99 35 35 41 55 29 97 35 61	38999-357-92	Deutsch
D38999/23 () CLASS: N, Y	SS92200 STYLE: C, P, X SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER *6 2 4 5 6 11 1 1 1 35 4 8 15 8 28 11 2 2 44 5 22 18 26 30 16 21 4 98 13 35 19 35 32 24 32 19 35 98 35 55 35 25 34 24 98 37 99 45 27 35 29 99 97 66 35 36 35 67 39 53 43 41 55 61 97 99	38999-410-83	Hermetic Seal Corp.
D38999/23 () CLASS: N, Y	86000() STYLE: C, P, X SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 2 4 5 6 11 16 21 19 98 5 8 15 8 28 24 32 24 35 35 18 26 32 25 34 29 98 98 19 35 35 27 35 35 99 35 45 35 36 61 97 41 53 55 97 99	38999-692-87	Hi-Rel Connectors, Inc.
D38999/23 () CLASS: N, Y	KJA7() STYLE: P SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 5 8 5 8 11 16 21 4 98 35 35 15 26 32 35 32 29 98 98 18 35 35 39 35 35 35 41 53 61 97	38999-1086-83	ITT Cannon

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/23 ()	T3Y-19H()-() T3Y-19H()-()								38999-957-83 38999-480-84	Pyle-National Connectors
CLASS: N, Y STYLE: P, X, C										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
35	35	8	5	6	11	11	21	4		
98	98	35	15	8	18	16	32	24		
		98	18	26	32	35	35	29		
			19	35	35	41	53	35		
			35					61		
D38999/23 ()	A9905()-SP-M136 (Class Y) A9905()-SP-M146 (Class N)								38999-1222-82	Sealtron, Inc.
CLASS: N, Y STYLE: P, X, C										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
6	2	4	5	6	11	1	1	1		
35	4	8	15	8	28	11	2	2		
44	5	22	18	26	30	16	21	4		
98	13	35	19	35	32	24	32	19		
	35	98	35	55	35	25	34	24		
	98		37	99	45	27	35	29		
	99		97		66	35	36	35		
					67	39	53	43		
						41	55	61		
							97			
							99			
D38999/24	AE324()								38999-034-96	Aero Electric Connector, Inc.
CLASS: F, W STYLE: P, S										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
6	5	22	18	6	35	1	1	1		
35	13	35	35	26	66	35	35	35		
98	35		37	35			55			
	98			55						
	99									
D38999/24()	TVP07R								38999-308-88	Amphenol, Ltd.
CLASS: F, W STYLE: P, S										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
35	35	8	5	6	11	11	21	4		
98	98	35	15	8	32	16	35	19		
		98	18	26	35	35	53	20		
			19	35		39		24		
			35	99		41		29		
			97					35		
								43		
								61		
D38999/24 ()	TV07R () Class W TVS07R () Class F, K CTV07R () Class J, M								38999-403-81 NAC02.16/2-7-96	Amphenol Connectors
CLASS: F, J, K, M, S, W STYLE: P, S, H, J										
SHELL SIZE										
A	B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT NUMBER										
35	2	4	5	2	11	11	21	4		
98	5	8	15	6	18	16	35	7		
	35	35	18	8	28	35	53	8		
	98	98	19	26	32	39	55	11		
	99		35	35	35	41		19		
			97	99		75		20		
								24		
								29		
								35		
								43		
								61		
								90		
(J-20 -Classes F & W Only)										
Classes J, M - Shell Sizes A, B, C, D, E, G, H)										

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/24	DTS24() Class F, W ACT94() Class J, M	38999-462-84 NAC02.15/6-9-95	Deutsch
CLASS: F, W, J, M	STYLE: P, S, H, J		
SHELL SIZE			
A	B	C	D E F G H J
INSERT ARRANGEMENT NUMBER			
35	5	4	5 6 11 11 21 4
98	35	8	*15 8 32 16 35 19
	98	35	18 26 35 35 53 24
	99	98	19 35 39 55 29
			35 99 41 35
			97 43
			61
* Classes F and W only			
D38999/24WJ20PN /24WJ20SN	DTS24W-25-20SN	38999-340-88	Deutsch, Ltd.
D38999/24	DTS24	38999-301-93	Deutsch Dagan, Ltd.
CLASS: F, W	STYLE: P, S		
SHELL SIZE			
A	B	C	D E F G H J
INSERT ARRANGEMENT NUMBER			
35	5	4	5 6 11 11 21 4
98	35	35	18 8 32 16 35 19
	98	98	19 26 35 35 53 24
	99		35 35 41 55 29
			97 35
			61
D38999/24 ()	8D7 ()	38999-223-81	Framatome Connectors France
CLASS: F, W	STYLE: P, S		
SHELL SIZE			
A	B	C	D E F G H J
INSERT ARRANGEMENT NUMBER			
35	4	8	5 6 11 11 21 19
98	5	35	18 8 32 16 35 24
	35	98	19 26 35 35 53 29
	98		35 35 39 35
			97 99 41 43
			61
D38999/24 ()	KJA7T()	38999-765-83	ITT Cannon
CLASS: F, W	STYLE: P, S		
SHELL SIZE			
A	B	C	D E F G H J
INSERT ARRANGEMENT NUMBER			
35	5	8	5 6 11 11 21 4
98	35	35	15 8 32 16 35 19
	98	98	18 26 35 35 53 24
			19 35 39 55 29
			35 41 35
			97 43
			61
D38999/24 ()	MT934()	38999-745-82	Matrix Science Connectors
CLASS: F, K, S, W	STYLE: P, S		
SHELL SIZE			
A	B	C	D E F G H J
INSERT ARRANGEMENT NUMBER			
35	4	4	5 6 11 11 21 4
98	5	8	15 8 30 16 32 19
	35	35	18 26 32 35 35 24
	98	98	19 35 35 39 53 29
	99		35 99 41 55 35
			97 43
			61

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER								TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)	
D38999/24()	T3F-19()-()								38999-27-82	Pyle-National Connectors	
CLASS: F, K, S, W	T3K-19()-()								38999-141-82		
	T3W-19()-()								38999-953-83		
	T3N-19()-()								38999-818-84		
STYLE: P, S	T3()-19B21-75()										
SHELL SIZE											
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
35	35	8	5	2	11	11	21	4			
98	98	35	15	6	18	16	35	7			
		98	18	8	32	35	53	8			
			19	26	35	39		11			
			35	35		41		19			
			97	99		75		20			
								24			
								29			
								35			
								43			
								61			
								90			
D38999/24	VTTP07 NW Class W								38999-303-89	TEC Electrical Components, Ltd.	
	VTTP07 NF Class F										
CLASS: F, W	STYLE: P, S										
SHELL SIZE											
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
6	13	[4]	5	26	[11]	1	1	1			
35	35	8	8	35	32	[11]	21	29			
98	98	22	[18]	55	35	16	35	35			
		35	19		66	35		43			
		98	22			41		61			
		35									
		37									
		98									
[] Style S Only											
D38999/25 ()	TVSIY ()								38999-403-81	Amphenol Connectors	
CLASS: N, Y	STYLE: P										
SHELL SIZE											
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
6	5	4	5	6	11	1	1	1			
35	13	8	15	8	18	11	2	4			
44	35	22	18	26	32	16	21	24			
98	98	35	19	35	35	35	32	29			
	99	98	35	55	66	39	35	35			
			37	99		41	53	61			
			97				55				
D38999/25 ()	DTS21()-()								38999-357-92	Deutsch	
CLASS: N, Y	STYLE: P										
SHELL SIZE											
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
35	5	4	5	6	11	11	21	4			
98	35	35	18	8	32	16	35	19			
	98	98	19	26	35	35	53	24			
	99		35	35		41	55	29			
			97					35			
								61			

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER									TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/25	HR-SS90000-()									38999-410-83	Hermetic Seal Corp.
CLASS: N, Y	STYLE: C, P, X										
	SHELL SIZE										
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
*6	2	4	5	6	11	1	1	1			
35	4	8	15	8	28	11	2	2			
44	5	22	18	26	30	16	21	4			
98	13	35	19	35	32	24	32	19			
	35	98	35	55	35	25	34	24			
	98		37	99	45	27	35	29			
	99		97		66	35	36	35			
					67	39	53	43			
						41	55	61			
							97				
							99				
D38999/25 ()	84000()									38999-692-87	Hi-Rel Connectors, Inc.
CLASS: N, Y	STYLE: P, X, C										
	SHELL SIZE										
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
35	2	4	5	6	11	16	21	19			
98	5	8	15	8	28	24	32	24			
	35	35	18	26	32	25	34	29			
	98	98	19	35	35	27	35	35			
	99		35		45	35	36	61			
			97			41	53				
							55				
							97				
							99				
D38999/25	KJA1 ()									38999-1086-83	ITT Cannon
CLASS: N, Y	STYLE: P										
	SHELL SIZE										
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
98	5	8	5	8	11	16	21	4			
	35	35	15	26	32	35	32	29			
	99	98	18	35	35	39	35	35			
			35			41	53	61			
			97								
D38999/25 ()	T3Y-14()-()									38999-957-83	Pyle-National Connectors
	T3N-14H()-()									38999-480-84	
CLASS: N, Y	STYLE: P, X, C										
	SHELL SIZE										
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
35	35	8	5	6	11	11	53	19			
98	98	35	15	8	18	41		29			
		98	18	26	32			35			
			19	35							
			35								
D38999/25 ()	A99022()-SP-M136 (Class Y)									38999-1222-82	Sealtron, Inc.
	A9902()-SP-M146 (Class N)										
CLASS: N, Y	STYLE: P, X, C										
	SHELL SIZE										
A	B	C	D	E	F	G	H	J			
INSERT ARRANGEMENT NUMBER											
6	2	4	5	6	11	1	1	1			
35	4	8	15	8	28	11	2	2			
44	5	22	18	26	30	16	21	4			
98	13	35	19	35	32	24	32	19			
	35	98	35	55	35	25	34	24			
	98		37	99	45	27	35	29			
	99		97		66	35	36	35			
					67	39	53	43			
						41	55	61			
							97				
							99				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/26 CLASS: F, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 6 5 22 18 6 35 1 1 1 35 13 35 35 26 66 35 35 35 98 35 37 35 55 98 55 99	AE326() P, S	38999-034-96	Aero Electric Connector, Inc.
D38999/26() CLASS: F, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 35 8 5 6 11 11 21 4 98 98 35 15 8 32 16 35 19 98 18 26 35 35 53 20 19 35 39 24 35 99 41 29 97 35 43 61	TV06R P, S	38999-308-88	Amphenol, Ltd.
D38999/26 () CLASS: F, J, K, M, S, W STYLE: P, S, H, J SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 2 4 5 2 11 11 21 4 98 5 8 15 6 18 16 35 7 35 35 18 8 28 35 53 8 98 98 19 26 32 39 55 11 99 35 35 35 41 19 97 99 75 20 24 29 35 43 61 (J-20 - Classes F & W only) 90	TV06R () Class W TVS06R () Class F, K CTVS06() Class M, W P, S, H, J	38999-403-81 38999-756-80 NAC 02.12/2-11-92 NAC 02.12/1-21-92 NAC02.12/3-20-92	Amphenol Connectors
D38999/26 CLASS: F, J, M, W STYLE: P, S, H, J SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 11 21 4 98 35 8 *15 8 32 16 35 19 98 35 18 26 35 35 53 24 99 98 19 35 39 55 29 35 99 41 35 97 43 61 * Classes F and W only	DTS26 P, S, H, J	38999-462-84 NAC 02.13/3-5-93	Deutsch
D38999/26WJ20PN /26WJ20SN	DTS26W-25-20PN	38999-340-88	Deutsch, Ltd.
D38999/26 CLASS: F, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 5 4 5 6 11 11 21 4 98 35 35 18 8 32 16 35 19 98 98 19 26 35 35 53 24 99 35 35 41 55 29 97 35 61	DTS26 P, S	38999-301-93	Deutsch Dagan, Ltd.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/26() CLASS: F, K, S, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 4 8 5 6 11 11 21 19 98 5 35 18 8 32 16 35 24 35 98 19 26 35 35 53 29 98 35 35 39 35 97 99 41 43 61	8D5-()	38999-223-91 38999-010-97	Framatome Connectors France
D38999/26 CLASS: F, K, S STYLE: P, S SHELL SIZE A D E G INSERT ARRANGEMENT NUMBER 35 15 8 16 98 26 41 (A-98, E-8, G-41 - Style P only)	59000()-()-()	38999-357-92	Hi-Rel Connectors, Inc.
D38999/26() CLASS: F, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 5 8 5 6 11 11 21 4 98 35 35 15 8 32 16 35 19 98 98 18 26 35 35 53 24 19 35 39 55 29 35 41 35 97 43 61	KJA6T()	38999-765-83	ITT Cannon
D38999/26 () CLASS: F, K, S, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 4 4 5 6 11 11 21 4 98 5 8 15 8 30 16 32 19 35 35 18 26 32 35 35 24 98 98 19 35 35 39 53 29 99 35 99 41 55 35 97 43 61	MT938()	38999-67-81 38999-745-82	Matrix Science Connectors
D38999/26 () CLASS: F, K, S, W STYLE: P, S SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 35 8 5 2 11 11 21 4 98 98 35 15 6 18 16 35 7 98 18 8 32 35 53 8 19 26 35 39 11 35 35 41 19 97 99 75 20 24 29 35 43 61 90	T3F-12()-() T3K-12()-() T3W-12()-() T3N-12()-() T3()-12B21-75()	38999-27-82 38999-141-82 38999-953-83 38999-818-84 38999-869-84	Pyle-National Connectors

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER		TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)				
D38999/26	VTTP06 NW Class W VTTP06 NF Class F		38999-303-89	TEC Electrical Components, Ltd.				
CLASS: F, W STYLE: P, S								
SHELL SIZE								
A	B	C	D	E	F	G	H	J
INSERT ARRANGEMENT					NUMBER			
6	13	[4]	5	26	[11]	1	1	1
35	35	8	8	35	32	[11]	21	29
98	98	22	[18]	55	35	16	35	35
		35	19		66	35		43
		98	22			41		61
			35					
			37					
			98					
[] Style S Only								
D38999/27 ()	TVSH1Y ()		38999-403-81	Amphenol Connectors				
CLASS: N, Y STYLE: P								
SHELL SIZE								
A	B	C	D	E	F	G	H	J
INSERT ARRANGEMENT					NUMBER			
6	5	4	5	6	11	1	1	1
35	13	8	15	8	18	11	2	4
44	35	22	18	26	32	16	21	24
98	98	35	19	35	35	35	32	29
	99	98	35	55	66	39	35	35
			37	99		41	53	61
			97				55	
D38999/27 ()	DTS23()-()		38999-357-92	Deutsch				
CLASS: N, Y STYLE: P								
SHELL SIZE								
A	B	C	D	E	F	G	H	J
INSERT ARRANGEMENT					NUMBER			
35	5	4	5	6	11	11	21	4
98	35	35	18	8	32	16	35	19
	98	98	19	26	35	35	53	24
	99		35	35		41	55	29
			97					35
								61
D38999/27	HR-SS90540-()		38999-410-83	Hermetic Seal Corp.				
CLASS: N, Y STYLE: C, P, X								
SHELL SIZE								
A	B	C	D	E	F	G	H	J
INSERT ARRANGEMENT					NUMBER			
*6	2	4	5	6	11	1	1	1
35	4	8	15	8	28	11	2	2
44	5	22	18	26	30	16	21	4
98	13	35	19	35	32	24	32	19
	35	98	35	55	35	25	34	24
	98		37	99	45	27	35	29
	99		97		66	35	36	35
					67	39	53	43
						41	55	61
							97	
							99	

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/27() CLASS: N, Y STYLE: P, X, C SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 2 4 5 6 11 16 21 19 98 5 8 15 8 28 24 32 24 35 35 18 26 32 25 34 29 98 98 19 35 35 27 35 35 99 35 45 35 36 61 97 41 53 55 97 99	87000()	38999-692-87	Hi-Rel Connectors, Inc.
D38999/27 CLASS: N, Y STYLE: P SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 35 5 8 5 8 11 16 21 4 98 35 35 15 26 32 35 32 29 99 98 18 35 35 39 35 35 35 41 53 61 97	KJA5 ()	38999-1086-83	ITT Cannon
D38999/27() CLASS: N, Y STYLE: P, X, C SHELL SIZE A B C INSERT ARRANGEMENT NUMBER 35 35 8 98 98 35 98	T3Y-15H ()-() T3N-15H ()-()	38999-957-83 38999-480-84	Pyle-National Connectors
D38999/27 () CLASS: N, Y STYLE: P, X, C SHELL SIZE A B C D E F G H J INSERT ARRANGEMENT NUMBER 6 2 4 5 6 11 1 1 1 35 4 8 15 8 28 11 2 2 44 5 22 18 26 30 16 21 4 98 13 35 19 35 32 24 32 19 35 98 35 55 35 25 34 24 98 37 99 45 27 35 29 99 97 66 35 36 35 67 39 53 43 41 55 61 97 99	B9912()-SP-M136 (Class Y) B9912()-SP-M146 (Class N)	38999-1222-82	Sealtron, Inc.
D38999/28-1 thru 12 FINISH: J, M	10-527273-1() thru -12()	NAC02.16/2-7-96	Amphenol Connectors
D38999/28-1 thru -12 FINISH: C, F, W	229991()01 thru 229991()12	38999-569-88	ESC Technologies, Inc.
D38999/28-1 thru -12 FINISH: F, W	200-00061()	38999-223-91	Framatome Connectors France
D38999/28-1 thru -12 FINISH: C, F, K, W	GS38999/28-1 thru -12	38999-113-94	Glenair, Inc.

48
OPL-38999-76

GOVERNMENT DESIGNATION	DESIGNATION OR TYPE NUMBER	QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/30 () CLASS: W Lanyard Length Code: A thru Z SHELL SIZE J INSERT ARRANGEMENT NUMBER 4 20 24 35	G3L6W25-() Class S	38999-695-87	G & H Technology, Inc.
D38999/30 () CLASS: F, K, S, W Lanyard Length Code: A thru Z SHELL SIZE D J INSERT ARRANGEMENT NUMBER 5 4 15 19 18 24 19 29 35 35 97 43 46 61	MQ938()	38999-823-85	Matrix Science Connectors
D38999/30 () CLASS: F, W Lanyard Length Code: A thru Z SHELL SIZE F G J INSERT ARRANGEMENT NUMBER 11 11 4 18 16 20 32 35 24 35 39 41	T3 ()-16 ()S G3L6W25-()S()	38999-967-87	Pyle-National Connectors
D38999/31 Class: W Lanyard Length Code: E, F, G, H SHELL SIZE 25 INSERT ARRANGEMENT NUMBER 20	TVFBRW-25 Type: 2	38999-287-85	Amphenol, Ltd.
D38999/31 CLASS: W Lanyard Length Code: E, F, G, H SHELL SIZE 25 INSERT ARRANGEMENT NUMBER 7 8 20 90	88-553339-()P Type: 1 88-555899-()P Type: 2	38999-285-85 38999-353-86	Amphenol Connectors
D38999/31WE20N1 Class: W Lanyard Length Code: E, F, G, H	DTS31W-25-20PNE Type: 1	38999-340-88	Deutsch, Ltd.
D38999/31 CLASS: W Lanyard Length Code: A thru L SHELL SIZE 25 INSERT ARRANGEMENT NUMBER 4 20 24 35	G3L6W25-20PN() Type: 1 G3L6W25-4PN() G3L6W-()P()	38999-695-87	G & H Technology, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/31 CLASS: W Lanyard Length Code: E, F, G, H, I, J, K, L SHELL SIZE 25 INSERT ARRANGEMENT NUMBER 4 7 8 11 19 20 24 29 35 43 61 90	T3W-16B25-()PNE Type: 1	38999-1023-85	Pyle-National Connectors
D38999/32-09 thru -25 CLASS: W STYLE: R, N	10-552944-09 () thru -25 ()	38999-1428-85	Amphenol Connectors
D38999/32() () () CLASS: W STYLE: R, N SHELL SIZE 9 11 13 15 17 19 21 23 25	DCP09() () ()	38999-802-84	ESC Technologies, Inc.
D38999/32-09 thru -25 CLASS: J, M, W STYLE: R, N	GS38999/32-09 thru -25	38999-970-84	Glenair, Inc.
D38999/32-09 thru -25 CLASS: W STYLE: R, N	S2454-()-()	38999-48-94	Sunbank Electronics, Inc.
D38999/33-11 thru -17 -21 -25 CLASS: W STYLE: R, N	10-552943-11() thru 10-552943-17() 10-552943-21() 10-552943-25()	38999-1428-85	Amphenol Connectors
D38999/33() () () CLASS: W STYLE: R, N SHELL SIZE 9 11 13 15 17 19 21 23 25	DCR09A() () ()	38999-802-84	ESC Technologies, Inc.
D38999/33-09 thru -25 CLASS: J, M, W STYLE: R, N	GS38999/33-09 thru -25	38999-970-84	Glenair, Inc.
D38999/33-09 thru -25 CLASS: W STYLE: R, N	S2453-()-()	38999-48-94	Sunbank Electronics, Inc.

SERIES IV

The activity responsible for the QPL for MIL-C-38999/40 thru /50 (Series IV) is the Naval Air Systems Command (Commanding Officer, Naval Air Engineering Center, ATTN: SESD, Code 53, Lakehurst, NJ 08733-5100.

Questions concerning the QPL for MIL-C-38999/40 thru /50 (Series IV) should be directed to the Naval Air Warfare Center, ATTN: Code DP704N, 6000 East 21st Street, Indianapolis, IN 46219-2189.

D38999/40 CN00 NAC R02.02/11-27-96 Cinch Connector
 CLASS: C, F, W STYLE: P, S
 SHELL SIZE
 B C D E F G H J
 INSERT ARRANGEMENT NUMBER
 5 4 5 6 11 11 21 4
 35 35 18 8 32 16 35 19
 99 98 19 26 35 35 55 24
 35 35 41 29
 97 99 35
 61

D38999/40 DIV40() Class F NAC Z02.04/9-30-93 Deutsch
 CLASS: F, W STYLE: P, S
 SHELL SIZE
 B C D E F G H J
 INSERT ARRANGEMENT NUMBER
 5 4 5 6 11 11 21 4
 35 35 18 8 32 16 35 19
 99 98 35 26 35 35 53 24
 97 35 41 55 29
 35
 61

D38999/40 BL00 NAC AB02.03/3-30-93 G & H Technology, Inc.
 CLASS: C, F, W STYLE: P, S
 SHELL SIZE
 B C D E F G H J
 INSERT ARRANGEMENT NUMBER
 5 4 5 6 11 11 21 4
 35 35 18 8 18 16 35 19
 99 98 19 26 32 35 55 24
 35 35 35 41 29
 97 35
 61

D38999/40 BL00 NAC AB02.03/6-30-93 G & H Technology, Inc.
 CLASS: K STYLE: P, S
 SHELL SIZE
 C D E F G H J
 INSERT ARRANGEMENT NUMBER
 4 5 6 11 11 21 19
 8 18 16 20
 24
 29

D38999/41 CNH2 NAC R02.02/11-27-96 Cinch Connector
 CLASS: N, Y STYLE: P
 SHELL SIZE
 B C D E F G H J
 INSERT ARRANGEMENT NUMBER
 5 4 5 6 11 11 21 4
 35 35 18 8 32 16 35 19
 99 98 35 26 35 35 55 24
 97 35 41 29
 35
 61

D38999/41 BLH2 NAC AB02.03/6-30-93 G & H Technology, Inc.
 CLASS: Y, N STYLE: P, X
 SHELL SIZE
 B C D E F G H J
 INSERT ARRANGEMENT NUMBER
 5 4 5 6 11 11 21 4
 35 35 18 8 18 16 35 19
 99 98 19 26 32 41 55 20
 35 35 35 35 24
 97 29
 35
 61

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/42 CLASS: C, F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 19 26 35 35 55 24 35 35 41 29 97 99 35 61	CN02	NAC R02.02/11-27-96	Cinch Connector
D38999/42 CLASS: F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 35 26 35 35 53 24 97 35 41 55 29 35 61	DIV43 () CLASS F DIV43 ()-023 CLASS W	NAC Z02.04/9-30-93	Deutsch
D38999/42 CLASS: C, F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 18 16 35 19 99 98 19 26 32 35 55 20 35 35 35 41 24 97 29 35 61	BL0	NAC AB02.03/6-30-93	G & H Technology, Inc.
D38999/43 CLASS: N, Y STYLE: P SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 35 26 35 35 55 24 97 35 41 29 35 61	CNH7	NAC R02.02/11-27-96	Cinch Connector
D38999/43 CLASS: N STYLE: P SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 35 18 8 35 16 35 4 35 98 35 35 35 35 99 41 61	DIV44	NAC Z02.04/9-30-93	Deutsch
D38999/43 CLASS: Y, N STYLE: P, X SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 18 16 35 19 99 98 19 26 32 35 55 20 35 35 35 41 24 97 29 35 61	BLH7	NAC AB02.03/6-30-93	G & H Technology, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/44 CLASS: C, F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 19 26 35 35 55 24 35 35 41 29 97 99 35 61	CN07	NAC R02.02/11-27-96	Cinch Connector
D38999/44 CLASS: F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 35 26 35 35 53 24 97 35 41 55 29 35 61	DIV44 () CLASS F DIV44 ()-023 CLASS W	NAC Z02.04/9-30-93	Deutsch
D38999/44 CLASS: C, F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 18 16 35 19 99 98 19 26 32 35 55 20 35 35 35 41 24 97 29 35 61	BL07	NAC AA02.03/6-30-91	G & H Technology, Inc.
D38999/44 CLASS: K STYLE: P, S SHELL SIZE C D E F G H J INSERT ARRANGEMENT NUMBER 4 5 6 11 11 21 19 8 18 16 20 24 29	BL07	NAC AB02.03/6-30-93	G & H Technology, Inc.
D38999/45 CLASS: N, Y STYLE: P SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 35 26 35 35 55 24 97 35 41 29 35 61	CNH1	NAC R02.02/11-27-96	Cinch Connector
D38999/45 CLASS: N STYLE: P SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 35 18 8 35 16 35 4 35 35 35 35 35 35 99 41 61	DIV41	NAC Z02.04/9-30-93	Deutsch

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/45 CLASS: Y, N STYLE: P, X SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 18 16 35 19 99 98 19 26 32 41 55 20 35 35 35 35 24 97 29 35 61	BLH1	NAC AB02.03/6-30-93	G & H Technology, Inc.
D38999/46 CLASS: F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 19 26 35 35 55 24 35 35 41 29 97 99 35 61	CNG6	NAC R02.02/11-27-96	Cinch Connector
D38999/46 CLASS: F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 35 26 35 35 53 24 97 35 41 55 29 35 61	DIV46() CLASS F DIV46()-023 CLASS W	NAC Z02.04/9-30-93	Deutsch
D38999/46 CLASS: F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 18 16 35 19 99 98 19 26 32 35 55 20 35 35 35 41 24 97 29 35 61	BLG6	NAC AB02.03/6-30-93	G & H Technology, Inc.
D38999/46 CLASS: K STYLE: P, S SHELL SIZE C D E F G H J INSERT ARRANGEMENT NUMBER 4 5 6 11 11 21 19 8 18 16 20 24 29	BLG6	NAC AB02.03/6-30-93	G & H Technology, Inc.
D38999/47 CLASS: C, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 19 26 35 35 55 24 35 35 41 29 97 99 35 61	CN06	NAC R02.02/11-27-96	Cinch Connector

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/47 CLASS: W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 35 26 35 35 53 24 97 35 41 55 29 35 61	DIV46-023	NAC Z02.04/9-30-93	Deutsch
D38999/47 CLASS: C, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 18 16 35 19 99 98 19 26 32 35 55 20 35 35 35 41 24 97 29 35 61	BL06	NAC AA02.03/6-30-91	G & H Technology, Inc.
D38999/48 CLASS: N, Y STYLE: P SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 35 26 35 35 55 24 97 35 41 29 35 61	CNH4	NAC R02.02/11-27-96	Cinch Connector
D38999/48 CLASS: Y, N STYLE: P, X SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 18 16 35 19 99 98 19 26 32 41 55 20 35 35 35 35 24 97 29 35 61	BLH4	NAC AB02.03/6-30-93	G & H Technology, Inc.
D38999/49 CLASS: C, F, W STYLE: P, S SHELL SIZE B C D E F G H J INSERT ARRANGEMENT NUMBER 5 4 5 6 11 11 21 4 35 35 18 8 32 16 35 19 99 98 19 26 35 35 55 24 35 35 41 29 97 99 35 61	CN03	NAC R02.02/11-27-96	Cinch Connector
D38999/49 CLASS: F, W STYLE: P, S SHELL SIZE D H INSERT ARRANGEMENT NUMBER 5 21 18 35 35 53 97 55	DIV48()-023	NAC Z02.04/9-30-93	Deutsch

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER							TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
D38999/49	BL03							NAC AB02.03/6-30-93	G & H Technology, Inc.
CLASS: C, F, W	STYLE: P, S								
SHELL SIZE									
B	C	D	E	F	G	H	J		
INSERT ARRANGEMENT							NUMBER		
5	4	5	6	11	11	21	4		
35	35	18	8	18	16	35	19		
99	98	19	26	32	35	55	20		
		35	35	35	41		24		
		97					29		
							35		
							61		

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE	MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
Aero Electric Connector, Inc. 16207 Carmenita Road Cerritos, CA 90703-2212 Plant: Same Address		ESC Technologies, Inc. 14115 Chadron Avenue Hawthorne, CA 90251 Plant: Same Address	24805
Amphenol, Ltd. Thanet Way Whitstable, Kent, CT5 3JF England Plant: Same Address	K1100	Framatome Connectors France RN23, Champagne, 72470, France Plant: Same Address	F0323
Amphenol/Socapex B.P.29 74311 Thyez Cedex, France Plant: Promenade de l'Arve. Thyez, France	F6162	G & H Technology, Inc. 750 Ventura Boulevard Camarillo, CA 93010 Plant: Same Address	0D0V6
Amphenol Aerospace Amphenol Connectors 40-60 Delaware Avenue Sidney, NY 13838 Plants: 1. Same Address 2. Productos De Memoria, SA de CV Parque Industrial San Ramon APDO Postal 205-A Nogales, Sonora, Mexico 84000	77820	Glenair, Inc. 1211 Air Way Glendale, CA 91201-2497 Plant: Same Address	06324
Amphenol Aerospace Pyle-National Connectors 40-60 Delaware Avenue Sidney, NY 13838 Plants: 1. Same Address 2. Amphenol Corp. Optimize Manufacturing Co. 180 N. Freeport Dr. W-10 Nogales, AZ 85621	49367	Hermetic Seal Corporation 4232 Temple City Boulevard Rosemead, CA 91770 Plant: Same Address	04820
Cinch Connector Division of Labinal Components & Systems 1500 Morse Avenue Elk Grove Village, IL 60007 Plant: 820 N. Wilson Street Vinita, OK 74301	13556	Hi Rel Connectors, Inc. 760 W. Wharton Drive Claremont, CA 91711 Plant: Same Address	34222
Deutsch Engineered Connecting Devices 36033 Whittier Avenue Hemet, CA 92545 Plants: 1. Same Address 2. Municipal Airport Oceanside, CA 92054	11139	ITT Cannon 666 East Dyer Road Santa Ana, CA 92705 Plant: Same Address	71468
Deutsch, Ltd. Imberhorne Way East Grinstead, West Sussex, RH19 1RW England Plant: 4 Stanier Road St. Leonard's on Sea Hastings, Sussex, England	K1316	Matrix Science Connectors 470 Friendship Road Harrisburg, PA 17111-3608 Plant: Same Address	14283
Deutsch Dagan, Ltd. 5 Harav Nurok Street Atridar Ashkelon, Israel 78150 Plant: Same Address	S6058	Sealtron, Inc. 9705 Reading Road Cincinnati, OH 45215-3592 Plant: Same Address	97814
		Sunbank Electronics, Inc. 1740 Commerce Way Paso Robles, CA 93446 Plant: Same Address	07418
		TEC Electrical Components, Ltd. Progress Way Enfield, Middlesex, EN1 1UZ England Plant: Same Address	K0690

CATEGORY C DISTRIBUTORS FOR
AERO ELECTRIC CONNECTOR, INC.

IDENTIFICATION
LETTER

Aero Electric Connector Europe
12 AV Clement Ader
31770 Colomiers, France

F

BTC Electronics
5809 Departure Drive
Raleigh, NC 27604

B

Benchmark Connector Corp.
4503 N.W. 103rd Avenue, Bay 4
Sunrise, FL 33351

\ /

Cherokee Nation Distributors, Inc.
Highway 51 West, P.O. Box 1130
Stilwell, OK 74960

>>>---

Circular Connectors
3250 Corte Malpaso
Camarillo, CA 93012

Time Electronics
10-A Centennial Drive
Peabody, MA 01960

X

CATEGORY C DISTRIBUTORS FOR
AMPHENOL, LTD.

Pyle-National, Ltd.
Sherbrook Road
Daybrook-Nottingham
England NG5 68T

P
N

Townsend Coates, Ltd.
Lunsford Road
Leicester, LE5 0HH, England

TCX

CATEGORY C DISTRIBUTORS FOR
AMPHENOL CONNECTORS

IDENTIFICATION
LETTER

Amphenol/Socapex
Promenade de l'Arve
Thyez, France
(Series III)

S

Arrow Pemco
Amphenol Central Marketing Group
9801 Legler Road
Lenexa, KS 66219

&

Hamilton/Hall-Mark
10-A Centennial Drive
Peabody, MA 01960

@

Powell Electronics, Inc.
South Island Road, Box 8765
Philadelphia, PA 19101

*

T.T.I., Inc.
4033 E. Belknap Street
Fort Worth, TX 76111

CATEGORY C DISTRIBUTORS FOR
CINCH CYLINDRICAL

IDENTIFICATION
LETTER

Capstone Electronics
9801 Legler Road
Aurora, CO 80011

&

T.T.I., Inc.
4033 E. Belknap Street
Fort Worth, TX 76111

CATEGORY C DISTRIBUTORS FOR
DEUTSCH

IDENTIFICATION
LETTER

Bell Milgray Electronics
77 Schmitt Boulevard
Farmingdale, NY 11735

M

Connecteurs Electriques Deutsch
10 rue Lionel Terray
92500 Rueil-Malmaison, France
(Series I, III)

CD-9

Deutsch, Ltd.
Imberhorne Way
East Grinstead, West Sussex
RH19 1RW, England
(Series I, III)

H

Deutsch Dagan, Ltd.
5 Rav Nvrok Street
P.O. Box 5010
Ashkelon, Israel 78150

DDI

Richey Cypress Electronics, Inc.
10871 LaTuna Canyon Road
Sun Valley, CA 91352

R

Unicor Federal Prison Industries
Box 1680
Black Canyon Road Stage 1
Phoenix, AZ 85029
(Series I, III)

U

CATEGORY C DISTRIBUTORS FOR
DEUTSCH, LTD.

IDENTIFICATION
LETTER

Deutsch ECD
Municipal Airport
Banning, CA 92220
(25-20 Arrangement-M38999/31)

&

<u>CATEGORY C DISTRIBUTORS FOR FRAMATOME CONNECTORS FRANCE</u>	<u>IDENTIFICATION LETTER</u>	<u>CATEGORY C DISTRIBUTORS FOR PYLE-NATIONAL CO.</u>	<u>IDENTIFICATION LETTER</u>
Connector Tech, Inc. 9-A Veronica Avenue Somerset, NJ 08873 (Series I, II and III)	CTI	Pyle-National, Ltd. Sherbrook Road Daybrook-Nottingham England NG5 68T	N
FC Lane Electronics, Ltd. Slinfold Lodge, Horsham West Sussex, RH13 7RN United Kingdom	FCL	Time Electronics/Arizona 1301 West Geneva Drive Tempe, EZ 85282	L
Rosenberger Filcon 8012 Ottobrun, Postfach 6305 Siemensstrabe 7, Germany	D		
<u>CATEGORY C DISTRIBUTORS FOR G & H TECHNOLOGY, INC.</u>	<u>IDENTIFICATION LETTER</u>		
Time Electronics/Arizona 1301 West Geneva Drive Tempe, AZ 85282	L		
<u>CATEGORY C DISTRIBUTORS FOR ITT CANNON</u>	<u>IDENTIFICATION LETTER</u>		
Electro Air Corporation 500 Lake Ridge Drive, S.E. Smyrna, GA 30082	E		
PEI-Genesis 1915 North Bendix Drive South Bend, IN 46628	O		
Time Electronics/New England 10-A Centennial Drive Peabody, MA 01960	X		
<u>CATEGORY C DISTRIBUTORS FOR MATRIX SCIENCE CORP.</u>	<u>IDENTIFICATION LETTER</u>		
BTC Electronics Components 5809 Departure Drive Raleigh, NC 27604	B		
Cherokee Nation Distributors, Inc. Highway 51 West, P.O. Box 860 Stilwell, OK 74960	>>>---		
Hamilton/Hall-Mark 10-A Centennial Drive Peabody, MA 01960	H		
Matrix France 11 Avenue Jean d'Alembert Z.A. de Pissalougs 78190 Trappes, France	MF		
Powell Electronics, Inc. South Island Enterprise Avenue Philadelphia, PA 19153	*		
Time Electronics 10-A Centennial Drive Peabody, MA 01960	X		