Specification Details: **Date: 7/16/2009**

Specification: MIL-DTL-38999

Title: Connectors, Electrical, Circular, Miniature, High Density, Quick Disconnect (Bayonet, Threaded and Breech Coupling), Environment Resisting, Removable Crimp and Hermetic Solder Contacts

Federal Supply Class (FSC): 5935

Conventional: No

Specification contains quality assurance program: No

MIL-STD-790 Established Reliability & High Reliability: Yes

MIL-STD-690 Failure Rate Sampling Plans & Procedures: No

Weibull Graded: No

Specification contains space level reliability requirements: No

Specification allows test optimization: No

Contact Information:

DSCC Office of Primary Involvement: Passive Devices Team, DSCC-VQP

Primary DSCC-VQ Contact: 614-692-0620, e-mail: vqp.rvm@dla.mil

Secondary DSCC-VQ Contact: 614-692-8367, e-mail: vqp.es@dla.mil

Notes:

* Inactive for new design

** Inactive for new design for Air Force

Except class P

All parts listed on this sheet are available through distributors authorized by the manufacturer under military requirements. Manufacturers may be contacted for names and addresses of authorized category A distributors. Names and addresses of authorized assembly plants (distributor, category C per MIL-STD-790C) are listed on the last page of this sheet.

Part Configuration:

The qualified products are listed in tabular form for each manufacturer. Connectors are qualified to any combination of class, finish and style shown. The insert arrangement number applicable to each shell size is shown in a vertical column under the shell size. An example of the government designation which identifies the connector is as follows:

SERIES I AND II

MS NUMBER	CLASS	SHELL SIZE	FINISH (COLOR) NUMBER	INSERT ARRANGE-MENT	STYLE	POLOR-IZATION
MS27466	T	15	C	18	P	A

SERIES III AND IV

DoD No. PREFIX	SPECIF-ICATION NUMBER	CLASS	SHELL SIZE CODE	INSERT ARRANGE-MENT	CONTACT STYLE	POLOR-IZATION
D38999/	24	F	A	35	P	N

Part Listings:

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27466 ( )

Manufacturer's Designation: AE166 ( )

Class: E*, T

Finish: A*, B, F

Style: P, S

Shell: 9 Insert: 6*, 35, 98
Shell: 11 Insert: 2, 4, 5, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1, 21, 32, 35, 53, 55
Shell: 25 Insert: 1, 4, 19, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-032-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27466 ( )

Manufacturer's Designation: LJT00R

Class: E*, T

Finish: A*, B, F

Style: H, J, P, S

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 2, 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27466 ( )
Manufacturer's Designation: LJT00R
Class: P
Finish: A*, B, F
Style: H, J, P, S
Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 37*
Shell: 17 Insert: 2, 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61
Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: MS27466 ( )
Manufacturer's Designation: T1( )-18( )-( )
Class: T
Finish: B, E, F
Style: P, S
Shell: 17 Insert: 8, 26, 35
Shell: 19 Insert: 18
Shell: 21 Insert: 35, 41
Shell: 25 Insert: 24, 29, 35, 61
Test or Qualification Reference: 38999-325-87

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27466 ( )
Manufacturer's Designation: LJT00R
Class: T
Finish: B, F
Style: P, S
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 46, 61
Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: Amphenol/Socapex

Government Designation: MS27466 ( )
Manufacturer's Designation: LJT00R
Class: T
Finish: B, F
Style: P, S
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 30, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 8, 19, 29, 35, 43, 46, 61
Test or Qualification Reference: 38999-1374-86; 38999-742-03

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27466 ( )
Manufacturer's Designation: DJT10E( )
Class: T
Finish: B, F
Style: H, J, P, S
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 5, 35, 98, 99
Shell: 13 Insert: 4, 35, 98
Shell: 15 Insert: 5, 18, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 32, 35
Shell: 21 Insert: 11, 16, 35, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-136-84

Series I and II

Supplier: ITT Cannon

Government Designation: MS27466 ( )
Manufacturer's Designation: KJL0
Class: P**
Finish: A*, B, F
Style: P, S
Shell: 9 Insert: 6*, 35, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 37*
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66*
Shell: 21 Insert: 1, 16, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: ITT Cannon

Government Designation: MS27466 ( )
Manufacturer's Designation: KJL0
Class: E*, T
Finish: A*, B, F
Style: P, S
Shell: 9 Insert: 6*, 35, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66*
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: ITT Cannon VEAM

Government Designation: MS27466 ( )
Manufacturer's Designation: LTT00RT
Class: T
Finish: B, F
Style: P, S
Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 13, 35, 98
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 18, 19, 35, 37
Shell: 17 Insert: 26, 35, 55
Shell: 19 Insert: 11, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 41
Shell: 23 Insert: 1, 21, 35
Shell: 25 Insert: 1, 29, 35, 43, 61
Test or Qualification Reference: 38999-308-89

Series I and II

Supplier: Souriau

Government Designation: MS27466 ( )

Manufacturer's Designation: 8LT0-( )-( ), 8LTS00

Class: E, G, T

Finish: B, F

Style: H, J, P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 18, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 32, 35, 53, 55
Shell: 25 Insert: 4, 7, 8, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27467 ( )

Manufacturer's Designation: LJT06R

Class: E*, P**, T

Finish: A*, B, F

Style: H, J, P, S

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 2, 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: MS27467 ( )

Manufacturer's Designation: T1( )-10( )-( )

Class: T

Finish: B, F

Style: P, S

Shell: 17 Insert: 8, 26, 35
Shell: 19 Insert: 18
Shell: 21 Insert: 35, 41
Shell: 25 Insert: 24, 25, 35, 61

Test or Qualification Reference: 38999-325-87

Series I and II

Supplier: Amphenol/Socapex

Government Designation: MS27467 ( )

Manufacturer's Designation: LJT06R

Class: T

Finish: B, F

Style: P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 30, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 8, 19, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-1374-86; 38999-742-03

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27467 ( )

Manufacturer's Designation: AE167( )

Class: E*, T

Finish: A*, B, F

Style: P, S

Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 2, 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1, 21, 32, 35, 53, 55
Shell: 25 Insert: 1, 4, 19, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-032-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27467 ( )

Manufacturer's Designation: LJT06R

Class: P**

Finish: A*, B, F

Style: H, J, P, S

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 37*
Shell: 17 Insert: 2, 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 30, 32, 35, 66
Shell: 21 Insert: 1*, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27467 ( )

Manufacturer's Designation: LJT06R

Class: T

Finish: B, F

Style: P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27467 ( )

Manufacturer's Designation: DJT16E( )

Class: T

Finish: B, F

Style: H, J, P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 5, 35, 98, 99
Shell: 13 Insert: 4, 35, 98
Shell: 15 Insert: 5, 18, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 32, 35
Shell: 21 Insert: 11, 16, 35, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-136-84

Series I and II

Supplier: ITT Cannon

Government Designation: MS27467 ( )
Manufacturer's Designation: KJL6
Class: E*, T
Finish: A*, B, F
Style: P, S
Shell: 9 Insert: 6*, 35, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66*
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: ITT Cannon VEAM

Government Designation: MS27467 ( )
Manufacturer's Designation: LTT06RT
Class: T
Finish: B, F
Style: P, S
Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 13, 35, 98
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 18, 19, 35, 37
Shell: 17 Insert: 26, 35, 55
Shell: 19 Insert: 11, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 41
Shell: 23 Insert: 1, 21, 35
Shell: 25 Insert: 1, 29, 35, 43, 61
Test or Qualification Reference: 38999-308-89

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27468 ( )
Manufacturer's Designation: AE168 ( )
Class: E*, T
Finish: A*, B, F
Style: P, S
Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 2, 4, 5, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1, 21, 32, 35, 53, 55
Shell: 25 Insert: 1, 4, 19, 24, 29, 35, 43, 46, 61
Test or Qualification Reference: 38999-032-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27468 ( )
Manufacturer's Designation: LJT07R
Class: P**
Finish: A*, B, F
Style: H, J, P, S
Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 37*
Shell: 17 Insert: 2, 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61
Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: ITT Cannon

Government Designation: MS27467 ( )
Manufacturer's Designation: KJL6
Class: P**
Finish: A*, B, F
Style: P, S
Shell: 9 Insert: 6*, 35, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 37*
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66*
Shell: 21 Insert: 1*, 16, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: Souriau

Government Designation: MS27467 ( )
Manufacturer's Designation: 8LT15-( )-( ), 8LTS06G
Class: E, G, T
Finish: B, F
Style: H, J, P, S
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 18, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 32, 35, 53, 55
Shell: 25 Insert: 4, 7, 8, 19, 24, 29, 35, 37, 43, 46, 61
Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27468 ( )
Manufacturer's Designation: LJT07R
Class: E*, T
Finish: A*, B, F
Style: H, J, P, S
Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 2, 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 37, 43, 46, 61
Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: MS27468 ( )
Manufacturer's Designation: T1 ( )-( )-( )
Class: T
Finish: B, F
Style: P, S
Shell: 17 Insert: 8, 26
Shell: 19 Insert: 18
Shell: 21 Insert: 35, 41
Shell: 25 Insert: 24, 29, 35, 61
Test or Qualification Reference: 38999-325-87

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27468 ( )
Manufacturer's Designation: LJT07R
Class: T
Finish: B, F
Style: P, S
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 46, 61
Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27468 ( )
Manufacturer's Designation: DJT14E( )
Class: T
Finish: B, F
Style: H, J, P, S
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 5, 35, 98, 99
Shell: 13 Insert: 4, 35, 98
Shell: 15 Insert: 5, 18, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 32, 35
Shell: 21 Insert: 11, 16, 35, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: ITT Cannon

Government Designation: MS27468 ( )
Manufacturer's Designation: KJL7
Class: P**
Finish: A*, B, F
Style: P, S
Shell: 9 Insert: 6*, 35, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 37*
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66*
Shell: 21 Insert: 1*, 16, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: Souriau

Government Designation: MS27468 ( )
Manufacturer's Designation: 8LT7-( )-( ), 8LTS07
Class: E, G, T
Finish: B, F
Style: H, J, P, S
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 18, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 32, 35, 53, 55
Shell: 25 Insert: 4, 7, 8, 19, 24, 29, 35, 37, 43, 46, 61
Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Amphenol/Socapex

Government Designation: MS27468 ( )
Manufacturer's Designation: LJT07R
Class: T
Finish: B, F
Style: P, S
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 30, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 8, 19, 29, 35, 43, 46, 61
Test or Qualification Reference: 38999-1374-86; 38999-742-03

Series I and II

Supplier: ITT Cannon

Government Designation: MS27468 ( )
Manufacturer's Designation: KJL7
Class: E*, T
Finish: A*, B, F
Style: P, S
Shell: 9 Insert: 6*, 35, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66*
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: ITT Cannon VEAM

Government Designation: MS27468 ( )
Manufacturer's Designation: LTT07RT
Class: T
Finish: B, F
Style: P, S
Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 13, 35, 98
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 18, 19, 35, 37
Shell: 17 Insert: 26, 35, 55
Shell: 19 Insert: 11, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 41
Shell: 23 Insert: 1, 21, 35
Shell: 25 Insert: 1, 29, 35, 43, 61
Test or Qualification Reference: 38999-308-89

Series I and II

Supplier: American Micro Products, Inc.

Government Designation: MS27469 ( )
Manufacturer's Designation: 3( )B-( )
Class: Y
Finish: D, E, N
Style: C, P, X
Shell: 9 Insert: 3, 35, 98
Shell: 11 Insert: 5, 35, 98, 99
Shell: 13 Insert: 8, 35, 98
Shell: 15 Insert: 5, 18
Shell: 17 Insert: 8
Shell: 19 Insert: 32
Shell: 21 Insert: 16, 41
Shell: 23 Insert: 35
Shell: 25 Insert: 61
Test or Qualification Reference: 38999-098-99

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27469 ( )
Manufacturer's Designation: LJT00Y
Class: Y
Finish: D, E, N
Style: P, X
Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66*
Shell: 21 Insert: 1, 16, 35, 39, 41
Shell: 23 Insert: 1, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1, 4, 24, 35, 61
Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27469 ( )
Manufacturer's Designation: 231-001( )
Class: Y
Finish: D, E, N
Style: C, P, X
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45
Shell: 21 Insert: 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27469 ( )
Manufacturer's Designation: 76000 ( )
Class: Y
Finish: D, E, N
Style: P
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45
Shell: 21 Insert: 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-1030-87

Series I and II

Supplier: Sealtron, Inc.

Government Designation: MS27469 ( )
Manufacturer's Designation: A9703-( )-( )-( )
Class: Y
Finish: D, E, N
Style: C, P, X
Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 5, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: 21 Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: 38999-366-85

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27469 ( )
Manufacturer's Designation: 231-001( )
Class: Y
Finish: D, E, N
Style: D, S, Z
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: 38999-875-04

Series I and II

Supplier: Hermetic Seal Corp.

Government Designation: MS27469 ( )
Manufacturer's Designation: 91500
Class: Y
Finish: D, E, N
Style: C, P, X
Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 2, 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45, 66*, 67
Shell: 21 Insert: 1*, 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: 38999-618-81

Series I and II

Supplier: ITT Cannon

Government Designation: MS27469 ( )
Manufacturer's Designation: KJL0Y
Class: Y
Finish: D, E
Style: P
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 5, 35, 98
Shell: 13 Insert: 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 97
Shell: 17 Insert: 8, 26, 35
Shell: 19 Insert: 32, 35
Shell: 21 Insert: 16, 35, 39, 41
Shell: 23 Insert: 21, 32, 35, 53
Shell: 25 Insert: 4, 29, 35, 61
Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: American Micro Products, Inc.

Government Designation: MS27470 ( )
Manufacturer's Designation: 5( )B-( )
Class: Y
Finish: D, E, N
Style: C, P, X
Shell: 9 Insert: 3, 35, 98
Shell: 11 Insert: 5, 35, 98, 99
Shell: 13 Insert: 8, 35, 98
Shell: 15 Insert: 5, 18
Shell: 17 Insert: 8
Shell: 19 Insert: 32
Shell: 21 Insert: 16, 41
Shell: 23 Insert: 35
Shell: 25 Insert: 61
Test or Qualification Reference: 38999-098-99

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27470 ( )

Manufacturer's Designation: LJT07Y

Class: Y

Finish: D, E, N

Style: P, X

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66*
Shell: 21 Insert: 1, 16, 35, 39, 41
Shell: 23 Insert: 1, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1, 4, 24, 35, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27470 ( )

Manufacturer's Designation: DJT14H ( )

Class: Y

Finish: D, E

Style: C, P, X

Shell: 9 Insert: 35
Shell: 11 Insert: 35
Shell: 13 Insert: 22, 35
Shell: 15 Insert: 35, 97
Shell: 25 Insert: 4, 35, 61

Test or Qualification Reference: 38999-355-83; 38999-375-89

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27470 ( )

Manufacturer's Designation: 230-001( )

Class: Y

Finish: D, E, N

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27470 ( )

Manufacturer's Designation: 231-001( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 9 Insert: 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45
Shell: 21 Insert: 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27470 ( )

Manufacturer's Designation: 230-001-( )-( )

Class: Y

Finish: D, E, N

Style: P, X

Shell: 9 Insert: 35
Shell: 17 Insert: 26
Shell: 23 Insert: 21

Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: Hermetic Seal Corp.

Government Designation: MS27470 ( )

Manufacturer's Designation: 92200

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 2, 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45, 66*, 67
Shell: 21 Insert: 1*, 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-618-81

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27470 ( )

Manufacturer's Designation: 74000 ( )

Class: Y

Finish: D, E, N

Style: P

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45
Shell: 21 Insert: 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-1030-87

Series I and II

Supplier: ITT Cannon

Government Designation: MS27470 ( )

Manufacturer's Designation: KJL7Y

Class: Y

Finish: D, E

Style: P

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 5, 35, 98
Shell: 13 Insert: 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 97
Shell: 17 Insert: 8, 26, 35
Shell: 19 Insert: 32, 35
Shell: 21 Insert: 16, 35, 39, 41
Shell: 23 Insert: 21, 32, 35, 53
Shell: 25 Insert: 4, 29, 35, 61

Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: Sealtron, Inc.

Government Designation: MS27470 ( )

Manufacturer's Designation: A9705-( )-( )-( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 5, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45, 66*, 67
Shell: 21 Insert: 1*, 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 1*, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 1*, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-366-85

Series I and II

Supplier: American Micro Products, Inc.

Government Designation: MS27471 ( )

Manufacturer's Designation: 2( )B-( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 9 Insert: 3, 35, 98
Shell: 11 Insert: 5, 35, 98, 99
Shell: 13 Insert: 8, 35, 98
Shell: 15 Insert: 5, 18
Shell: 17 Insert: 8
Shell: 19 Insert: 32
Shell: 21 Insert: 16, 41
Shell: 23 Insert: 35
Shell: 25 Insert: 61

Test or Qualification Reference: 38999-098-99

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27471 ( )

Manufacturer's Designation: LJTIY

Class: Y

Finish: D, E, N

Style: P, X

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66*
Shell: 21 Insert: 1, 16, 35, 39, 41
Shell: 23 Insert: 1, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1, 4, 24, 35, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27471 ( )

Manufacturer's Designation: DJT11H ( )

Class: Y

Finish: D

Style: C, P, X

Shell: 9 Insert: 35
Shell: 11 Insert: 35
Shell: 13 Insert: 22, 35
Shell: 25 Insert: 4, 35, 61

Test or Qualification Reference: 38999-355-83

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27471 ( )

Manufacturer's Designation: DJT11H ( )

Class: E

Finish: D

Style: C, P

Shell: 9 Insert: 35

Test or Qualification Reference: 38999-355-83

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27471 ( )

Manufacturer's Designation: DJT11H( )

Class: Y

Finish: E

Style: C, P, X

Shell: 9 Insert: 35

Test or Qualification Reference: 38999-355-83

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27471 ( )

Manufacturer's Designation: 232-001( )

Class: Y

Finish: D, E, N

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27471 ( )

Manufacturer's Designation: 232-001( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45
Shell: 21 Insert: 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: Hermetic Seal Corp.

Government Designation: MS27471 ( )

Manufacturer's Designation: 90000

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 2, 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45, 66*, 67
Shell: 21 Insert: 1*, 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-618-81

Series I and II

Supplier: ITT Cannon

Government Designation: MS27471 ( )

Manufacturer's Designation: KJL1Y

Class: Y

Finish: D, E

Style: P

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 5, 35, 98
Shell: 13 Insert: 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 97
Shell: 17 Insert: 8, 26, 35
Shell: 19 Insert: 32, 35
Shell: 21 Insert: 16, 35, 39, 41
Shell: 23 Insert: 21, 32, 35, 53
Shell: 25 Insert: 4, 29, 35, 61

Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27472 ( )

Manufacturer's Designation: AE272 ( )

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27472 ( )

Manufacturer's Designation: JT00R

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 96, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 19#, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27471 ( )

Manufacturer's Designation: 75000 ( )

Class: Y

Finish: D, E, N

Style: P

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45
Shell: 21 Insert: 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-1030-87

Series I and II

Supplier: Sealtron, Inc.

Government Designation: MS27471 ( )

Manufacturer's Designation: A9702-( )-( )-( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 5, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 45, 66*, 67
Shell: 21 Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 25 Insert: 1*, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-366-85

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27472 ( )

Manufacturer's Designation: AE272 ( )

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27472 ( )

Manufacturer's Designation: JT00R

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 96, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 1635, 3941
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27472 ( )

Manufacturer's Designation: JT00R

Class: T

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 96
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27472 ( )

Manufacturer's Designation: KJ0

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: Souriau

Government Designation: MS27472 ( )

Manufacturer's Designation: 8T0-( )-( )

Class: T

Finish: B, C, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27473 ( )

Manufacturer's Designation: AE273 ( )

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27472 ( )

Manufacturer's Designation: 54020 ( )

Class: T

Finish: B

Style: P, S

Shell: 8 Insert: 35
Shell: 10 Insert: 35
Shell: 12 Insert: 35
Shell: 14 Insert: 35
Shell: 16 Insert: 35
Shell: 18 Insert: 35
Shell: 20 Insert: 35
Shell: 22 Insert: 35
Shell: 24 Insert: 35

Test or Qualification Reference: 38999-89-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27472 ( )

Manufacturer's Designation: KJ0

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: Souriau

Government Designation: MS27472 ( )

Manufacturer's Designation: 8T0-( )-( )

Class: E

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27473 ( )

Manufacturer's Designation: AE273 ( )

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27473 ( )

Manufacturer's Designation: JT06R

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*, 96
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27473 ( )

Manufacturer's Designation: JT06R

Class: T

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 96
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27473 ( )

Manufacturer's Designation: KJ6

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-624-76; 38999-724-76; 38999-923-70

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27474 ( )

Manufacturer's Designation: AE274( )

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27473 ( )

Manufacturer's Designation: JT06R

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: ITT Cannon

Government Designation: MS27473 ( )

Manufacturer's Designation: KJ6

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-76; 38999-724-76

Series I and II

Supplier: Souriau

Government Designation: MS27473 ( )

Manufacturer's Designation: 8T6-( )-( ), 8TS06

Class: E, G, T

Finish: B, C, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27474 ( )

Manufacturer's Designation: AE274( )

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27474 ( )
Manufacturer's Designation: JT07R
Class: E*, T
Finish: A*, B, C, F
Style: P, S
Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*, 96
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 37, 61
Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27474 ( )
Manufacturer's Designation: JT07R
Class: T
Finish: B, F
Style: P, S
Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 96
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27474 ( )
Manufacturer's Designation: KJ7
Class: E*, T
Finish: A*, B, C, F
Style: P, S
Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: Souriau

Government Designation: MS27474 ( )
Manufacturer's Designation: 8T7-( )-( ), 8TS07
Class: G, T
Finish: B, C, F
Style: P, S
Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27474 ( )
Manufacturer's Designation: JT07R
Class: P**
Finish: A*, B, C, F
Style: P, S
Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*, 96
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61
Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27474 ( )
Manufacturer's Designation: 54010 ( )
Class: T
Finish: B
Style: P, S
Shell: 8 Insert: 35
Shell: 10 Insert: 35
Shell: 12 Insert: 35
Shell: 14 Insert: 35
Shell: 16 Insert: 35
Shell: 18 Insert: 35
Shell: 20 Insert: 35
Shell: 22 Insert: 35
Shell: 24 Insert: 35
Test or Qualification Reference: 38999-202-85

Series I and II

Supplier: ITT Cannon

Government Designation: MS27474 ( )
Manufacturer's Designation: KJ7
Class: P**
Finish: A*, B, C, F
Style: P, S
Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: American Micro Products, Inc.

Government Designation: MS27475 ( )
Manufacturer's Designation: 4( )C-( )
Class: Y
Finish: D, E, N
Style: C, P, X
Shell: 8 Insert: 3, 35, 98
Shell: 10 Insert: 5, 35, 98
Shell: 12 Insert: 8, 35
Shell: 14 Insert: 5, 18
Shell: 16 Insert: 8
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 35
Shell: 24 Insert: 61
Test or Qualification Reference: 38999-098-99

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27475 ( )

Manufacturer's Designation: JT00Y

Class: Y

Finish: D, E, N

Style: K, P

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 66*
Shell: 20 Insert: 1, 16, 35, 39, 41
Shell: 22 Insert: 1, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1, 4, 24, 35, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27475 ( )

Manufacturer's Designation: 231-002( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45
Shell: 20 Insert: 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 98
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: ITT Cannon

Government Designation: MS27475 ( )

Manufacturer's Designation: KJ0Y

Class: Y

Finish: D, E

Style: P

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 4, 29, 35, 61

Test or Qualification Reference: 38999-425-78

Series I and II

Supplier: American Micro Products, Inc.

Government Designation: MS27476 ( )

Manufacturer's Designation: 3( )-C-( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 3, 35, 98
Shell: 10 Insert: 5, 35, 98
Shell: 12 Insert: 8, 22, 35
Shell: 14 Insert: 5, 18
Shell: 16 Insert: 8
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 35
Shell: 24 Insert: 61

Test or Qualification Reference: 38999-098-99

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27475 ( )

Manufacturer's Designation: 231-002( )

Class: Y

Finish: D, E, N

Style: D, S, Z

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 35, 53, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-875-04

Series I and II

Supplier: Hermetic Seal Corp.

Government Designation: MS27475 ( )

Manufacturer's Designation: 91500

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 55, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-782-80

Series I and II

Supplier: Sealtron, Inc.

Government Designation: MS27475 ( )

Manufacturer's Designation: A9803-( )-( )-90

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 6, 35, 44, 98, 99
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53, 66, 67
Shell: 20 Insert: 1, 2, 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 1*, 2, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-367-85

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27476 ( )

Manufacturer's Designation: JT07Y

Class: Y

Finish: D, E, N

Style: P, X

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 66*
Shell: 20 Insert: 1, 16, 35, 39, 41
Shell: 22 Insert: 1, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1, 4, 24, 35, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27476 ( )

Manufacturer's Designation: 233-002( )

Class: Y

Finish: D, E, N

Style: D, S, Z

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 35, 53, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-875-04

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27476 ( )

Manufacturer's Designation: 233-002( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45
Shell: 20 Insert: 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: Hermetic Seal Corp.

Government Designation: MS27476 ( )

Manufacturer's Designation: 9100

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-782-80

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27476 ( )

Manufacturer's Designation: 53000

Class: Y

Finish: D, E

Style: C, P, X

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35
Shell: 18 Insert: 11, 28, 32, 35, 45, 96
Shell: 20 Insert: 16, 24, 25, 27, 35, 41
Shell: 22 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-89-82

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27476 ( )

Manufacturer's Designation: 53000

Class: Y

Finish: D, E, N

Style: C, S, Z

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 8, 35, 98
Shell: 14 Insert: 18, 35
Shell: 16 Insert: 6, 26, 35
Shell: 18 Insert: 32, 35, 45
Shell: 20 Insert: 24, 25, 27, 35, 41
Shell: 22 Insert: 32, 34, 35, 36, 53, 55
Shell: 24 Insert: 35, 61

Test or Qualification Reference: 38999-89-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27476 ( )

Manufacturer's Designation: KJ2Y

Class: Y

Finish: D, E

Style: P

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 4, 29, 35, 61

Test or Qualification Reference: 38999-425-78

Series I and II

Supplier: Sealtron, Inc.

Government Designation: MS27476 ( )

Manufacturer's Designation: M9813-( )-( )-( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 6, 35, 44, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53, 66, 67
Shell: 20 Insert: 1, 2, 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 1*, 2, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-367-85

Series I and II

Supplier: American Micro Products, Inc.

Government Designation: MS27477 ( )

Manufacturer's Designation: 5( )C-( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 3, 35, 98
Shell: 10 Insert: 5, 35, 98
Shell: 12 Insert: 8, 35
Shell: 14 Insert: 5, 18
Shell: 16 Insert: 8
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 35
Shell: 24 Insert: 61

Test or Qualification Reference: 38999-098-99

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27477 ( )

Manufacturer's Designation: JT07Y

Class: Y

Finish: D, E, N

Style: P, X

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 66*
Shell: 20 Insert: 1, 16, 35, 39, 41
Shell: 22 Insert: 1, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1, 4, 24, 35, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27477 ( )

Manufacturer's Designation: 230-002( )

Class: Y

Finish: D, E, N

Style: D, S, Z

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 35, 53, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-875-04

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27477 ( )

Manufacturer's Designation: 233-002( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45
Shell: 20 Insert: 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27477 ( )

Manufacturer's Designation: 230-002-( )-( )

Class: Y

Finish: D, E, N

Style: P, X

Shell: 8 Insert: 35
Shell: 16 Insert: 26, 35
Shell: 22 Insert: 21

Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: Hermetic Seal Corp.

Government Designation: MS27477 ( )

Manufacturer's Designation: 92500

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 21*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-782-80

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27477 ( )

Manufacturer's Designation: 54000 ( )

Class: Y

Finish: D, E

Style: P

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35
Shell: 18 Insert: 11, 28, 32, 35, 45, 96
Shell: 20 Insert: 16, 24, 25, 27, 35, 41
Shell: 22 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-89-82

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27477 ( )

Manufacturer's Designation: 54000

Class: Y

Finish: D, E, N

Style: C, S, Z

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 8, 35, 98
Shell: 14 Insert: 18, 35
Shell: 16 Insert: 6, 26, 35
Shell: 18 Insert: 32, 35, 45
Shell: 20 Insert: 24, 25, 27, 35, 41
Shell: 22 Insert: 32, 34, 35, 36, 53, 55
Shell: 24 Insert: 35, 61

Test or Qualification Reference: 38999-89-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27477 ( )

Manufacturer's Designation: KJ7Y

Class: Y

Finish: D, E

Style: P

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 4, 29, 35, 61

Test or Qualification Reference: 38999-425-78

Series I and II

Supplier: Sealtron, Inc.

Government Designation: MS27477 ( )

Manufacturer's Designation: A9805-( )-( )-( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 6, 35, 44, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53, 66*, 67
Shell: 20 Insert: 1*, 2, 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 1*, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 1*, 2, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-367-85

Series I and II

Supplier: American Micro Products, Inc.

Government Designation: MS27478 ( )

Manufacturer's Designation: 2( )C-( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 3, 35, 98
Shell: 10 Insert: 5, 35, 98
Shell: 12 Insert: 8, 35
Shell: 14 Insert: 5, 18
Shell: 16 Insert: 8
Shell: 18 Insert: 32
Shell: 20 Insert: 16, 41
Shell: 22 Insert: 35
Shell: 24 Insert: 61

Test or Qualification Reference: 38999-098-99

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27478 ( )

Manufacturer's Designation: JTIY

Class: Y

Finish: D, E, N

Style: P, X

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 66*
Shell: 20 Insert: 1, 16, 35, 39, 41
Shell: 22 Insert: 1, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1, 4, 24, 35, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27478 ( )

Manufacturer's Designation: DJL11H8-35PN-034

Class: Y

Finish: D, E

Style: C, P, X

Shell: 8 Insert: 35
Shell: 10 Insert: 5, 35

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27478 ( )

Manufacturer's Designation: 232-002( )

Class: Y

Finish: D, E, N

Style: D, S, Z

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 35, 53, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-875-04

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27478 ( )

Manufacturer's Designation: 232-002( )

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45
Shell: 20 Insert: 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-138-98

Series I and II

Supplier: Hermetic Seal Corp.

Government Designation: MS27478 ( )

Manufacturer's Designation: 90000

Class: Y

Finish: D, E

Style: C, P, X

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 16, 24, 25, 27, 35, 39, 41
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-782-80

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27478 ( )

Manufacturer's Designation: 52000

Class: Y

Finish: D, E, N

Style: C, P, X

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35
Shell: 18 Insert: 11, 28, 32, 35, 45, 96
Shell: 20 Insert: 16, 24, 25, 27, 35, 41
Shell: 22 Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-89-82

Series I and II

Supplier: Hi Rel Connectors, Inc.

Government Designation: MS27478 ( )

Manufacturer's Designation: 52000

Class: Y

Finish: D, E, N

Style: C, S, X, Z

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 8, 35, 98
Shell: 14 Insert: 18, 35
Shell: 16 Insert: 6, 26, 35
Shell: 18 Insert: 32, 35, 45
Shell: 20 Insert: 24, 25, 27, 35, 41
Shell: 22 Insert: 32, 34, 35, 36, 53, 55
Shell: 24 Insert: 35, 61

Test or Qualification Reference: 38999-89-82

Series I and II

Supplier: Sealtron, Inc.

Government Designation: MS27478 ( )

Manufacturer's Designation: M9802-( )-( )-( )

Class: Y

Finish: D, E, N

Style: P, X

Shell: 8 Insert: 10, 35, 44, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53, 66, 67
Shell: 20 Insert: 1*, 2, 16, 24, 25, 27, 35, 39, 41
Shell: 22 Insert: 1*, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-367-85

Series I and II

Supplier: ITT Cannon

Government Designation: MS27479 ( )

Manufacturer's Designation: KJO-C

Class: E, T

Finish: C

Style: S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 35, 53, 55
Shell: 24 Insert: 1, 2, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Note: INACTIVE FOR NEW DESIGN (USE MS27472)

Series I and II

Supplier: ITT Cannon

Government Designation: MS27478 ( )

Manufacturer's Designation: KJ1Y

Class: Y

Finish: D, E

Style: P

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 4, 29, 35, 61

Test or Qualification Reference: 38999-425-78

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27479 ( )

Manufacturer's Designation: JTS00R

Class: E, T

Finish: C

Style: P, S

Shell: 8 Insert: 6, 35, 44, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66, 96
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 32, 35, 55
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Note: INACTIVE FOR NEW DESIGN (USE MS 27472)

Series I and II

Supplier: ITT Cannon

Government Designation: MS27479 ( )

Manufacturer's Designation: KJO-C

Class: E, T

Finish: C

Style: P

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 35, 53, 55
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Note: INACTIVE FOR NEW DESIGN (USE MS27472)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27480 ( )

Manufacturer's Designation: JTS06R

Class: E, T

Finish: C

Style: P, S

Shell: 8 Insert: 6, 35, 44, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66, 96
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 32, 35, 55
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Note: INACTIVE FOR NEW DESIGN (USE MS27473)

Series I and II

Supplier: ITT Cannon

Government Designation: MS27480 ( )

Manufacturer's Designation: KJ6-C

Class: E, T

Finish: C

Style: S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 35, 53, 55
Shell: 24 Insert: 1, 2, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-623-70; 38999-724-76; 38999-922-70; 38999-924-70

Note: INACTIVE FOR NEW DESIGN (USE MS27473)

Series I and II

Supplier: ITT Cannon

Government Designation: MS27480 ( )

Manufacturer's Designation: KJ6-C

Class: E, T

Finish: C

Style: P

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 1, 2, 16, 35, 39, 41
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 35, 53, 55
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Note: INACTIVE FOR NEW DESIGN (USE MS27473)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27481 ( )

Manufacturer's Designation: JTS07R

Class: E, T

Finish: C

Style: P, S

Shell: 8 Insert: 6, 35, 44, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66, 96
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 32, 35, 55
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Note: INACTIVE FOR NEW DESIGN (USE MS27474)

Series I and II

Supplier: ITT Cannon

Government Designation: MS27481 ( )

Manufacturer's Designation: KJ7-C

Class: E, T

Finish: C

Style: S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 35, 53, 55
Shell: 24 Insert: 1, 2, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Note: INACTIVE FOR NEW DESIGN (USE MS27474)

Series I and II

Supplier: ITT Cannon

Government Designation: MS27481 ( )

Manufacturer's Designation: KJ7-C

Class: E, T

Finish: C

Style: P

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 35, 53, 55
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Note: INACTIVE FOR NEW DESIGN (USE MS27474)

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27484 ( )

Manufacturer's Designation: AE284 ( )

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 21, 32, 35, 55
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27484 ( )

Manufacturer's Designation: AE284 ( )

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27484 ( )

Manufacturer's Designation: JTG06R

Class: E*, T

Finish: A*, B, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*, 96*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27484 ( )

Manufacturer's Designation: JTG06R

Class: P**

Finish: A*, B, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*, 96*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27484 ( )

Manufacturer's Designation: JTG06R

Class: T

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 96
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27484 ( )

Manufacturer's Designation: DJL36W( )

Class: T

Finish: B

Style: S

Shell: 10 Insert: 35
Shell: 14 Insert: 18

Test or Qualification Reference: 38999-818-04

Series I and II

Supplier: ITT Cannon

Government Designation: MS27484 ( )

Manufacturer's Designation: KJG6

Class: E*, T

Finish: A*, B, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: ITT Cannon

Government Designation: MS27484 ( )

Manufacturer's Designation: KJG6

Class: P**

Finish: A*, B, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: Souriau

Government Designation: MS27484 ( )

Manufacturer's Designation: 8T5-( )-( )

Class: T

Finish: B, C, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27487 ( )

Manufacturer's Designation: 10-44309( )-( )

Adapter Geometry: 1, 2

Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25

Test or Qualification Reference: 38999-468-75

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27496 ( )

Manufacturer's Designation: AE196( )

Class: E*

Finish: A*, B, F

Style: P, S

Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 2, 4, 5, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 21, 32, 35, 53, 55
Shell: 25 Insert: 1, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-032-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27496 ( )

Manufacturer's Designation: LJT02R

Class: E

Finish: A*, B, F

Style: P

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 4, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53
Shell: 25 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27487 ( )

Manufacturer's Designation: 10-44309( )-( )

Adapter Geometry: 1, 2

Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24

Test or Qualification Reference: 38999-468-85

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27489 ( )

Manufacturer's Designation: 10-352425-( )

Dash Number: 81, 82, 83, 101, 121, 122, 123, 141, 142, 143, 145, 146, 161, 162, 163, 164, 165, 181, 182, 183, 184, 185, 201, 202, 203, 204, 205, 206, 221, 222, 223, 224, 225, 241

Test or Qualification Reference: 38999-468-75

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27496 ( )

Manufacturer's Designation: LJT02R

Class: E

Finish: A*, B, F

Style: H, J, S

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 4, 13*, 35, 98
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53
Shell: 25 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27496 ( )

Manufacturer's Designation: LJT02R

Class: E

Finish: B, F

Style: P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 24, 28, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27496 ( )

Manufacturer's Designation: DJT13E

Class: E

Finish: B, F

Style: H, J, P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 5, 35, 99
Shell: 13 Insert: 4, 35, 98
Shell: 15 Insert: 5, 18, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 32, 35
Shell: 21 Insert: 11, 16, 35, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-136-84

Series I and II

Supplier: ITT Cannon VEAM

Government Designation: MS27496 ( )

Manufacturer's Designation: LTT02RE

Class: E

Finish: B, F

Style: P, S

Shell: 9 Insert: 3, 35
Shell: 11 Insert: 13, 35
Shell: 13 Insert: 22, 35
Shell: 19 Insert: 35, 66

Test or Qualification Reference: 38999-308-89

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27497 ( )

Manufacturer's Designation: AE297( )

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27497 ( )

Manufacturer's Designation: AE297( )

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27497 ( )

Manufacturer's Designation: JTP00R

Class: E*, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97#
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*, 96
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 19#, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27497 ( )

Manufacturer's Designation: JTP00R

Class: P**

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27497 ( )

Manufacturer's Designation: JTPQ00R

Class: T

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 96
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27497 ( )

Manufacturer's Designation: KJ3E

Class: E, P**, T

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19Style P Only, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: Souriau

Government Designation: MS27497 ( )

Manufacturer's Designation: 8T3-( )-( ), 8TS03

Class: G, T

Finish: B, C, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27499 ( )

Manufacturer's Designation: JT02R

Class: E

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 19, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 11, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: ITT Cannon

Government Designation: MS27499 ( )

Manufacturer's Designation: KJ2E

Class: E

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 32, 35, 66*
Shell: 20 Insert: 1*, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 35, 53, 55
Shell: 24 Insert: 1*, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: Souriau

Government Designation: MS27499 ( )

Manufacturer's Designation: 8T4-( )-( )

Class: E

Finish: B, C, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 35, 98, 99
Shell: 12 Insert: 3, 35, 98
Shell: 14 Insert: 18, 35, 97
Shell: 16 Insert: 6, 35, 99
Shell: 18 Insert: 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 32, 35, 55
Shell: 24 Insert: 4, 35

Test or Qualification Reference: 38999-2357-08

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27499 ( )

Manufacturer's Designation: AE299 ( )

Class: E*

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27499 ( )

Manufacturer's Designation: JT02R

Class: E

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 96
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: ITT Cannon VEAM

Government Designation: MS27499 ( )

Manufacturer's Designation: TT02RE

Class: E

Finish: B, F

Style: P, S

Shell: 8 Insert: 6, 35
Shell: 10 Insert: 13, 35
Shell: 12 Insert: 22, 35
Shell: 18 Insert: 35, 66

Test or Qualification Reference: 38999-306-89

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27500 ( )

Manufacturer's Designation: AE2000 ( )

Class: E

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 32, 35, 53, 55
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Note: INACTIVE FOR NEW DESIGN (Use MS27473 Connector Plug With MS27507 Elbow)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27501 ( )

Manufacturer's Designation: 10-463090-( )

Finish: A*, B, C, F

Style: A, C

Length: L

Shell: 9, 11, 13, 15, 17, 23, 25

Test or Qualification Reference: 38999-468-75

Series I and II

Supplier: Joslyn Sunbank Company

Government Designation: MS27501 ( )

Manufacturer's Designation: SE91FA ( ) ( ) ( ) ( )

Finish: A*, B, C, F

Style: A, C

Length: L, M, N

Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25

Test or Qualification Reference: 38999-157-82

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27502 ( )

Manufacturer's Designation: 606-013 ( ) ( ) ( ) ( )

Finish: A*, B, C, F

Style: A, C, N

Length: L

Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25

Test or Qualification Reference: 38999-891-83

Series I and II

Supplier: Souriau

Government Designation: MS27502 ( )

Manufacturer's Designation: 8LTE01-( ) ( )

Finish: B, F

Style: C

Shell: 9, 11, 13, 15, 17

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27500 ( )

Manufacturer's Designation: JT08R

Class: E

Finish: A, B

Style: P, S

Shell: 8 Insert: 6, 35, 44, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37, 97
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66, 96
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 32, 35, 55
Shell: 24 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-419-76

Note: INACTIVE FOR NEW DESIGN (Use MS27473 Connector Plug with MS27507 90 Elbow)

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27501 ( )

Manufacturer's Designation: 660-012 ( ) ( ) ( ) ( )

Finish: A*, B, C, F

Style: A, C

Length: L, M, N

Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25

Test or Qualification Reference: 38999-891-83

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27502 ( )

Manufacturer's Designation: 10-463092-( )

Finish: A*, B, C, F

Style: A, C, N

Length: L

Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25

Test or Qualification Reference: 38999-468-75

Series I and II

Supplier: Joslyn Sunbank Company

Government Designation: MS27502 ( )

Manufacturer's Designation: SE19FA ( ) ( ) ( ) ( )

Finish: A, B, C, F

Style: A, C, N

Length: L

Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25

Test or Qualification Reference: 38999-157-82

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27504 ( )

Manufacturer's Designation: JTS02R

Class: E

Finish: C

Style: P, S

Shell: 8 Insert: 6, 35, 44, 98
Shell: 10 Insert: 5, 13, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37
Shell: 16 Insert: 6, 8, 26, 35, 42, 55, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53, 66
Shell: 20 Insert: 1, 2, 16, 35, 39, 41
Shell: 22 Insert: 1, 2, 21, 35, 35, 55
Shell: 24 Insert: 1, 2, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-73; 38999-719-76

Note: INACTIVE FOR NEW DESIGN (USE MS 27499)

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27505 ( )

Manufacturer's Designation: AE105( )

Class: E*

Finish: A*, B, F

Style: P, S

Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 2, 4, 5, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 21, 32, 35, 53, 55
Shell: 25 Insert: 1, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-032-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27505 ( )

Manufacturer's Designation: LJTP02R ( )

Class: E

Finish: A*, B, F

Style: P

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 4, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53
Shell: 25 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: ITT Cannon

Government Designation: MS27505 ( )

Manufacturer's Designation: KJL5E

Class: E

Finish: A*, B, F

Style: S

Shell: 9 Insert: 35
Shell: 11 Insert: 5, 35, 98
Shell: 13 Insert: 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 97
Shell: 17 Insert: 8, 26, 35, 42*
Shell: 19 Insert: 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: ITT Cannon VEAM

Government Designation: MS27505 ( )

Manufacturer's Designation: LTTP02RE

Class: E

Finish: B, F

Style: P, S

Shell: 9 Insert: 6, 35
Shell: 11 Insert: 13, 35
Shell: 13 Insert: 22, 35
Shell: 19 Insert: 35, 66

Test or Qualification Reference: 38999-308-89

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27505 ( )

Manufacturer's Designation: LJTP02R ( )

Class: E

Finish: A*, B, F

Style: H, J, S

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 4, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53
Shell: 25 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27505 ( )

Manufacturer's Designation: LJTP02R

Class: E

Finish: B, F

Style: P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35
Shell: 17 Insert: 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 24, 28, 29, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27505 ( )

Manufacturer's Designation: KJL5E

Class: E

Finish: A*, B, F

Style: P

Shell: 9 Insert: 35
Shell: 11 Insert: 5, 13*, 35, 98
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 37*, 97
Shell: 17 Insert: 8, 26, 35, 42*, 55*
Shell: 19 Insert: 32, 35, 53*, 66*
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 1*, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: Souriau

Government Designation: MS27505 ( )

Manufacturer's Designation: 8LT2-( ) ( ) ( )

Class: E

Finish: B, F

Style: P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 35, 98, 99
Shell: 13 Insert: 35, 98
Shell: 15 Insert: 18, 19, 35, 97
Shell: 17 Insert: 6, 26, 35, 99
Shell: 19 Insert: 28, 32, 35
Shell: 21 Insert: 16, 35, 39, 41
Shell: 23 Insert: 32, 35, 55
Shell: 25 Insert: 4, 35

Test or Qualification Reference: 38999-236-92

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27508 ( )

Manufacturer's Designation: AE208 ( )

Class: E

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-033-96

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27508 ( )

Manufacturer's Designation: JTP02R

Class: E

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 5, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 97
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 96
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 32, 35, 55
Shell: 24 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: ITT Cannon VEAM

Government Designation: MS27508 ( )

Manufacturer's Designation: TTP02RE

Class: E

Finish: B, F

Style: P, S

Shell: 8 Insert: 6, 35
Shell: 10 Insert: 13, 35
Shell: 12 Insert: 22, 35
Shell: 18 Insert: 35, 66

Test or Qualification Reference: 38999-306-89

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27510 ( )

Manufacturer's Designation: 10-463094-( )

Finish: A*, B, C, F

Style: A, C

Length: L, M, N

Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24

Test or Qualification Reference: 38999-468-75

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27508 ( )

Manufacturer's Designation: JTP02R

Class: E

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 19, 35, 37*
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 11, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 24, 29, 35, 37, 61

Test or Qualification Reference: 38999-14-75; 38999-719-76

Series I and II

Supplier: ITT Cannon

Government Designation: MS27508 ( )

Manufacturer's Designation: KJ5E

Class: E

Finish: A*, B, C, F

Style: P, S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 30, 32, 35, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 24 Insert: 1*, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70; 38999-724-76

Series I and II

Supplier: Souriau

Government Designation: MS27508 ( )

Manufacturer's Designation: 8T2-( ) ( ) ( )

Class: E

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 35, 98, 99
Shell: 12 Insert: 3, 35, 98
Shell: 14 Insert: 18, 35, 97
Shell: 16 Insert: 6, 35, 99
Shell: 18 Insert: 28, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 32, 35, 55
Shell: 24 Insert: 4, 35

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: MS27510 ( )

Manufacturer's Designation: G2470 ( ) ( ) ( ) ( )

Finish: A*, B, C, F

Style: A, C

Length: L, M, N

Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24

Test or Qualification Reference: 38999-395-7T

Series I and II
Supplier: ITT Cannon
Government Designation: MS27510 ( )
Manufacturer's Designation: KJ22 ( ) 59C
Finish: A*, B, C, F
Style: A
Shell: 22
Test or Qualification Reference: 38999-980-76

Series I and II
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS27511 ( )
Manufacturer's Designation: 10-463096-( )
Finish: A*, B, C, F
Style: A, C, N, R
Length: L
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 38999-468-75

Series I and II
Supplier: ITT Cannon
Government Designation: MS27511 ( )
Manufacturer's Designation: KJ22 ( ) 60C
Finish: A*, B, C, F
Style: A
Shell: 22
Test or Qualification Reference: 38999-741-76

Series I and II
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS27512 ( )
Manufacturer's Designation: 10-101917-( )
Finish: A*, B, C, F
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 38999-468-75

Series I and II
Supplier: Aero Electric Connector, Inc.
Government Designation: MS27513 ( )
Manufacturer's Designation: AE213 ( )
Class: E
Finish: A*, B, C, F
Style: P, S
Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 45, 53*, 66*, 67*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61
Test or Qualification Reference: 38999-033-96

Series I and II
Supplier: Joslyn Sunbank Company
Government Designation: MS27510 ( )
Manufacturer's Designation: SE91F ( ) ( ) ( ) ( )
Finish: A*, B, C, F
Style: A, C
Length: L, M, N
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 38999-157-82

Series I and II
Supplier: Glenair, Inc.
Government Designation: MS27511 ( )
Manufacturer's Designation: G2469 ( ) ( ) ( ) ( ) ( ) ( )
Finish: A*, B, C, F
Style: A, C, N, R
Length: L
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 38999-295-7T

Series I and II
Supplier: Joslyn Sunbank Company
Government Designation: MS27511 ( )
Manufacturer's Designation: SE19F ( ) ( ) ( ) ( )
Finish: A*, B, C, F
Style: A, C, N, R
Length: 51692-1, L
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 38999-157-82

Series I and II
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS27512 ( )
Manufacturer's Designation: 10-260548-( )
Finish: E
Shell: 8, 10, 12, 14, 16, 18, 20, 22, 24
Test or Qualification Reference: 38999-468-75

Series I and II
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: MS27513 ( )
Manufacturer's Designation: JT02R
Class: E
Finish: A*, B, C, F
Style: P, S
Shell: 8 Insert: 6*, 35, 44*, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*, 96
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 37, 61
Test or Qualification Reference: 38999-14-73; 38999-719-76

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27513 ( )

Manufacturer's Designation: JT02RE

Class: E

Finish: B, F

Style: P, S

Shell: 8 Insert: 35, 98
Shell: 10 Insert: 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 35, 98
Shell: 14 Insert: 5, 15, 18, 35
Shell: 16 Insert: 6, 8, 26, 35, 99
Shell: 18 Insert: 11, 28, 30, 32, 35
Shell: 20 Insert: 16, 35, 39, 41
Shell: 22 Insert: 21, 35, 55
Shell: 24 Insert: 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: ITT Cannon

Government Designation: MS27513 ( )

Manufacturer's Designation: KJ2R-A/B

Class: E

Finish: A*, B, C, F

Style: P

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27515 ( )

Manufacturer's Designation: LJTP00R ( )

Class: E

Finish: A*, B

Style: P

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 35, 53
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Note: INACTIVE FOR NEW DESIGN (USE MS27656)

Series I and II

Supplier: ITT Cannon

Government Designation: MS27513 ( )

Manufacturer's Designation: KJ2R-A/B

Class: E

Finish: A*, B, C, F

Style: S

Shell: 8 Insert: 6*, 35, 98
Shell: 10 Insert: 5, 13*, 35, 98, 99
Shell: 12 Insert: 3, 4, 8, 22*, 35, 98
Shell: 14 Insert: 5, 15, 18, 35, 37*, 97
Shell: 16 Insert: 6, 8, 26, 35, 42*, 55*, 99
Shell: 18 Insert: 11, 28, 30, 32, 35, 53*, 66*
Shell: 20 Insert: 1*, 2*, 16, 35, 39, 41
Shell: 22 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 24 Insert: 1*, 2*, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-621-70; 38999-622-70; 38999-623-70; 38999-624-70

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27515 ( )

Manufacturer's Designation: LJPT00R ( )

Class: E

Finish: A*, B, C, F

Style: H, J, S

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 13, 35, 98
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 35, 53
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Note: INACTIVE FOR NEW DESIGN (USE MS 27656)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27652 ( )

Manufacturer's Designation: LJT00R

Class: E, T

Finish: F

Style: H, J, S

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 13, 35, 98
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 35, 53
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Note: INACTIVE FOR NEW DESIGN (USE MS27466)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27652 ( )

Manufacturer's Designation: LJT00R

Class: E, T

Finish: F

Style: P

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 35, 53
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Note: INACTIVE FOR NEW DESIGN (USE MS27466)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27653 ( )

Manufacturer's Designation: LJT06R

Class: E, T

Finish: F

Style: P

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 35, 53
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Note: INACTIVE FOR NEW DESIGN (USE MS27467)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27654 ( )

Manufacturer's Designation: JTP00R

Class: E, T

Finish: F

Style: P

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 35, 53
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Note: INACTIVE FOR NEW DESIGN (USE MS27656)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27653 ( )

Manufacturer's Designation: LJT06R

Class: E, T

Finish: F

Style: H, J, S

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 13, 35, 98
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 35, 53
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Note: INACTIVE FOR NEW DESIGN (USE MS27467)

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27654 ( )

Manufacturer's Designation: LJTP00R

Class: E, T

Finish: F

Style: H, J, S

Shell: 9 Insert: 6, 35, 44, 98
Shell: 11 Insert: 2, 4, 13, 35, 98
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 39, 41
Shell: 23 Insert: 1, 2, 21, 35, 53
Shell: 25 Insert: 1, 2, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Note: INACTIVE FOR NEW DESIGN (MS27656)

Series I and II

Supplier: Aero Electric Connector, Inc.

Government Designation: MS27656 ( )

Manufacturer's Designation: AE156 ( )

Class: E*, T

Finish: A*, B, F

Style: P, S

Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 2, 4, 5, 13, 35, 98, 99
Shell: 13 Insert: 4, 8, 22, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37, 97
Shell: 17 Insert: 6, 8, 26, 35, 55, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66*
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1*, 4, 19, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-032-96

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27656 ( )

Manufacturer's Designation: LJTP00R

Class: E*, T

Finish: A*, B, F

Style: H, J, P, S

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 2#, 4, 5, 13*, 35, 98
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 37*, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 11#, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27656 ( )

Manufacturer's Designation: LJTP00R

Class: E*, P**, T

Finish: A*, B, F

Style: P

Shell: 11 Insert: 99

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27656 ( )

Manufacturer's Designation: LJTP00R

Class: P**

Finish: A*, B, F

Style: H, J, P, S

Shell: 9 Insert: 6*, 35, 44*, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 35, 37*
Shell: 17 Insert: 2, 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 18, 32, 35, 66
Shell: 21 Insert: 1*, 16, 35, 39, 41, 75
Shell: 23 Insert: 1*, 2*, 21, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-403-81

Series I and II

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: MS27656 ( )

Manufacturer's Designation: T1 ( )-17( )-( )

Class: T

Finish: B, F

Style: P, S

Shell: 17 Insert: 8, 26, 35
Shell: 19 Insert: 18
Shell: 21 Insert: 35, 41
Shell: 25 Insert: 24, 25, 35, 61

Test or Qualification Reference: 38999-325-87

Series I and II

Supplier: Amphenol, Ltd.

Government Designation: MS27656 ( )

Manufacturer's Designation: LJTPQ00R

Class: T

Finish: B, F

Style: P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 30, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 35, 53, 54, 55
Shell: 25 Insert: 4, 7, 8, 19, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-899-82

Series I and II

Supplier: Deutsch ECD

Government Designation: MS27656 ( )

Manufacturer's Designation: DJT19E( )

Class: T

Finish: B, F

Style: H, J, P, S

Shell: 11 Insert: 5, 35, 99
Shell: 13 Insert: 4, 35, 98
Shell: 15 Insert: 5, 18, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 32, 35
Shell: 21 Insert: 11, 16, 35, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: ITT Cannon

Government Designation: MS27656 ( )

Manufacturer's Designation: KJL3

Class: E*, P**, T

Finish: A*, B, F

Style: P

Shell: 9 Insert: 6*, 35, 98
Shell: 11 Insert: 4, 5, 13*, 35, 98, 99
Shell: 13 Insert: 4, 8, 22*, 35, 98
Shell: 15 Insert: 5, 15, 18, 19#, 35, 37*, 97#
Shell: 17 Insert: 6, 8, 26, 35, 55*, 99
Shell: 19 Insert: 11, 28, 30, 32, 35, 66*
Shell: 21 Insert: 1*, 11, 16, 35, 39, 41
Shell: 23 Insert: 1*, 2*, 21, 32, 35, 53, 55
Shell: 25 Insert: 1*, 2*, 4, 19, 24, 29, 35, 43#, 61

Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: ITT Cannon

Government Designation: MS27656 ( )

Manufacturer's Designation: KJL3

Class: E*, P**, T

Finish: A*, B, F

Style: S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98
Shell: 13 Insert: 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19#, 35, 97#
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 32, 35
Shell: 21 Insert: 11#, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 24, 29, 35, 43#, 61

Test or Qualification Reference: 38999-602-81

Series I and II

Supplier: ITT Cannon VEAM

Government Designation: MS27656 ( )

Manufacturer's Designation: LTT06RT

Class: T

Finish: B, F

Style: P, S

Shell: 9 Insert: 6, 35, 98
Shell: 11 Insert: 13, 35, 98
Shell: 13 Insert: 1, 2, 5, 35, 98
Shell: 15 Insert: 5, 18, 19, 35, 37
Shell: 17 Insert: 26, 35, 55
Shell: 19 Insert: 11, 32, 35, 66
Shell: 21 Insert: 1, 11, 16, 35, 41
Shell: 23 Insert: 1, 21, 35
Shell: 25 Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89

Series I and II

Supplier: Souriau

Government Designation: MS27656 ( )

Manufacturer's Designation: 8LT3-( )-( ), 8LTS03

Class: E, G, T

Finish: B, F

Style: P, S

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 2, 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 2, 6, 8, 26, 35, 99
Shell: 19 Insert: 11, 18, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41, 75
Shell: 23 Insert: 21, 32, 35, 53, 55
Shell: 25 Insert: 4, 7, 8, 19, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-566-84

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27661 ( )

Manufacturer's Designation: 88-5560 ( ) - ( )

Class: E, T

Finish: B, F

Style: P, S

Shell: 11 Insert: 4, 35, 98
Shell: 13 Insert: 35
Shell: 17 Insert: 8, 26, 35, 99
Shell: 19 Insert: 18, 32, 35
Shell: 21 Insert: 11, 35, 39
Shell: 23 Insert: 35, 53
Shell: 25 Insert: 20, 24, 37, 46, 61

Test or Qualification Reference: 38999-1203-83; 38999-904-87

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27662E11F35C ( )

Manufacturer's Designation: LJTBS-11-35PS

Test or Qualification Reference: 38999-113-7T

Series I and II

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: MS27662E25F4C ( )

Manufacturer's Designation: LJTBS-25-4PS

Test or Qualification Reference: 38999-113-7T

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-9B ( )

Manufacturer's Designation: G9114-9NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-11B ( )

Manufacturer's Designation: G9114-11NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-13B ( )

Manufacturer's Designation: G9114-13NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-15B ( )

Manufacturer's Designation: G9114-15NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-17B ( )

Manufacturer's Designation: G9114-17NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-19B ( )

Manufacturer's Designation: G9114-19NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-21B ( )

Manufacturer's Designation: G9114-21NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-23B ( )

Manufacturer's Designation: G9114-23NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/9-25B ( )

Manufacturer's Designation: G9114-25NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/10-8B ( )

Manufacturer's Designation: G8449-8NF

Test or Qualification Reference: 38999-970-84

Series I and II

Supplier: Glenair, Inc.

Government Designation: M38999/10-10B ( )

Manufacturer's Designation: G8449-10F

Test or Qualification Reference: 38999-970-84

Series I and II
Supplier: Glenair, Inc.
Government Designation: M38999/10-12B ( )
Manufacturer's Designation: G8449-12NF
Test or Qualification Reference: 38999-970-84

Series I and II
Supplier: Glenair, Inc.
Government Designation: M38999/10-16B ( )
Manufacturer's Designation: G8449-16NF
Test or Qualification Reference: 38999-970-84

Series I and II
Supplier: Glenair, Inc.
Government Designation: M38999/10-20B ( )
Manufacturer's Designation: G8449-20NF
Test or Qualification Reference: 38999-970-84

Series I and II
Supplier: Glenair, Inc.
Government Designation: M38999/10-24B ( )
Manufacturer's Designation: G8449-24NF
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Aero Electric Connector, Inc.
Government Designation: D38999/20 ( )
Manufacturer's Designation: AE320 ( )
Class: F, K, S, W
Style: P, S
Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 32, 35, 53, 55
Shell: J Insert: 4, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90
Test or Qualification Reference: 38999-034-96

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/20 ( )
Manufacturer's Designation: TVP00RW
Class: W
Style: H, J, P, S
Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90
Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC 02.12/3-20-92

Series I and II
Supplier: Glenair, Inc.
Government Designation: M38999/10-14B ( )
Manufacturer's Designation: G8449-14NF
Test or Qualification Reference: 38999-970-84

Series I and II
Supplier: Glenair, Inc.
Government Designation: M38999/10-18B ( )
Manufacturer's Designation: G8449-18NF
Test or Qualification Reference: 38999-970-84

Series I and II
Supplier: Glenair, Inc.
Government Designation: M38999/10-22B ( )
Manufacturer's Designation: G8449-22NF
Test or Qualification Reference: 38999-970-84

Series III
Supplier: AB Connectors, Ltd.
Government Designation: D38999/20 ( )
Manufacturer's Designation: ABAC 20 ( )
Class: W
Style: P, S
Shell: B Insert: 5, 35, 98, 99
Shell: E Insert: 6, 8, 26, 35, 99
Shell: G Insert: 11, 16, 35, 41, 75
Test or Qualification Reference: 38999-1897-07

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/20 ( )
Manufacturer's Designation: TVPS00RF, TVPS00ZG
Class: F, G
Style: H, J, P, S
Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90
Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC 02.12/3-20-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/20 ( )
Manufacturer's Designation: CTVP00RW
Class: J
Style: H, J, P, S
Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 24, 29, 35, 37, 43, 46, 61, 90
Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC 02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/20 ( )

Manufacturer's Designation: TVPS00RK

Class: K

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12-3-20-92; NAC 02.12/1-21-92; NAC 02.12/2-11-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/20 ( )

Manufacturer's Designation: TVPS00RS

Class: S

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC 02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/20 ( )

Manufacturer's Designation: T3K-17( )-( ), T5K-17( )-( )

Class: K

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 10, 11, 20, 24, 29, 35, 53, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-953-83

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/20 ( )

Manufacturer's Designation: T3N-17( )-( ), T5N-17( )-( )

Class: S

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 39, 41, 75, 350
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 10, 11, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-953-83

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/20 ( )

Manufacturer's Designation: CTVPS00RF

Class: M

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC 02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/20 ( )

Manufacturer's Designation: T3W-17( )-( ), T5W-17( )-( )

Class: W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 10, 11, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-953-83

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/20 ( )

Manufacturer's Designation: T3F-17( )-( ), T5F-17( )-( )

Class: F

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 10, 11, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-953-83

Series III

Supplier: Amphenol, Ltd.

Government Designation: D38999/20 ( )

Manufacturer's Designation: TVP00R

Class: F, W

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 46, 61, 90

Test or Qualification Reference: 38999-308-88

Series III

Supplier: Amphenol/Socapex (Thyez, France)

Government Designation: D38999/20 ( )

Manufacturer's Designation: TVP00 (class W), TVPS00 (class F)

Class: F, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 8, 19, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-158-00; 38999-742-03

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/20 ( )

Manufacturer's Designation: DTS 20 ( )

Class: F, W

Style: P

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 46, 61

Test or Qualification Reference: 38999-158-02

Series III

Supplier: Deutsch ECD

Government Designation: D38999/20 ( )

Manufacturer's Designation: DTS20

Class: F, W

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-462-84; NAC 02.13/3-5-93

Series III

Supplier: Deutsch, Ltd. (Hastings, Sussex, England)

Government Designation: D38999/20 ( )

Manufacturer's Designation: DTS20

Class: W

Style: P, S

Shell: J Insert: 20

Test or Qualification Reference: 38999-340-88

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/20 ( )

Manufacturer's Designation: DTS 20 ( )

Class: K, S

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32
Shell: G Insert: 39, 41
Shell: H Insert: 53
Shell: J Insert: 4, 35, 61

Test or Qualification Reference: 38999-170-99

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/20 ( )

Manufacturer's Designation: DTS 20 ( )

Class: F, W

Style: S

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 98
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 46, 61

Test or Qualification Reference: 38999-158-02

Series III

Supplier: Deutsch ECD

Government Designation: D38999/20 ( )

Manufacturer's Designation: ACT90

Class: J, M

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-462-84; NAC 02.13/3-5-93

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/20 ( )

Manufacturer's Designation: 85010 ( )-( )-( )

Class: F, K, S, W

Style: P

Shell: A Insert: 35, 98
Shell: B Insert: 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 11, 19, 20, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-357-92

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/20 ( )

Manufacturer's Designation: 85010 ( )-( )-( )

Class: F, K, S, W

Style: S

Shell: A Insert: 35, 98
Shell: B Insert: 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 11, 19, 20, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-357-92

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/20 ( )

Manufacturer's Designation: VTTP00N

Class: F, W

Style: P

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: Souriau

Government Designation: D38999/20 ( )

Manufacturer's Designation: 8D0-( ), 8DS00

Class: F, G, H, J, K, M, S, W, Z

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 32, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 00209601.AA/6-11-99; 38999-010-97; 38999-223-91

Series III

Supplier: G & H Technology, Inc.

Government Designation: D38999/20WJ4SN ( )

Manufacturer's Designation: G300W25-20SN, G300W25-4SN

Test or Qualification Reference: 38999-695-87

Series III

Supplier: ITT Cannon

Government Designation: D38999/20 ( )

Manufacturer's Designation: KJAO( )

Class: F, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-765-83

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/20 ( )

Manufacturer's Designation: VTTP00N

Class: F, W

Style: S

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: G & H Technology, Inc.

Government Designation: D38999/20WJ20SN ( )

Manufacturer's Designation: G300W25-20SN, G300W25-4SN

Test or Qualification Reference: 38999-695-87

Series III

Supplier: American Micro Products, Inc.

Government Designation: D38999/21 ( )

Manufacturer's Designation: 3( )D-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 3, 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 18
Shell: E Insert: 8
Shell: F Insert: 32
Shell: G Insert: 16, 41
Shell: H Insert: 35
Shell: J Insert: 61

Test or Qualification Reference: 38999-098-99

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/21 ( )

Manufacturer's Designation: TVPS02Y ( )

Class: N, Y

Style: P

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 18, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 35, 53, 55
Shell: J Insert: 1, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-403-81

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/21 ( )

Manufacturer's Designation: T3N-17H ( )-( )

Class: N

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 32, 35, 53
Shell: J Insert: 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-480-84; 38999-957-83

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/21 ( )

Manufacturer's Designation: 233-003( )

Class: N, Y

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series III

Supplier: Hermetic Seal Corp.

Government Designation: D38999/21 ( )

Manufacturer's Designation: HR-SS-91000-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 6*, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-410-83

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/21 ( )

Manufacturer's Designation: T3Y-17H ( )-( )

Class: Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 32, 35, 53
Shell: J Insert: 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-480-84; 38999-957-83

Series III

Supplier: Deutsch ECD

Government Designation: D38999/21 ( )

Manufacturer's Designation: DTS20 ( )-( )

Class: N, Y

Style: C, P., X

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-357-92

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/21 ( )

Manufacturer's Designation: 233-003( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45
Shell: G Insert: 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-138-98

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/21 ( )

Manufacturer's Designation: 85000 ( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 28, 32, 35, 45
Shell: G Insert: 16, 24, 25, 27, 35, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-692-87

Series III

Supplier: ITT Cannon

Government Designation: D38999/21 ( )

Manufacturer's Designation: KJA2Y ( )

Class: N, Y

Style: P

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18
Shell: E Insert: 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 16, 35, 39, 41
Shell: H Insert: 21, 32, 35, 53
Shell: J Insert: 4, 29, 35, 61

Test or Qualification Reference: 38999-1086-83

Series III

Supplier: Sealtron, Inc.

Government Designation: D38999/21 ( )

Manufacturer's Designation: A9903( )-SPM136

Class: Y

Style: C, P, X

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-1222-82

Series III

Supplier: Sealtron, Inc.

Government Designation: D38999/21 ( )

Manufacturer's Designation: A9903 ( )-SP-M146

Class: N

Style: C, P, X

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-1222-82

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/22 ( )

Manufacturer's Designation: GS38999/22

Class: F, G, K, W

Shell: A, B, C, D, E, F, G, H, J

Test or Qualification Reference: 38999-970-84

Series III

Supplier: American Micro Products, Inc.

Government Designation: D38999/23 ( )

Manufacturer's Designation: 5( )D-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 3, 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 18
Shell: E Insert: 8
Shell: F Insert: 32
Shell: G Insert: 16, 41
Shell: H Insert: 35
Shell: J Insert: 61

Test or Qualification Reference: 38999-098-99

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/23 ( )

Manufacturer's Designation: TVS07Y ( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 18, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 35, 53, 55
Shell: J Insert: 1, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-403-81

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/23 ( )

Manufacturer's Designation: T3Y-19H ( )-( )

Class: Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 32, 35, 53
Shell: J Insert: 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-480-84; 38999-957-83

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/23 ( )

Manufacturer's Designation: T3N-19H ( )-( )

Class: N

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 32, 35, 53
Shell: J Insert: 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-480-84; 38999-957-83

Series III

Supplier: Deutsch ECD

Government Designation: D38999/23 ( )

Manufacturer's Designation: DTS24 ( )-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-357-92

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/23 ( )

Manufacturer's Designation: 230-003( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 98
Shell: B Insert: 2, 4, 5, 35, 98
Shell: C Insert: 4, 8, 98
Shell: D Insert: 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 35, 99
Shell: F Insert: 28, 30, 32, 35, 45
Shell: G Insert: 11, 16, 24, 25, 27, 39, 41
Shell: H Insert: 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 4, 19, 29, 35, 43, 61

Test or Qualification Reference: 38999-138-98

Series III

Supplier: Hermetic Seal Corp.

Government Designation: D38999/23 ( )

Manufacturer's Designation: SS902200

Class: N, Y

Style: C, P, X

Shell: A Insert: 6*, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-410-83

Series III

Supplier: ITT Cannon

Government Designation: D38999/23 ( )

Manufacturer's Designation: KJA7Y( )

Class: N, Y

Style: P

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 35, 97
Shell: E Insert: 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 16, 35, 39, 41
Shell: H Insert: 21, 32, 35, 53
Shell: J Insert: 4, 29, 35, 61

Test or Qualification Reference: 38999-1086-83

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/23 ( )

Manufacturer's Designation: 230-003( )

Class: N, Y

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series III

Supplier: Glenair, Inc.

Government Designation: M38999/23 ( )

Manufacturer's Designation: 230-003-( )-( )

Class: N, Y

Style: P, X

Shell: A Insert: 35
Shell: B Insert: 99
Shell: C Insert: 35
Shell: D Insert: 5
Shell: E Insert: 26
Shell: F Insert: 11
Shell: G Insert: 35
Shell: H Insert: 21
Shell: J Insert: 24

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/23 ( )

Manufacturer's Designation: 86000 ( )

Class: N, Y

Style: C, P, S, X

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 28, 32, 35, 45
Shell: G Insert: 16, 24, 25, 27, 35, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-692-87

Series III

Supplier: Sealtron, Inc.

Government Designation: D38999/23 ( )

Manufacturer's Designation: A9905( )-SP-M136

Class: Y

Style: C, P, X

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-1222-82

Series III

Supplier: Sealtron, Inc.

Government Designation: D38999/23 ( )

Manufacturer's Designation: A9905 ( )-SP-M146

Class: N

Style: C, K, P

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-1222-82

Series III

Supplier: AB Connectors, Ltd.

Government Designation: D38999/24 ( )

Manufacturer's Designation: ABAC 24 ( )

Class: W

Style: P, S

Shell: B Insert: 5, 35, 98, 99
Shell: E Insert: 6, 8, 26, 35, 99
Shell: G Insert: 11, 16, 35, 41, 75

Test or Qualification Reference: 38999-1897-07

Series III

Supplier: Aero Electric Connector, Inc.

Government Designation: D38999/24 ( )

Manufacturer's Designation: AE324( )

Class: F, K, S, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 32, 35, 53, 55
Shell: J Insert: 4, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-034-96

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: TV07RW

Class: W

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; NAC02.16/3-27-96

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: TVS07RK

Class: K

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; NAC02.16/3-27-96

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: TVS07RF, TVS07ZG

Class: F, G

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; NAC02.16/3-27-96

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: TVS07RS

Class: S

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; NAC02.16/3-27-86

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: CTV07RW

Class: J

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; NAC02.16/3-27-96

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: CTV07RF

Class: M

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 38999-403-81; NAC02.16/3-27-96

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: T3K-19( )-( ), T5K-19( )-( )

Class: K

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-953-83

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: T3N-19( )-( ), T5N-19( )-( )

Class: S

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-953-83

Series III

Supplier: Amphenol/Socapex (Thyez, France)

Government Designation: D38999/24 ( )

Manufacturer's Designation: TV07 (class W), TVS07 (class F)

Class: F, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 8, 19, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-158-00; 38999-742-03

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: T3F-19( )-( ), T5F-19( )-( )

Class: F

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-953-83

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/24 ( )

Manufacturer's Designation: T3W-19( )-( ), T5W-19( )-( )

Class: W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-953-83

Series III

Supplier: Amphenol, Ltd.

Government Designation: D38999/24 ( )

Manufacturer's Designation: TV07R

Class: F, W

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 46, 61, 90

Test or Qualification Reference: 38999-308-88

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/24 ( )

Manufacturer's Designation: DTS 24 ( )

Class: K, S

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32
Shell: G Insert: 39, 41
Shell: H Insert: 53
Shell: J Insert: 4, 35, 61

Test or Qualification Reference: 38999-170-99

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/24 ( )

Manufacturer's Designation: DTS 24 ( )

Class: F, W

Style: P

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 46, 61

Test or Qualification Reference: 38999-158-02

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/24 ( )

Manufacturer's Designation: DTS 24 ( )

Class: F, W

Style: S

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 46, 61

Test or Qualification Reference: 38999-158-02

Series III

Supplier: Deutsch ECD

Government Designation: D38999/24 ( )

Manufacturer's Designation: DTS24 ( )

Class: F, W

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-462-84; NAC02.15/6-9-95

Series III

Supplier: Deutsch ECD

Government Designation: D38999/24 ( )

Manufacturer's Designation: ACT94( )

Class: J, M

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-462-84; NAC02.15/6-9-95

Series III

Supplier: Deutsch, Ltd. (Hastings, Sussex, England)

Government Designation: D38999/24 ( )

Manufacturer's Designation: DTS24

Class: W

Style: P, S

Shell: J Insert: 20

Test or Qualification Reference: 38999-340-88

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/24 ( )

Manufacturer's Designation: 86010 ( )-( )-( )

Class: F, K, S, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 19, 20, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-826-04

Series III

Supplier: ITT Cannon

Government Designation: D38999/24 ( )

Manufacturer's Designation: KJA7T( )

Class: F, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-765-83

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/24 ( )

Manufacturer's Designation: VTTP07 NW

Class: W

Style: P

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 8, 22, 35, 98
Shell: D Insert: 5, 8, 15, 18, 19, 22, 35, 37, 97, 98
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/24 ( )

Manufacturer's Designation: VTTP07 NW

Class: W

Style: S

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 8, 15, 18, 19, 22, 35, 37, 97, 98
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/24 ( )

Manufacturer's Designation: VTTP07 NF

Class: F

Style: S

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 8, 15, 18, 19, 22, 35, 37, 97, 98
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: American Micro Products, Inc.

Government Designation: D38999/25 ( )

Manufacturer's Designation: 2( )D-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 3, 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 18
Shell: E Insert: 8
Shell: F Insert: 32
Shell: G Insert: 16, 41
Shell: H Insert: 35
Shell: J Insert: 61

Test or Qualification Reference: 38999-098-99

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/25 ( )

Manufacturer's Designation: T3N-14H ( )-( )

Class: N

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32
Shell: G Insert: 11, 41
Shell: H Insert: 53
Shell: J Insert: 19, 29, 35

Test or Qualification Reference: 38999-480-84; 38999-957-83

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/24 ( )

Manufacturer's Designation: VTTP07 NF

Class: F

Style: P

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 8, 22, 35, 98
Shell: D Insert: 5, 8, 15, 18, 19, 22, 35, 37, 97, 98
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: Souriau

Government Designation: D38999/24 ( )

Manufacturer's Designation: 8D7 ( ), 8DS07

Class: F, G, K, S, W, Z

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 32, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 35, 37, 43, 43, 46, 61

Test or Qualification Reference: 38999-223-81

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/25 ( )

Manufacturer's Designation: TVSIY ( )

Class: N, Y

Style: P

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 18, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 35, 53, 55
Shell: J Insert: 1, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-403-81; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC 02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/25 ( )

Manufacturer's Designation: T3Y-14 ( )-( )

Class: Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32
Shell: G Insert: 11, 41
Shell: H Insert: 53
Shell: J Insert: 19, 29, 35

Test or Qualification Reference: 38999-480-84; 38999-957-83

Series III

Supplier: Deutsch ECD

Government Designation: D38999/25 ( )

Manufacturer's Designation: DTS21 ( )-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-15-96; 38999-357-92

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/25 ( )

Manufacturer's Designation: 232-003( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45
Shell: G Insert: 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-138-98

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/25 ( )

Manufacturer's Designation: 84000 ( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 28, 32, 35, 45
Shell: G Insert: 16, 24, 25, 27, 35, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-692-87

Series III

Supplier: Sealtron, Inc.

Government Designation: D38999/25 ( )

Manufacturer's Designation: A99022( )-SP-M136

Class: Y

Style: C, P, X

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 25, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-1222-82

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/25 ( )

Manufacturer's Designation: 232-003( )

Class: N, Y

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series III

Supplier: Hermetic Seal Corp.

Government Designation: D38999/25 ( )

Manufacturer's Designation: HR-SS90000-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 6*, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-410-83

Series III

Supplier: ITT Cannon

Government Designation: D38999/25 ( )

Manufacturer's Designation: KJA1Y( )

Class: N, Y

Style: P

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 99
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 35, 97
Shell: E Insert: 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 16, 35, 39, 41
Shell: H Insert: 21, 32, 35, 53
Shell: J Insert: 4, 29, 35, 61

Test or Qualification Reference: 38999-1086-83

Series III

Supplier: Sealtron, Inc.

Government Designation: D38999/25 ( )

Manufacturer's Designation: A9902( )-SP-M146

Class: N

Style: C, P, X

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-1222-82

Series III

Supplier: AB Connectors, Ltd.

Government Designation: D38999/26 ( )

Manufacturer's Designation: ABAC 26 ( )

Class: W

Style: P, S

Shell: B Insert: 5, 35, 98, 99
Shell: E Insert: 6, 8, 26, 35, 99
Shell: G Insert: 11, 16, 35, 41, 75

Test or Qualification Reference: 38999-1897-07

Series III

Supplier: Aero Electric Connector, Inc.

Government Designation: D38999/26 ( )

Manufacturer's Designation: AE326( )

Class: F, K, S, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 32, 35, 53, 55
Shell: J Insert: 4, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-034-96

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: TV06RW

Class: W

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: TVS06RK

Class: K

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: TVS06RF, TVS06ZG

Class: F, G

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: TVS06RS

Class: S

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: CTV06RW

Class: J

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: XTVS06RF

Class: M

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61, 90

Test or Qualification Reference: 38999-403-81; 38999-756-80; NAC 02.12/1-21-92; NAC 02.12/2-11-92; NAC02.12/3-20-92

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: T3F-12( )-( ), T5F-12( )-( )

Class: F

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-869-84; 38999-953-83

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: T3W-12( )-( ), T5W-12( )-( )

Class: W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-869-84; 38999-953-83

Series III

Supplier: Amphenol, Ltd.

Government Designation: D38999/26 ( )

Manufacturer's Designation: TV06R

Class: F, W

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 46, 61, 90

Test or Qualification Reference: 38999-308-88

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/26 ( )

Manufacturer's Designation: DTS 26 ( )

Class: K, S

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32
Shell: G Insert: 39, 41
Shell: H Insert: 53
Shell: J Insert: 4, 35, 61

Test or Qualification Reference: 38999-170-99

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: T3K-12( )-( ), T5K-12( )-( )

Class: K

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-869-84; 38999-953-83

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/26 ( )

Manufacturer's Designation: T3N-12( )-( ), T5N-12( )-( )

Class: S

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90

Test or Qualification Reference: 38999-141-82; 38999-27-82; 38999-818-84; 38999-869-84; 38999-953-83; 38999-953-83

Series III

Supplier: Amphenol/Socapex (Thyez, France)

Government Designation: D38999/26 ( )

Manufacturer's Designation: TV06 (class W), TVS06 (class F)

Class: F, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 8, 19, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-158-00; 38999-742-03

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/26 ( )

Manufacturer's Designation: DTS 26 ( )

Class: F, W

Style: P

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 46, 61

Test or Qualification Reference: 38999-158-02

Series III

Supplier: Connecteurs Electriques Deutsch

Government Designation: D38999/26 ( )

Manufacturer's Designation: DTS 26 ( )

Class: F, W

Style: S

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 98
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 46, 61

Test or Qualification Reference: 38999-158-02

Series III

Supplier: Deutsch ECD

Government Designation: D38999/26 ( )

Manufacturer's Designation: DTS26

Class: F, W

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-462-84; NAC 02.13/3-5-93

Series III

Supplier: Deutsch ECD

Government Designation: D38999/26 ( )

Manufacturer's Designation: ACT96

Class: J, M

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-462-84; NAC 02.13/3-5-93

Series III

Supplier: Deutsch, Ltd. (Hastings, Sussex, England)

Government Designation: D38999/26 ( )

Manufacturer's Designation: DTS26

Class: W

Style: P, S

Shell: J Insert: 20

Test or Qualification Reference: 38999-340-88

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/26 ( )

Manufacturer's Designation: 59000( )-( )-( )

Class: F, K, S, W

Style: S

Shell: A Insert: 35, 98
Shell: B Insert: 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 11, 19, 20, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-357-92

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/26 ( )

Manufacturer's Designation: 59000( )-( )-( )

Class: F, K, S

Style: P, W

Shell: A Insert: 35, 98
Shell: B Insert: 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 7, 11, 19, 20, 24, 29, 35, 43, 46, 61

Test or Qualification Reference: 38999-357-92

Series III

Supplier: ITT Cannon

Government Designation: D38999/26 ( )

Manufacturer's Designation: KJA6T ( )

Class: F, W

Style: P, S

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-765-83

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/26 ( )

Manufacturer's Designation: VTTP06 NW

Class: W

Style: P

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 8, 22, 35, 98
Shell: D Insert: 5, 8, 15, 18, 19, 22, 35, 37, 97
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/26 ( )

Manufacturer's Designation: VTTP06 NW

Class: W

Style: S

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 8, 15, 18, 19, 22, 35, 37, 97
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/26 ( )

Manufacturer's Designation: VTTP06 NF

Class: F

Style: S

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 8, 15, 18, 19, 22, 35, 37, 97
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: American Micro Products, Inc.

Government Designation: D38999/27 ( )

Manufacturer's Designation: 6( )D-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 3, 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 18
Shell: E Insert: 8
Shell: F Insert: 32
Shell: G Insert: 16, 41
Shell: H Insert: 35
Shell: J Insert: 61

Test or Qualification Reference: 38999-098-99

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/27 ( )

Manufacturer's Designation: T3Y-15H ( )-( )

Class: Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98

Test or Qualification Reference: 38999-480-84; 38999-957-83

Series III

Supplier: ITT Cannon VEAM

Government Designation: D38999/26 ( )

Manufacturer's Designation: VTTP06 NF

Class: F

Style: P

Shell: A Insert: 6, 35, 98
Shell: B Insert: 5, 13, 35, 98
Shell: C Insert: 8, 22, 35, 98
Shell: D Insert: 5, 8, 15, 18, 19, 22, 35, 37, 97
Shell: E Insert: 8, 26, 35, 55
Shell: F Insert: 11, 32, 35, 66
Shell: G Insert: 1, 16, 35, 39, 41, 75
Shell: H Insert: 1, 21, 35, 53, 55
Shell: J Insert: 1, 29, 35, 43, 61

Test or Qualification Reference: 38999-308-89; 38999-980-04

Series III

Supplier: Souriau

Government Designation: D38999/26 ( )

Manufacturer's Designation: 8D5-( ), 8DS06G

Class: F, G, H, J, K, M, S, W, Z

Style: H, J, P, S

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 2, 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41, 75
Shell: H Insert: 21, 32, 35, 53, 55
Shell: J Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 37, 43, 46, 61

Test or Qualification Reference: 00209601.AA/6-11-99; 38999-010-97; 38999-223-91

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors

Government Designation: D38999/27 ( )

Manufacturer's Designation: TVSHIY ( )

Class: N, Y

Style: P

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 18, 32, 35, 66
Shell: G Insert: 1, 11, 16, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 35, 53, 55
Shell: J Insert: 1, 4, 24, 29, 35, 61

Test or Qualification Reference: 38999-403-81

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors

Government Designation: D38999/27 ( )

Manufacturer's Designation: T3N-15H ( )-( )

Class: N

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 35, 98
Shell: C Insert: 8, 35, 98

Test or Qualification Reference: 38999-480-84; 38999-957-83

Series III

Supplier: Deutsch ECD

Government Designation: D38999/27 ( )

Manufacturer's Designation: DTS23( )-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-357-92

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/27 ( )

Manufacturer's Designation: 234-003( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45
Shell: G Insert: 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-138-98

Series III

Supplier: Hi Rel Connectors, Inc.

Government Designation: D38999/27 ( )

Manufacturer's Designation: 87000 ( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 35, 98
Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 28, 32, 35, 45
Shell: G Insert: 16, 24, 25, 27, 35, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 19, 24, 29, 35, 61

Test or Qualification Reference: 38999-692-87

Series III

Supplier: Sealtron, Inc.

Government Designation: D38999/27 ( )

Manufacturer's Designation: B9912( )-SP-M136

Class: Y

Style: C, P, X

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-1222-82

Series III

Supplier: Glenair, Inc.

Government Designation: D38999/27 ( )

Manufacturer's Designation: 234-003( )

Class: N, Y

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series III

Supplier: Hermetic Seal Corp.

Government Designation: D38999/27 ( )

Manufacturer's Designation: HR-SS90540-( )

Class: N, Y

Style: C, P, X

Shell: A Insert: 6*, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-410-83

Series III

Supplier: ITT Cannon

Government Designation: D38999/27 ( )

Manufacturer's Designation: KJA5Y( )

Class: N, Y

Style: P

Shell: A Insert: 35, 98
Shell: B Insert: 5, 35, 99
Shell: C Insert: 8, 35, 98
Shell: D Insert: 5, 15, 18, 35, 97
Shell: E Insert: 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 16, 35, 39, 41
Shell: H Insert: 21, 32, 35, 53
Shell: J Insert: 4, 29, 35, 61

Test or Qualification Reference: 38999-1086-83

Series III

Supplier: Sealtron, Inc.

Government Designation: D38999/27 ( )

Manufacturer's Designation: B9912 ( )-SP-M146

Class: N

Style: C, P, X

Shell: A Insert: 6, 35, 44, 98
Shell: B Insert: 2, 4, 5, 13, 35, 98, 99
Shell: C Insert: 4, 8, 22, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 37, 97
Shell: E Insert: 6, 8, 26, 35, 55, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45, 66, 67
Shell: G Insert: 1, 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 1, 2, 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 1, 2, 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-1222-82

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-1 ( )
Manufacturer's Designation: 10-527273-1( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-1 ( )
Manufacturer's Designation: 0020-267-009
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-1 ( )
Manufacturer's Designation: 0020-135-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-2 ( )
Manufacturer's Designation: 10-527273-2( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-2 ( )
Manufacturer's Designation: 0020-136-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-2 ( )
Manufacturer's Designation: 0020-136-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-3 ( )
Manufacturer's Designation: 10-527273-3( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-3 ( )
Manufacturer's Designation: 0020-267-013
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-3 ( )
Manufacturer's Designation: 0020-137-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-4 ( )
Manufacturer's Designation: 10-527273-4( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-1 ( )
Manufacturer's Designation: GS38999/28-1
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-1 ( )
Manufacturer's Designation: 0020-135-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Souriau
Government Designation: D38999/28-1 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, K, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-2 ( )
Manufacturer's Designation: GS38999/28-2
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-2 ( )
Manufacturer's Designation: 0020-267-011
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Souriau
Government Designation: D38999/28-2 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-3 ( )
Manufacturer's Designation: GS38999/28-3
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-3 ( )
Manufacturer's Designation: 0020-137-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Souriau
Government Designation: D38999/28-3 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-4 ( )
Manufacturer's Designation: GS38999/28-4
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-4 ( )
Manufacturer's Designation: 0020-267-015
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-4 ( )
Manufacturer's Designation: 0020-138-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-5 ( )
Manufacturer's Designation: 10-527273-5( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-5 ( )
Manufacturer's Designation: 0020-267-415
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-6 ( )
Manufacturer's Designation: 10-527273-6( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-6 ( )
Manufacturer's Designation: 0020-267-017
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-6 ( )
Manufacturer's Designation: 0020-139-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-7 ( )
Manufacturer's Designation: 10-527273-7( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-7 ( )
Manufacturer's Designation: 0020-267-417
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-8 ( )
Manufacturer's Designation: 10-527273-8( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-4 ( )
Manufacturer's Designation: 0020-138-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Souriau
Government Designation: D38999/28-4 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-5 ( )
Manufacturer's Designation: GS38999/28-5
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Souriau
Government Designation: D38999/28-5 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-6 ( )
Manufacturer's Designation: GS38999/28-6
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-6 ( )
Manufacturer's Designation: 0020-139-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Souriau
Government Designation: D38999/28-6 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-7 ( )
Manufacturer's Designation: GS38999/28-7
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Souriau
Government Designation: D38999/28-7 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-8 ( )
Manufacturer's Designation: GS38999/28-8
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-8 ( )
Manufacturer's Designation: 0020-267-019
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-8 ( )
Manufacturer's Designation: 0020-140-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-9 ( )
Manufacturer's Designation: 10-527273-9( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-9 ( )
Manufacturer's Designation: 0020-267-021
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-9 ( )
Manufacturer's Designation: 0020-141-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-10 ( )
Manufacturer's Designation: 10-527273-10( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-10 ( )
Manufacturer's Designation: 0020-267-023
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-10 ( )
Manufacturer's Designation: 0020-142-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-11 ( )
Manufacturer's Designation: 10-527273-11( )
Finish: J, M
Test or Qualification Reference: NAC02.16/2-7-96

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-11 ( )
Manufacturer's Designation: 0020-267-025
Finish: W
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-8 ( )
Manufacturer's Designation: 0020-140-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Souriau
Government Designation: D38999/28-8 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-9 ( )
Manufacturer's Designation: GS38999/28-9
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-9 ( )
Manufacturer's Designation: 0020-141-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Souriau
Government Designation: D38999/28-9 ( )
Manufacturer's Designation: 200-00061
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-10 ( )
Manufacturer's Designation: GS38999/28-10
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-10 ( )
Manufacturer's Designation: 0020-142-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III
Supplier: Souriau
Government Designation: D38999/28-10 ( )
Manufacturer's Designation: 200-00061( )
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/28-11 ( )
Manufacturer's Designation: GS38999/28-11
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III
Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-11 ( )
Manufacturer's Designation: 0020-143-000
Finish: K
Test or Qualification Reference: 38999-357-92

Series III

Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-11 ( )
Manufacturer's Designation: 0020-143-001
Finish: N
Test or Qualification Reference: 38999-357-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/28-12 ( )
Manufacturer's Designation: 10-527273-12( )
Finish: J, M
Test or Qualification Reference: NAC02-16/2-7-96

Series III

Supplier: Hi Rel Connectors, Inc.
Government Designation: D38999/28-12 ( )
Manufacturer's Designation: 0020-267-425
Finish: W
Test or Qualification Reference: 38999-357-92

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/29 ( )
Manufacturer's Designation: 91-5566 ( ) - ( )
Class: F
Length: A, B, C, D, E, F, G, H, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
Shell: E Insert: 2, 6, 8, 17, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 23, 35, 53
Shell: J Insert: 4, 7, 8, 19, 24, 29, 35, 37, 43, 61, 90
Test or Qualification Reference: 38999-1452-86; 38999-824-85; 38999-874-80

Series III

Supplier: Amphenol Aerospace/Pyle-National Connectors
Government Designation: D38999/29 ( )
Manufacturer's Designation: G3L6W25-( )P( ), T3 ( )-16 ( )P
Class: F, W
Length: A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: J Insert: 4, 20, 24
Test or Qualification Reference: 38999-967-87

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/30 ( )
Manufacturer's Designation: 91-5566 ( ) - ( )
Class: F
Length: A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
Shell: E Insert: 2, 6, 8, 18, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 19, 20, 24, 29, 35, 37, 43, 61, 90
Test or Qualification Reference: 38999-1452-86; 38999-824-85; 38999-874-80

Series III

Supplier: Souriau
Government Designation: D38999/28-11 ( )
Manufacturer's Designation: 200-00061
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III

Supplier: Glenair, Inc.
Government Designation: D38999/28-12 ( )
Manufacturer's Designation: GS38999/28-12
Finish: C, F, K, W
Test or Qualification Reference: 38999-113-94

Series III

Supplier: Souriau
Government Designation: D38999/28-12 ( )
Manufacturer's Designation: 200-00061
Finish: F, W, Z
Test or Qualification Reference: 38999-223-91

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/29 ( )
Manufacturer's Designation: 88-5566 ( ) - ( )
Class: W
Length: A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
Shell: E Insert: 2, 6, 8, 17, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 23, 35, 53
Shell: J Insert: 4, 7, 8, 19, 24, 29, 35, 37, 43, 61, 90
Test or Qualification Reference: 38999-1452-86; 38999-824-85; 38999-874-80

Series III

Supplier: G & H Technology, Inc.
Government Designation: D38999/29 ( )
Manufacturer's Designation: G3L6W25-( )
Class: W
Length: A, B, C, D, E, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
Shell: J Insert: 4, 20, 24, 35
Test or Qualification Reference: 38999-695-87

Series III

Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/30 ( )
Manufacturer's Designation: 88-5566 ( ) - ( )
Class: W
Length: A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
Shell: E Insert: 2, 6, 8, 18, 26, 35, 99
Shell: F Insert: 11, 18, 28, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: H Insert: 21, 35, 53
Shell: J Insert: 4, 7, 8, 19, 20, 24, 29, 35, 37, 43, 61, 90
Test or Qualification Reference: 38999-1452-86; 38999-824-85; 38999-874-80

Series III
Supplier: Amphenol Aerospace/Pyle-National Connectors
Government Designation: D38999/30 ( )
Manufacturer's Designation: G3L6W25-( )S( ), T3 ( )-16 ( )S
Class: F, W
Length: A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 39, 41
Shell: J Insert: 4, 20, 24
Test or Qualification Reference: 38999-967-87

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/31 ( )
Manufacturer's Designation: 88-553339-( )P Type 1, 88-555899-( )P Type 2, 88-568997-( ) Type 1
Class: W
Length: E, F, G, H
Shell: 25 Insert: 7, 8, 20, 37, 90
Test or Qualification Reference: 38999-285-85; 38999-353-86

Series III
Supplier: Amphenol, Ltd.
Government Designation: D38999/31 ( )
Manufacturer's Designation: TVFBRW-25 Type: 2
Class: W
Length: E, F, G, H, I, J, K, L
Shell: 25 Insert: 20
Test or Qualification Reference: 38999-287-85; 38999-308-88

Series III
Supplier: G & H Technology, Inc.
Government Designation: D38999/31 ( )
Manufacturer's Designation: G3L6W-( )P( ), G3L6W25-20PN( ) Type 4, G3L6W25-20PN( )-089 Type 1, G3L6W25-20PN( )-091 Type 4, G3L6W25-4PN( )
Class: W
Length: E, F, G, H, I, J, K, L
Shell: 25 Insert: 4, 20, 24, 35
Test or Qualification Reference: 38999-695-87

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-10 ( )
Manufacturer's Designation: 10-554885-10 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-10 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-11 ( )
Manufacturer's Designation: GS38999/32-11
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: G & H Technology, Inc.
Government Designation: D38999/30 ( )
Manufacturer's Designation: G3L6W25-
Class: W
Length: A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
Shell: J Insert: 4, 20, 24, 35
Test or Qualification Reference: 38999-695-87

Series III
Supplier: Amphenol Aerospace/Pyle-National Connectors
Government Designation: D38999/31 ( )
Manufacturer's Designation: T3W-16B25-( )PNE Type 1
Class: W
Length: E, F, G, H, I, J, K, L
Shell: 25 Insert: 4, 7, 8, 11, 19, 20, 24, 29, 35, 43, 61, 90
Test or Qualification Reference: 38999-1023-85

Series III
Supplier: Deutsch ECD
Government Designation: D38999/31 ( )
Manufacturer's Designation: ACT98W( )-1063, ACT98W( )-3025
Class: J
Length: E, F, G, H, I, J, K, L
Shell: 25 Insert: 20
Test or Qualification Reference: 38999-143-98

Series III
Supplier: Deutsch Ltd
Government Designation: D38999/31WE20 ( )
Manufacturer's Designation: DTS31W-25-20
Class: W
Length: E, F, G, H, I, J, K, L
Test or Qualification Reference: 38999-340-88

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-10 ( )
Manufacturer's Designation: GS38999/32-10
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-11 ( )
Manufacturer's Designation: 10-554885-11( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-11 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-12 ( )
Manufacturer's Designation: 10-554885-12 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-12 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-13 ( )
Manufacturer's Designation: GS38999/32-13
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-14 ( )
Manufacturer's Designation: 10-554885-14 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-14 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-15 ( )
Manufacturer's Designation: GS38999/32-15
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-16 ( )
Manufacturer's Designation: 10-554885-16 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-12 ( )
Manufacturer's Designation: GS38999/32-12
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-13 ( )
Manufacturer's Designation: 10-554885-13 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-13 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-14 ( )
Manufacturer's Designation: GS38999/32-14
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-15 ( )
Manufacturer's Designation: 10-554885-14 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-15 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-16 ( )
Manufacturer's Designation: GS38999/32-16
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-16 ( )
Manufacturer's Designation: S2454-, S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-17 ( )
Manufacturer's Designation: GS38999/32-17
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-18 ( )
Manufacturer's Designation: 10-554885-18 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-18 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-19 ( )
Manufacturer's Designation: GS38999/32-19
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-20 ( )
Manufacturer's Designation: 10-554885-20 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-20 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-17 ( )
Manufacturer's Designation: 10-554885-17 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-17 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-18 ( )
Manufacturer's Designation: GS38999/32-18
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-19 ( )
Manufacturer's Designation: 10-554885-19 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-19 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-20 ( )
Manufacturer's Designation: GS38999/32-20
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-21 ( )
Manufacturer's Designation: 10-554885-21( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-21 ( )
Manufacturer's Designation: GS38999/32-21
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-22 ( )
Manufacturer's Designation: 10-554885-22( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-22 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-23 ( )
Manufacturer's Designation: GS38999/32-23
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-24 ( )
Manufacturer's Designation: 10-554885-24( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-24 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-25 ( )
Manufacturer's Designation: GS38999/32-25
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-21 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-22 ( )
Manufacturer's Designation: GS38999/32-22
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-23 ( )
Manufacturer's Designation: 10-554885-23( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-23 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-24 ( )
Manufacturer's Designation: GS38999/32-24
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-25 ( )
Manufacturer's Designation: 10-554885-25 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-25 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/32-9 ( )
Manufacturer's Designation: 10-554885-9 ( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/32-9 ( )
Manufacturer's Designation: S2454-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-10 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-11 ( )
Manufacturer's Designation: GS38999/33-11
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-12 ( )
Manufacturer's Designation: 10-552943-12( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-12 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-13 ( )
Manufacturer's Designation: GS38999/33-13
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/32-9 ( )
Manufacturer's Designation: GS38999/32-9
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-10 ( )
Manufacturer's Designation: GS38999/33-10
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-11 ( )
Manufacturer's Designation: 10-552943-11( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-11 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-12 ( )
Manufacturer's Designation: GS38999/33-12
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-13 ( )
Manufacturer's Designation: 10-552943-13( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-13 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-14 ( )
Manufacturer's Designation: 10-552943-14( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-14 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-15 ( )
Manufacturer's Designation: GS38999/33-15
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-16 ( )
Manufacturer's Designation: 10-552943-16( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-16 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-17 ( )
Manufacturer's Designation: GS38999/33-17
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-18 ( )
Manufacturer's Designation: GS38999/33-18
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-14 ( )
Manufacturer's Designation: GS38999/33-14
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-15 ( )
Manufacturer's Designation: 10-552943-15( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-15 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-16 ( )
Manufacturer's Designation: GS38999/33-16
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-17 ( )
Manufacturer's Designation: 10-552943-17( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-17 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-18 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-19 ( )
Manufacturer's Designation: GS38999/33-19
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-20 ( )
Manufacturer's Designation: GS38999/33-20
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-21 ( )
Manufacturer's Designation: 10-552943-21( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-21 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-22 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-23 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-24 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-19 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-20 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-21 ( )
Manufacturer's Designation: GS38999/33-21
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-22 ( )
Manufacturer's Designation: GS38999/33-22
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-23 ( )
Manufacturer's Designation: GS38999/33-23
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Glenair, Inc.
Government Designation: D38999/33-24 ( )
Manufacturer's Designation: GS38999/33-24
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III
Supplier: Amphenol Aerospace/Amphenol Connectors
Government Designation: D38999/33-25 ( )
Manufacturer's Designation: 10-552943-25( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-1428-85

Series III

Supplier: Glenair, Inc.
Government Designation: D38999/33-25 ( )
Manufacturer's Designation: GS38999/33-25
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series III

Supplier: Glenair, Inc.
Government Designation: D38999/33-9 ( )
Manufacturer's Designation: GS38999/33-9
Class: C, F, H, J, K, M, N, W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-970-84

Series IV

Supplier: Deutsch ECD
Government Designation: D38999/40 ( )
Manufacturer's Designation: DIV ( )
Class: F
Style: P, S
Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61
Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.
Government Designation: D38999/40 ( )
Manufacturer's Designation: BL00
Class: C, F, W
Style: P, S
Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: NAC AB02.03/3-30-93

Series IV

Supplier: G & H Technology, Inc.
Government Designation: D38999/41 ( )
Manufacturer's Designation: BLH2
Class: N, Y
Style: P, X
Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 61
Test or Qualification Reference: NAC AB02.03/6-30-93

Series III

Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-25 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series III

Supplier: Joslyn Sunbank Company
Government Designation: D38999/33-9 ( )
Manufacturer's Designation: S2453-( )-( )
Class: W
Style: N, R
Shell: 9, 11, 13, 15, 17, 19, 21, 23, 25
Test or Qualification Reference: 38999-48-94

Series IV

Supplier: Deutsch ECD
Government Designation: D38999/40 ( )
Manufacturer's Designation: DIV40 ( ) 023
Class: W
Style: P, S
Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61
Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.
Government Designation: D38999/40 ( )
Manufacturer's Designation: BL00
Class: K
Style: P, S
Shell: C Insert: 4
Shell: D Insert: 5
Shell: E Insert: 6, 8, 99
Shell: F Insert: 11, 18
Shell: G Insert: 11, 16
Shell: H Insert: 21
Shell: J Insert: 4, 19, 20, 24, 29, 35, 61
Test or Qualification Reference: NAC AB02.03/6-30-93

Series IV

Supplier: Glenair, Inc.
Government Designation: D38999/41 ( )
Manufacturer's Designation: 230-010( )
Class: H, N, Y
Style: P, X
Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61
Test or Qualification Reference: 38999-875-04

Series IV

Supplier: Glenair, Inc.

Government Designation: D38999/41 ( )

Manufacturer's Designation: 230-010( )

Class: H, N, Y

Style: P, X

Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45
Shell: G Insert: 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 4, 11, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-831-04

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/42 ( )

Manufacturer's Designation: DIV43 ( )

Class: F

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/42 ( )

Manufacturer's Designation: DIV43 ( ) -023

Class: W

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/42 ( )

Manufacturer's Designation: BL02

Class: C, F, W

Style: P, S

Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: NAC AB02.03/6-30-93

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/43 ( )

Manufacturer's Designation: DIV44

Class: N

Style: C, P, X

Shell: B Insert: 5, 35, 99
Shell: C Insert: 35, 98
Shell: D Insert: 18, 35
Shell: E Insert: 8, 26, 35
Shell: F Insert: 32, 35
Shell: G Insert: 16, 35, 41
Shell: H Insert: 35
Shell: J Insert: 4, 35, 61

Test or Qualification Reference: NAC Z02.4/9-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/43 ( )

Manufacturer's Designation: BLH7

Class: N, Y

Style: P, X

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 61

Test or Qualification Reference: NAC AB02.03/6-30-93

Series IV

Supplier: Glenair, Inc.

Government Designation: D38999/43 ( )

Manufacturer's Designation: 230-011( )

Class: H, N, Y

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series IV

Supplier: Glenair, Inc.

Government Designation: D38999/43 ( )

Manufacturer's Designation: 230-011( )

Class: H, N, Y

Style: P, X

Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45
Shell: G Insert: 11, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 4, 11, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-831-04

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/44 ( )

Manufacturer's Designation: DIV44 ( )

Class: F

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/44 ( )

Manufacturer's Designation: BL07

Class: C, F, W

Style: P, S

Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: NAC AA02.03/6-30-91

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/45 ( )

Manufacturer's Designation: DIV41

Class: N

Style: C, P, X

Shell: B Insert: 5, 35, 99
Shell: C Insert: 35, 98
Shell: D Insert: 18, 35
Shell: E Insert: 8, 35
Shell: F Insert: 11, 35
Shell: G Insert: 16, 35, 41
Shell: H Insert: 35
Shell: J Insert: 4, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: Glenair, Inc.

Government Designation: D38999/45 ( )

Manufacturer's Designation: 230-012( )

Class: H, N, Y

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/44 ( )

Manufacturer's Designation: DIV44 ( ) -023

Class: W

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/44 ( )

Manufacturer's Designation: BL07

Class: K

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 61

Test or Qualification Reference: NAC AB02.03/6-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/45 ( )

Manufacturer's Designation: BLH1

Class: N, Y

Style: P, X

Shell: 2 Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 61

Test or Qualification Reference: NAC AB02.03/6-30-93

Series IV

Supplier: Glenair, Inc.

Government Designation: D38999/45 ( )

Manufacturer's Designation: 230-012( )

Class: H, N, Y

Style: P, X

Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45
Shell: G Insert: 1, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 4, 11, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-831-04

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/46 ( )

Manufacturer's Designation: DIV46 ( )

Class: F

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/46 ( )

Manufacturer's Designation: BLG6

Class: F, W

Style: P, S

Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: NAC AB02.03/6-30-93

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/47 ( )

Manufacturer's Designation: DIV46-023

Class: W

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/47 ( )

Manufacturer's Designation: BL06

Class: C, F, W

Style: P, S

Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: NAC AA02.03/6-30-91

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/46 ( )

Manufacturer's Designation: DIV46 ( ) -023

Class: W

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/46 ( )

Manufacturer's Designation: BLG6

Class: K

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 61

Test or Qualification Reference: NAC AB02.03/6-30-93

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/47 ( )

Manufacturer's Designation: DIV 47 ( )

Class: F

Style: P, S

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 53, 55
Shell: J Insert: 4, 19, 24, 29, 35, 61

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/48 ( )

Manufacturer's Designation: BLH4

Class: N, Y

Style: P, X

Shell: B Insert: 5, 35, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 61

Test or Qualification Reference: NAC AB02.03/6-30-93

Series IV

Supplier: Glenair, Inc.

Government Designation: D38999/48 ( )

Manufacturer's Designation: 230-013( )

Class: H, N, Y

Style: D, S, Z

Shell: 9 Insert: 35, 98
Shell: 11 Insert: 4, 5, 35, 98, 99
Shell: 13 Insert: 4, 8, 35, 98
Shell: 15 Insert: 5, 15, 18, 19, 35, 97
Shell: 17 Insert: 6, 8, 26, 35
Shell: 19 Insert: 11, 28, 32, 35
Shell: 21 Insert: 11, 16, 35, 39, 41
Shell: 23 Insert: 21, 35, 53, 55
Shell: 25 Insert: 4, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-875-04

Series IV

Supplier: Deutsch ECD

Government Designation: D38999/49 ( )

Manufacturer's Designation: DIV48 ( ) -023

Class: F, W

Style: P, S

Shell: D Insert: 5, 18, 35, 97
Shell: H Insert: 21, 35, 53, 55

Test or Qualification Reference: NAC Z02.04/9-30-93

Series IV

Supplier: Glenair, Inc.

Government Designation: D38999/50 ( )

Manufacturer's Designation: GS38999/50( )NF

Class: W

Shell: B, C, D, E, F, G, H, J

Test or Qualification Reference: 38999-275-02

Series IV

Supplier: Glenair, Inc.

Government Designation: D38999/48 ( )

Manufacturer's Designation: 230-013( )

Class: H, N, Y

Style: P, X

Shell: B Insert: 2, 4, 5, 35, 98, 99
Shell: C Insert: 4, 8, 35, 98
Shell: D Insert: 5, 15, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 28, 30, 32, 35, 45
Shell: G Insert: 1, 16, 24, 25, 27, 35, 39, 41
Shell: H Insert: 21, 32, 34, 35, 36, 53, 55, 97, 99
Shell: J Insert: 4, 11, 19, 24, 29, 35, 43, 61

Test or Qualification Reference: 38999-831-04

Series IV

Supplier: G & H Technology, Inc.

Government Designation: D38999/49 ( )

Manufacturer's Designation: BL03

Class: C, F, W

Style: P, S

Shell: B Insert: 5, 35, 98, 99
Shell: C Insert: 4, 35, 98
Shell: D Insert: 5, 18, 19, 35, 97
Shell: E Insert: 6, 8, 26, 35, 99
Shell: F Insert: 11, 18, 32, 35
Shell: G Insert: 11, 16, 35, 41
Shell: H Insert: 21, 35, 55
Shell: J Insert: 4, 19, 20, 24, 29, 35, 43, 61

Test or Qualification Reference: NAC AB02.03/6-30-93

Manufacturer: AB Connectors, Ltd. (CAGE Code: K2323)
Location: Abercynon, Mountain Ash, Rhondda Cynon Taff, CF45 4SF, Wales, UK

Plant Location: Same Address as Manufacturer

Manufacturer: Aero Electric Connector, Inc. (CAGE Code: 59976)
Location: 2280 208th Street, Torrance, CA 90501, US

Plant Location: Same Address as Manufacturer

Distributor Locations:
1. A. E. Petsche Company, Inc., 2112 West Division, Arlington, TX 76012, US
2. Airtechnics, Inc., Symbol: A, 3851 North Webb Road, Wichita, KS 67226, US
3. Avnet EMG, 2200 William D. Tate Avenue, Grapevine, TX 76051, US
4. Avnet/Time Electonics, Symbol: X, 10-A Centennial Drive, Peabody, MA 01960, US
5. BTC Electronics, Symbol: B, 2709 Connector Drive, Wake Forest, NC 27587, US
6. Benchmark Connector Corp, 4503 N.W. 103rd Avenue, Bay 4, Sunrise, FL 33351, US
7. Circular Connectors, 3250 Corte Malpaso, Camarillo, CA 93012, US
8. Conesys Europe, Aero Electric Connectors, Symbol: F, 20 Avenue Jean Monet, 31770 Colomiers, France
9. Interstate Connecting Components, Inc., Symbol: ICC, 310-A Commerce Drive, Moorestown, NJ 08057-4214, US

Manufacturer: American Micro Products, Inc. (CAGE Code: 0GAC8)
Location: 4288 Armstrong Boulevard, Batavia, OH 45103-1600, US

Plant Location: Same Address as Manufacturer

Manufacturer: Amphenol Aerospace/Amphenol Connectors (CAGE Code: 77820)
Location: Amphenol Connectors, 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Plant Locations:
1. Same Address as Manufacturer
2. Amphenol Aerospace/Amphenol Connectors (Mexico), Productos De Memoria, SA de CV, Parque Industrial San Ramon, APDO Postal 205-A, Nogales, Sonora, Mexico 84000

Distributor Locations:
1. Amphenol Japan, Ltd., Symbol: APJ, 471-1 Deba, Ritto-shi 520-3041, Shiga, Japan
2. Amphenol/Socapex, Symbol: S, (Series III), Promenade de l'Arve, Thyez, France
3. Arrow Pemco, Symbol: &, Amphenol Central Marketing Group, 9801 Legler Road, Lenexa, KS 66219, US
4. Avnet, Symbol: @, 10-A Centennial Drive, Peabody, MA 01960, US
5. Avnet EMG, 2200 William D. Tate Avenue, Grapevine, TX 76051, US
6. PEI Genesis, 1915 North Bendix Drive, South Bend, IN 46628, US
7. Powell Electronics, Inc., Symbol: *, 200 Commodore Drive, Logan Township, NJ 08085-1270, US
8. T.T.I., Inc., 4033 E. Belknap Street, Fort Worth, TX 76111, US

Manufacturer: Amphenol Aerospace/Pyle-National Connectors (CAGE Code: 49367)
Location: Pyle-National Connectors, 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Plant Locations:
1. Same Address as Manufacturer
2. Amphenol Corp. Optimize Manufacturing Co., 180 N. Freeport Dr. W-10, Nogales, AZ 85621, US

Distributor Locations:
1. Amphenol Ltd and Amphenol Ltd (Pyle National Division), Symbol: N, Whitstable, Kent CT5 3JF, United Kingdom
2. Avnet EMG, Symbol: L, 2200 William D. Tate Avenue, Grapevine, TX 76051, US

Manufacturer: Amphenol, Ltd. (CAGE Code: K1100)
Location: Thanet Way, CT5 3JF, Whitstable, Kent, UK

Plant Location: Same Address as Manufacturer

Distributor Locations:
1. Amphenol Air LB GmbH, AM Kleinbahnhof 4, D-66740 Saariouis, Germany
2. MPS Elektronic Production GmbH, Daimlerstr, 35, Leingarten, Germany
3. PEI-Genesis UK, Ltd., Symbol: PU, Unit 3, Trident Center, Armstrong Road, Basingstoke, RG24 8NU, Hampshire, UK
4. Quittner & Schimek s.r.o., Komenskeho, CR-509 01 Nova Paka, Czech Republic
5. Townsend Coatee, Ltd., Symbol: TCX, Lunsford Road, Leicester, LE5 0HH, England

Manufacturer: Amphenol/Socapex (CAGE Code: F6162)
Location: Promenade de l'Arve, B.P. 29, 74311, Thyez Cedex, France

Plant Location: Same Address as Manufacturer

Distributor Locations:
1. Amphenol Interconnect India Pvt. Ltd., Symbol: (AII), IMS Division, 105, Bhosari Industrial Estate, P.B. No. 1, Bhosari P.O., Bhosari, PUNE-411 026, India
2. QUALISUD-Groupe Corel, Symbol: (QS), 91955 Courtaboeuf Cedex, Atelier: 60131 Saint Just En Chaussee, France
3. Radiotechnika Marketing Sp.zo.o, Symbol: (RM), Ul. Fabryczna 20, Pietrzykowice, 55-080 Katy Wroclawskie, Poland

Manufacturer: Connecteurs Electriques Deutsch (CAGE Code: F1983)
Location: 17, rue Lavoisier, BP117, 27091 Evereux Cedex 9, France

Plant Location: Same Address as Manufacturer

Manufacturer: Deutsch ECD (CAGE Code: 11139)
Location: Engineered Connecting Devices, 250 Eddie Jones Way, Oceanside, CA 92054-1200, US

Plant Locations:
1. Same Address as Manufacturer
2. Deutsch ECD, Kilometer 127.86 Mexicali Tecate Federal Road, Tecate, Baja, California, Mexico

Distributor Locations:
1. Airtechnics, Inc., 3851 N. Webb Road, Wichita, KS 67226, US
2. Arrow Electronics, Inc., Blvd. Luis Donaldo Colosio, #1179 Interior Entre Calle 5 de Febreo y Calle General Victoriano Huerta, Nogales CP 84048, Sonora, Mexico
3. Astrex Electronics, Inc., 205 Express Street, Plainview, NY 11803, US
4. CPN Electronics, 4880 N. Hiatus Road, Sunrise, FL 33351, US
5. Compagnie Deutsch Distribution, Symbol: (CDD9), 8, rue Heroult, ZAC Sainte Genevieve, 92563 Rueil-Malmaison Cedex, France
6. Connecteurs Electriques Deutsch, Symbol: CD-9, (Series I, III), 10 rue Lionel Terray, 92500 Ruell-Malmaison, France
7. Deutsch Electronics Components Marketing (ECM, Symbol: DECM, P.O. Box 5082, 31 Hutzot Hayotzer Street, Ashkelon, South Industrial Zone 78150, Ashkelon, Israel
8. Deutsch, Ltd., Symbol: H, (Series I, III), Imberhorne Way, East Grinstead, West Sussex, RH19 1RW, England
9. Electro Enterprises, Inc., Symbol: E, 3601 North I-35, Oklahoma City, OK 73111, US
10. Jupitor Corp., Symbol: JPC, Manufacturing Facility - Futtsu, Japan, 1174-2 Nishiowada, Futtsu-City, Chiba 293-0035, Japan
11. M/s Deutsch India Connectors Pvt. Ltd., Symbol: (DI), # 104, Prestige Omega Building, EPIP Zone, 1 Phase, Whitefield Road, Bangalore - 560066, India
12. Unicor Federal Prison Industries, Symbol: U, (Series I,III), Box 1680, Black Canyon Road Stage 1, Phoenix, AZ 85029, US

Manufacturer: Deutsch, Ltd. (CAGE Code: K1316)
Location: Castleham Industrial Estate, 4 Stanier road, TN38 9RF, St. Leonards on Sea, East Sussex, UK

Plant Location: Same Address as Manufacturer

Distributor Location: Deutsch ECD, (25-20 Arrangement-M38999/31), 5733 W. Whittier Avenue, Hemet, CA 92543, US

Manufacturer: G & H Technology, Inc. (CAGE Code: 0D0V6)
Location: 750 Ventura Boulevard, Camarillo, CA 93010, US

Plant Location: Same Address as Manufacturer

Distributor Location: March Electronics, 25 Feldland Street, Bohemia, NY 11716, US

Manufacturer: Glenair, Inc. (CAGE Code: 06324)
Location: 1211 Air Way, Glendale, CA 91201-2497, US

Plant Location: Same Address as Manufacturer

Manufacturer: Hermetic Seal Corp. (CAGE Code: 04820)
Location: 4232 Temple City Boulevard, Rosemead, CA 91770, US

Plant Location: Same Address as Manufacturer

Manufacturer: Hi Rel Connectors, Inc. (CAGE Code: 34222)
Location: 760 W Wharton Drive, Claremont, CA 91711, US

Plant Location: Same Address as Manufacturer

Manufacturer: ITT Cannon (CAGE Code: 71468)
Location: 666 East Dyer Road, Santa Ana, CA 92705, US

Plant Locations:
1. Same Address as Manufacturer
2. ITT Cannon Prolongacion, Avenida Obregon #3673, Nogales, Sonora, Mexico

Distributor Locations:
1. Arrow Pemco, 9801 Legler Road, Lenexa, KS 66219, US
2. Astrex, Inc., Symbol: P, 205 Express Street, Plainview, NY 11803, US
3. Avnet EMG, 2200 William D. Tate Avenue, Grapevine, TX 76051, US
4. Avnet/Electro Air Corporation, Symbol: E, 500 Lake Ridge Drive, S.E., Smyrna, GA 30082, US
5. Avnet/Time Electronics/New England, Symbol: X, 10-A Centennial Drive, Peabody, MA 01960, US
6. PEI-Genesis, Symbol: O, 1915 North Bendix Drive, South Bend, IN 46628, US
7. Pan Pacific Electronics, Inc., 17985 N.E. 65th Street, Redmond, WA 98052, US

Manufacturer: ITT Cannon VEAM (CAGE Code: K0316)

Location: ITT Industries Ltd., Jays Close, Viables Industrial Estate, Basingstoke, Hampshire RG22 4BA, UK

Plant Location: Same Address as Manufacturer

Distributor Locations:
1. Aerco, Ltd., 17 Lawson Hunt Industrial Park, Broadbridge Heath, Horsham, West Sussex RH12 3JR, England
2. ITT Cannon VEAM, Jays Close, Viables Estate, Basingstoke, Hampshire RG22 4BA, England

Manufacturer: Joslyn Sunbank Company (CAGE Code: 07418)

Location: 1740 Commerce Way, Paso Robles, CA 93446, US

Plant Location: Same Address as Manufacturer

Manufacturer: Sealtron, Inc. (CAGE Code: 97814)

Location: 9705 Reading Road, Cincinnati, OH 45215-3592, US

Plant Location: Same Address as Manufacturer

Manufacturer: Souriau (CAGE Code: F0225)

Location: 9, rue de la Porte de Buc, 78000 Versailles, France

Plant Locations:
1. Souriau, RN23, 72470 Champagne, France
2. Souriau, 3, rue du Vallon, 94440 Marolles-en-Brie, France

Distributor Locations:
1. A.E. Petsche Company, Inc., 2112 West Division, Arlington, TX 76012, US
2. AVIALEC International, Petersfield Business Park, Petersfield, Hampshire, GU32 3LJ, UK
3. Aeroflite Enterprises, Inc., Symbol: (B), 261 Gemini Avenue, Brea, CA 92821, US
4. Air Electro, Inc., 9452 DeSoto Avenue, Chatsworth, CA 91313-2231, US
5. Allied Electronics Corp., Symbol: (AEC), G-10/11, M.I.D.C., Marol Andheri (East), Mumbai 400 093, India
6. BJG Electronics, Inc., 141 Remington Boulevard, Ronkonkoma, NY 11779, US
7. Chubu Nihon Maruko Co., LTD, 23-3 Noguchi, Komachi-shi, Aichi-Ken, 485-0806, Japan
8. Connector Technology, Inc., (Series I, II and III), 135 Industry Court, Kalispell, MT 59901-7991, US
9. FC Lane Electronics, Ltd., Slinfold Lodge, Horsham, West Sussex, RH13 7RN, United Kingdom
10. Hiconnex (PTY), Ltd., Symbol: HCX, Mount Royal Unit B3, James Crescent 657, Halfway House, Midrand, South Africa
11. MPS Electronic Vertriebs GmbH, Rosenheimer Strasse 4, 83620 Feldkirchen-Westerham, Germany
12. Rosenberger Filcon, 85521 Ottobrunn, Siemensstrabe 7, Germany
13. SERVO Connectors Ltd., Symbol: SVO, Connector House, Harden Road, Lydd, Kent, TN29 9LX, United Kingdom
14. Souriau Morocco Facility, Symbol: T, Bat. A, Ilot 13, Lot 12, Zone Franche Aeroportuaire de Tanger, Route de Rabat, 90000, Tanger, Morocco
15. T&G Elektro AS., Boks 56, 3524 Nes I Adal, Norway
16. TTI Inc., 2601 Sylvania Cross, Fort Worth, TX 76137, US