



QUALIFICATIONS VALIDATED
EVERY TWO YEARS

QPL-39006-109
21-Jul-05
SUPERSEDING
QPL-39006-108
18-Feb-05

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER PERFORMANCE SPECIFICATION
MIL-PRF-39006
CAPACITOR, FIXED, ELECTROLYTIC
(NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY,
GENERAL SPECIFICATION FOR

FAILURE RATE LEVEL "L" INACTIVE FOR NEW DESIGN AFTER 27 MAY 1976.

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-PRF-39006. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

The activity responsible for this QPL is the Defense Supply Center Columbus (DSCC-VQ), Columbus, OH 43218-3990.

NOTES:

An asterisk (*) adjacent to the product listing indicates that qualified parts listed on the QPL are available through distributors authorized by the manufacturer in accordance with Military Standard MIL-STD-790. Names and addresses of the distributors are listed in the back of this QPL. These lists are being furnished merely as an aid in identifying authorized sources of ER parts and the responsibility for complying with contractual provisions requiring use of such parts rests with the user of such parts. They have been compiled from information furnished by the manufacturers of ER parts prior to release of this QPL. Inclusion on, or omission from, the list of a particular distributor cannot be relied upon as a guarantee of such distributor's status since the information upon which the list is based may not have been complete and authorized distributors are subject to change by the manufacturer at any time. Inclusion of a firm on such list is not, under any circumstance, to be considered an indorsement of such firm or its products by the Department of Defense.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR10* Cap values 70 uf thru 140 uf, all tols.; 8V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.
CLR10* Cap values 50 uf thru 100 uf, all tols.; 10V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.
CLR10* Cap values 28 uf thru 56 uf, all tols.; 20V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.
CLR10* Cap values 50 uf thru 100 uf, all tols.; 30V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.
CLR10* Cap values 12 uf thru 25 uf, all tols.; 60V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.
CLR10* Cap values 8 uf thru 16 uf, all tols.; 90V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.
CLR10* Cap values 4 uf thru 8 uf, all tols.; 180V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.
CLR10* Cap values 2.5 uf thru 5 uf, all tols.; 270V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.
CLR10* Cap values 2 uf thru 4 uf, all tols.; 360V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTM-XTK	39006-123-71	/18	North American Capacitor Co.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR14* Cap values 100 uf thru 200 uf, all tols.; 20V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 75 uf thru 150 uf, all tols.; 30V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 40 uf thru 80 uf, all tols.; 60V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 25 uf thru 50 uf, all tols.; 90V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 12 uf thru 25 uf, all tols.; 180V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 8 uf thru 16 uf, all tols.; 270V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 6 uf thru 12 uf, all tols.; 360V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 5 uf thru 10 uf, all tols.; 450V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 4 uf thru 8 uf, all tols.; 540V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR14* Cap values 3.5 uf thru 7 uf, all tols.; 630V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTL-XTH	39006-123-71	/19	North American Capacitor Co.
CLR17* Cap values 370 uf thru 1300 uf, all tols.; 30V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR17* Cap values 200 uf thru 700 uf, all tols.; 60V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR17* Cap values 120 uf thru 450 uf, all tols.; 90V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR17* Cap values 42 uf thru 230 uf, all tols.; 180V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR17* Cap values 28 uf thru 150 uf, all tols.; 270V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR17* Cap values 22 uf thru 30 uf, all tols.; 360V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR17* Cap values 17 uf thru 25 uf, all tols.; 450V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR17* Cap values 14 uf thru 20 uf, all tols.; 540V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR17* Cap values 12 uf thru 18 uf, all tols.; 630V; life failure rates L, M, P; case sizes T1, T2, T3, T4	XTV	39006-123-71	/20	North American Capacitor Co.
CLR65* Hermetically-sealed Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR65* Hermetically-sealed				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65* Hermetically-sealed				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	TLX	39006-462-75	/9	North American Capacitor Co.
CLR65*				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR65* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65* Hermetically-sealed Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 27 uf thru 270 uf, all tols.; 65V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR69* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates L, M, P, R; char. H; case sizes T1, T2, T3, T4	TXX	39006-462-75	/21	North American Capacitor Co.
CLR69* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 27 uf thru 270 uf, all tols.; 65V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR69* Cap values 27 uf thru 270 uf, all tols.; 65V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR79* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR79* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLT	39006-322-81 39006-589-81 39006-374-82 39006-373-82 39006-897-84 39006-100-85	/22	North American Capacitor Co.
CLR79* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR79* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR81* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR81* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXT	39006-71-88	/25	North American Capacitor Co.
CLR81* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates ; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR81* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR90* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TLF	39006-019-95	/30	North American Capacitor Co.
CLR90* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR90* Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90* Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.

GOVERNMENT DESIGNATION	MANUFACTURER' S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR91* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-020-95	/31	North American Capacitor Co.
CLR91* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	TXF	39006-216-94	/31	North American Capacitor Co.
CLR91* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFI- CATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR91* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-989-04 39006-215-94	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91* Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.

Manufacturer and Supplier Location Information

Manufacturer: Cornell Dubilier, Inc. (CAGE Code: 00853)

Location: 140 Technology Drive, Liberty, SC 29657-3300, US

Plant Location: Same Address as Manufacturer

Manufacturer: Kemet Electronics Corp. (CAGE Code: 31433)

Location: P.O. Box 5928, 2835 Kemet Way, Greenville, SC 29606, US

Plant Location: Same Address as Manufacturer

Manufacturer: North American Capacitor Co. (CAGE Code: 37942)

Location: P.O. Box 489, 1701 Indianapolis Road, Greencastle, IN 46135, US

Plant Location: Same Address as Manufacturer

Category A**Distributor Locations:**

1. A-1 Consolidated, Inc., 5002 N. Industrial Way #3, Couer D'Alene Industrial Park, Couer D'Alene, ID 83814, US
2. Abacus Electronics, 1094 W. Maude, Sunnyvale, CA 94085, US
3. Aesco, 107 S. Arlington Street, Akron, OH 44306, US
4. Allied Electronics Corp., 7410 Pebble Drive, Fort Worth, TX 76118, US
5. Argent Industries, Inc., dba ADS Electra, Inc., 453 E. Wenger Road, Englewood, OH 45322, US
6. Arrow Electronics, Inc., 3254-B Fraser Street, Aurora, CO 80011, US
7. Arrow Electronics/Zeus, 50 Horseblock Road, Brookhaven, NY 11719, US
8. Avex Electronics Corp., 1683 Winchester Road, Bensalem, PA 19020, US
9. Bertech-Kelex Electronics, 16631 Millikan Avenue, Irvine, CA 92714, US
10. Broadline Electronics, 355 Oser Avenue, Hauppauge, NY 11788, US
11. Brothers Electronics, 2 Claire Road, East Brunswick, NJ 08816, US
12. CAPSCO Sales Inc., 2461 152nd Avenue, Redmond, WA 98052, US
13. CAPSCO Sles, Inc., 1031 Kiel Court, Sunnyvale, CA 94089, US
14. Capacitor Associates, P.O. Box 486, Main Street, Eitzen, MN 55931, US
15. Capacitor Supply, Inc. (CSI), 16551 Burke Lane, Huntington Beach, CA 92647, US
16. Carlton Bates, 949 Rosewood Drive, Columbia, SC 29201, US
17. Carlton Bates, 746 S. Vermont Street, Palatine, IL 60067, US
18. Chip-Tech, Ltd., 201 Austin Drive, Suite 101, Pharr, TX 78577, US
19. Chip-Tech, Ltd., 585 Merrick Road, Lynbrook, NY 11563-2311, US
20. Competitive Components, 105 E. Brooks Avenue, N. Las Vegas, NY 89030, US
21. Coughlin Electronics, 35 Otis Street, Westboro, MA 01580-5100, US
22. Delmar Electronics, 90-3 Colin Drive, Holbrook, NY 11741, US
23. Delta Electronics, Inc., 347 Railroad Avenue, Bridgeport, CT 06604, US
24. EBL Services, Inc., 215 McCormick Drive, Bohemia, NY 11716, US
25. ESCO LLC, 25 Hubble, Irvine, CA 92618, US
26. Electro Spec, 24 E. Clinton, Dover, NY 07801, US
27. Electronic Supply Center, 32 River Street, North Adams, MA 01247, US
28. Future Electronics, 41 Main Street, Bolton, MA 01740-1134, US
29. Gerber Electronics, 128 Carnegie Row, Norwood, MA 02062, US
30. HLK Industrial, Inc., 33251 Curtis Boulevard, Eastlake, OH 44095, US
31. Hammond Electronics, 1230 W. Central Boulevard, Orlando, FL 32805, US
32. Hammond Electronics, 1360 Presidential Drive, Richardson, TX 75081, US
33. Hughes-Peters, 5030 Oaklawn Drive, Cincinnati, OH 45227-1484, US
34. Integrated Electronics, 420 East 58th Avenue, Denver, CO 80216, US
35. Jaco Electronics, Inc., 2282 Towngate Road, Westlake Village, CA 91361, US
36. Jaco Electronics, Inc., 145 Oser Avenue, Hauppauge, NY 11787, US
37. Kellner Electronics, Inc., Ferry Road Business Center, Charlotte, VT 05445, US
38. Kent Electronics, 1400 Gillingham Lane, Sugar Land, TX 77478, US
39. Kent Electronics, 5620 West Road, McKean, PA 16426, US
40. Knight Electronics, Int'l., Inc., 31 Myrtle Street, Manhasset, NY 11030, US
41. Lakeview Electronics, 1054 E. Pioneer Road, Grafton, WI 53024, US
42. MCI, 139 White Oak Lane, Old Bridge, NJ 08857, US
43. Marlac Electronics, Inc., 311 New Albany Road, Morrestown, NJ 08057, US
44. Masline Electronics, Inc., 511 Clinton Avenue S., Rochester, NY 14620, US
45. Meunier Electronic Supply, 3409 E. Washington Street, Indianapolis, IN 46201, US
46. Midway Industrial Electronics, Inc., 137 Express Street, Plainview, NY 11803-2404, US
47. Neumann Electronics, Inc., 8665 Miralani Drive, San Diego, CA 92616, US
48. New Yorker Electronics Co., Inc., 420 Center Avenue, Mamaroneck, NY 10543, US
49. Newark Electronics, 217 Wilcox Avenue, Gaffney, SC 29340, US
50. Newark Electronics, 500 North Pulaski Road, Chicago, IL 60624, US
51. PEI/GENESIS, 2180 Hornig Road, Philadelphia, PA 19116, US
52. Pacific Diversified Components, 608 S. Venice Coulevard, Camarillo, CA 93012-6102, US
53. Passive Components, Inc., 3190 S. Bascom Avenue, #180, San Jose, CA 95124, US
54. Peerless Electronics, 19 Wilbur Street, Lynbrook, NY 11563, US
55. Pioneer Standard Electronics, 2385 Edison Boulevard, Twinsburg, OH 44087, US

Manufacturer and Supplier Location Information

56. Pioneer Technologies, 9100 Gaither Road, Gaithersburg, MD 20877, US
57. Pride Electronics, 60 Carolyn Boulevard, Farmingdale, NY 11735, US
58. Priest Electronics, 1525 Technology Drive, Chesapeake, VA 23320, US
59. Projections Unlimited, Inc., 14831 Myford Road, Tustin, CA 92780, US
60. RS Electronics, 34443 Schoolcraft Road, Livonia, MI 48150, US
61. RSC Electronics, 131 S. Laura, Wichita, KS 67211, US
62. Radio, Inc., 1000 S. Main Street, Tulsa, OK 74119, US
63. Resco Baltimore, 4961 Mercantile Road, White Marsh, MD 21236, US
64. Route Electronics, 1175 Globe Avenue, Mountainside, NJ 07042, US
65. Sager Electric Supply, 60 Research Road, Hingham, MA 02043, US
66. Sager Electronics, 19 Leona Drive, Middleborough, MA 02346, US
67. Sherburn Electronics, 175 Commerce Drive, Hauppauge, NY 11788, US
68. Simcona Electronics Corp., 335 Mt. Read Boulevard, Bldg. 2, Rochester, NY 14606, US
69. Spirit Electronics, 15150 N. Hayden Road, #104, Scottsdale, AZ 85260, US
70. State Electronics, 36 Route 10, East Hanover, NJ 07936, US
71. Talbot Company, 193 Old Mill Road, Manhasset, NY 11030, US
72. Targetronix, 6551 Cochran Road, Solon, OH 44139, US
73. Taylor Electronics, 42 Digital Drive, #13, Novato, CA 94949, US
74. Thompson Electronics, 2050 Fairwood Avenue, Columbus, OH 43207, US
75. Tonar Industries, 419 Franklin Avenue, Rockaway, NJ 07866, US
76. Trendsetter Electronics, 425 Round Rock West Drive, Building A, Suite 110, Round Rock, TX 78681, US
77. Tri-Start Electronics, Inc., 134 Remington Boulevard, Ronkonkoma, NY 11779, US
78. United Distributing, 1428 Airways Boulevard, Memphis, TN 38114, US
79. Voyager Electronics, 804 Thorndale, Bensenville, IL 60106, US
80. Walters Industrial Electronics, 3635 Main Street, Kansas City, MO 64111, US

Category B

Distributor Location:

1. TTI, Inc., 2441 Northeast Parkway, Ft. Worth, TX 76106, US

Manufacturer: Vishay Israel, Ltd. (CAGE Code: SH905)

Location: Vishay Dimona, Dimona Industrial Zone, Dimona 86000, Israel

Plant Location: Same Address as Manufacturer

Manufacturer: Vishay Tansitor Electronics, Inc. (CAGE Code: 05079)

Location: P.O. Box 230, West Road, Bennington, VT 05201-9714, US

Plant Location: Same Address as Manufacturer

Category A

Distributor Locations:

1. Jaco Electronics, 1305 West 121st Avenue, Westminster, CO 80234, US
2. Jaco Electronics, 2432 W. Peoria Avenue, Suite 1344, Phoenix, AZ 85029, US
3. Jaco Electronics, 1541-A Parkway Loop, Garden Grove, CA 92641, US
4. Jaco Electronics, 10270 Old Columbia Road, Columbia, MD 21046, US
5. Jaco Electronics, 5206 Greens Dairy Road, Raleigh, NC 27604, US
6. Jaco Electronics, 10340 Viking Drive, Suite 115, Eden Prairie, MN 55344, US
7. Jaco Electronics, 4900 S.W. Griffith Drive, Suite 129, Beaverton, OR 97005, US
8. Jaco Electronics, 101 E. Commerce Drive, Schaumburg, IL 60173, US
9. Jaco Electronics, 1209 N. Glennville Drive, Richardson, TX 75081, US
10. Jaco Electronics, 1053 East Street, Tewksbury, MA 01876, US
11. Jaco Electronics, 2120-A Braker Lane, Austin, TX 78758, US
12. Jaco Electronics, 17220 127th Place, N.E., Woodinville, WA 98072, US
13. Jaco Electronics, 1610-A Berryessa Road, San Jose, CA 95133, US
14. Jaco Electronics, 9900 West Sample Road, Suite 404, Coral Springs, FL 33065, US
15. Jaco Electronics, 22815 Savi Ranch Parkway, Suite E, Yorba Linda, CA 92887, US
16. Jaco Electronics, 2282 Townsgate Road, Westlake Village, CA 91361, US
17. Mast Distributors, Inc., 710-2 Union Parkway, Ronkonkoma, NY 11779, US
18. New Yorker Electronics, 420 Center Avenue, Mamaroneck, NY 10543, US
19. Southwest Electronics, 1701 Greenville, #817, Richardson, TX 75061, US
20. Southwest Electronics, P.O. Box 848, Stafford, TX 77497, US
21. Southwest Electronics, P.O. Box 202681, Austin, TX 78720-2681, US
22. T.T.I., Inc., 4625 S. Wendler Drive, Suite 108, Tempe, AZ 85281, US
23. T.T.I., Inc., 5774 S. Semoran Boulevard, Orlando, FL 32809, US
24. T.T.I., Inc., 1 Executive Drive, Suite 9, Morrestown, NJ 08057, US
25. T.T.I., Inc., 8 Fairfield Boulevard, Wallingford, CT 06492, US
26. T.T.I., Inc., Two Highwood Drive, Tewksbury, MA 01876, US
27. T.T.I., Inc., Zeppelinstr. 4, D-83178 Puchheim, Munich, Germany
28. T.T.I., Inc., Frankenring 16, D-30853 Langenhagen, Germany
29. T.T.I., Inc., 921 South Second Street, Ronkonkoma, NY 11749, US
30. T.T.I., Inc., 690 Rowntree Dairy Road, Unit 2, Woodbridge, Ontario L4L 5T7, Canada
31. T.T.I., Inc., Unit 3, Trada Business Campus, Stocking Lane, Hughendon Valley, High Wycombe Bucks HP14 4NB, Great Britain

Manufacturer and Supplier Location Information

32. T.T.I., Inc., 1868 Sources Blvd., Suite 318, Pointe Claire, Quebec H9R 5R2, Canada
33. T.T.I., Inc., 9577 N.E. 153rd Avenue, Redmond, WA 98052, US
34. T.T.I., Inc., 7185 S.W. Sandburg Road, Suite 202, Tigard, CA 97223, US
35. T.T.I., Inc., 6420 Dobbin Road, Columbia, MD 21045, US
36. T.T.I., Inc., 2445 S. 179th Street, Unit E., New Berlin, WI 53145, US
37. T.T.I., Inc., 6500 Poe Avenue, Suite 400, Dayton, OH 45114, US
38. T.T.I., Inc., 4700 Rockside Road, Suite 500, Independence, OH 44131, US
39. T.T.I., Inc., 10625 Richmond Avenue, Suite 100, Houston, TX 77042, US
40. T.T.I., Inc., 7359 Airport Freeway, Fort Worth, TX 76118, US
41. T.T.I., Inc., 10925 Valley View Road, Suite 100, Eden Prairie, MN 55344, US
42. T.T.I., Inc., 5050 Mark IV Parkway, Fort Worth, TX 76111, US
43. T.T.I., Inc., 9300 West 110th Street, #645, Overland Park, KS 66210, US
44. T.T.I., Inc., 1301 Basswood Road, Suite 350, Schaumburg, IL 60173, US
45. T.T.I., Inc., 1535 McCandless Drive, Milpitas, CA 95035, US
46. T.T.I., Inc., 6410 Atlantic Blvd., Suite 150, Norcross, GA 30071, US
47. T.T.I., Inc., 6510 W. 91st Avenue, Suite 400, Westminster, CO 80030, US
48. T.T.I., Inc., 15535 San Fernando Mission Blvd., Suite 300, Mission Hills, CA 91345, US
49. T.T.I., Inc., 1570 Brookhollow, Suite 103, Santa Ana, CA 92705, US
50. T.T.I., Inc., 4805 Green Road, Suite 120, Raleigh, NC 27616, US
51. T.T.I., Inc., 46700 Lakeview Boulevard, Fremont, CA 94538, US
52. T.T.I., Inc., 13220 Evening Creek Dr. S., Suite 101, San Diego, CA 92128, US

Category A

NON-STOCKING: NORMALLY DOES NOT STOCK PARTS IN QUANTITY

Distributor Locations:

1. New Yorker Electronics, 1103 W. Hibiscus Boulevard, Melbourne, FL 32901, US
2. New Yorker Electronics, Internal Division, Two Robbins Lane, Suite 201, Jericho, NY 11753, US
3. Spirit Electronics, 15150 N. Hayden Road, Suite 104, Scottsdale, AZ 88260, US

Category B

Distributor Locations:

1. Jaco Electronics, 145 Oser Avenue, Hauppauge, NY 11787, US
2. Sprague Sanford, 678 Main Street, Sanford, ME 04073, US
3. T.T.I., Inc., 2441 Northeast Parkway, Fort Worth, TX 76101-1896, US
4. Tansitor Electronics, Inc., 2813 West Road, Bennington, VT 05201, US