QUALIFICATIONS VALIDATED
EVERY TWO YEARS

QPL-39006-112
30-Nov-05
SUPERSEDING
QPL-39006-111
26-Oct-05

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER PERFORMANCE SPECIFICATION
MIL-PRF-39006
CAPACITOR, FIXED, ELECTROLYTIC
(NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY,
GENERAL SPECIFICATION FOR

FAILURE RATE LEVEL "L" INACTIVE FOR NEW DESIGN AFTER 27 MAY 1976.

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-PRF-39006. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

The activity responsible for this QPL is the Defense Supply Center Columbus (DSCC-VQ), Columbus, OH 43218-3990.

NOTES:
An asterisk (*) adjacent to the product listing indicates that qualified parts listed on the QPL are available through distributors authorized by the manufacturer in accordance with Military Standard MIL-STD-790. Names and addresses of the distributors are listed in the back of this QPL. These lists are being furnished merely as an aid in identifying authorized sources of ER parts and the responsibility for complying with contractual provisions requiring use of such parts rests with the user of such parts. They have been compiled from information furnished by the manufacturers of ER parts prior to release of this QPL. Inclusion on, or omission from, the list of a particular distributor cannot be relied upon as a guarantee of such distributor's status since the information upon which the list is based may not have been complete and authorized distributors are subject to change by the manufacturer at any time. Inclusion of a firm on such list is not, under any circumstance, to be considered an indorsement of such firm or its products by the Department of Defense.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR65*				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.
CLR65*				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-753-03	/9	Vishay Israel, Ltd.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR65* Hermetically-sealed				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR65* Hermetically-sealed				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates L, M, P, R; case sizes T1, T2, T3, T4	WT	39006-812-76 39006-42-02	/9	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR69*				
Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M; case sizes T1, T2, T3, T4	138D	39006-750-03	/21	Vishay Israel, Ltd.
CLR69*				
Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 27 uf thru 270 uf, all tols.; 65V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR69*				
Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	138D	39006-366-03	/21	Vishay Tansitor Electronics, Inc.
CLR79				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR79				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M; char. H; case sizes T1, T2, T3, T4	402	39006-1039-04	/22	Arcotronics, Ltd.
CLR79*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAT	39006-1486-06	/22	Cornell Dubilier, Inc.
CLR79*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79*				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAT	39006-1049-04	/22	Cornell Dubilier, Inc.
CLR79*				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR79*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T292	39006-759-04	/22	Kemet Electronics Corp.
CLR79*				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M; case sizes T1, T2, T3, T4	135D	39006-751-03	/22	Vishay Israel, Ltd.
CLR79*				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR79*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR79*				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AQ	39006-238-83 39006-989-04	/22	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M; char. H; case sizes T1, T2, T3, T4	TAX	39006-1486-06	/25	Cornell Dubilier, Inc.
CLR81*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81*				
Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81*				
Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P; char. H; case sizes T1, T2, T3, T4	TAX	39006-1049-04	/25	Cornell Dubilier, Inc.
CLR81*				
Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR81*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T295	39006-759-04	/25	Kemet Electronics Corp.
CLR81*				
Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M; char. H; case sizes T1, T2, T3, T4	135D	39006-752-03	/25	Vishay Israel, Ltd.
CLR81*				
Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR81*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR81*				
Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	AR	39006-789-85 39006-989-04	/25	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T290	39006-759-04	/30	Kemet Electronics Corp.
CLR90*				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 30 uf thru 1200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 25 uf thru 850 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR90*				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 20 uf thru 750 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 15 uf thru 540 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 10 uf thru 350 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 8 uf thru 300 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 5 uf thru 160 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 4 uf thru 140 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 3.5 uf thru 110 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ET	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 2.5 uf thru 86 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR90*				
Cap values 1.7 uf thru 56 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	EQ	39006-215-94 39006-989-04	/30	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR91*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	T291	39006-759-04	/31	Kemet Electronics Corp.
CLR91*				
Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 220 uf thru 2200 uf, all tols.; 6V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 180 uf thru 1800 uf, all tols.; 8V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 150 uf thru 1500 uf, all tols.; 10V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 100 uf thru 1000 uf, all tols.; 15V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 68 uf thru 680 uf, all tols.; 25V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-989-04 39006-215-94	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 56 uf thru 560 uf, all tols.; 30V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SPECIFICATION SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE)
CLR91*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 33 uf thru 330 uf, all tols.; 50V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 27 uf thru 270 uf, all tols.; 60V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 22 uf thru 220 uf, all tols.; 75V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ES	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 10 uf thru 120 uf, all tols.; 100V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.
CLR91*				
Cap values 6.8 uf thru 82 uf, all tols.; 125V; life failure rates M, P, R; char. H; case sizes T1, T2, T3, T4	ER	39006-216-94 39006-989-04	/31	Vishay Tansitor Electronics, Inc.

Manufacturer: Arcotronics, Ltd. (CAGE Code: U2391)
Location: Wood Burcote Trading Estate, Burcote Road, Towcester, NN12 6LX, Northants, United Kingdom

Plant Location: Same Address as Manufacturer

Manufacturer: Cornell Dubilier, Inc. (CAGE Code: 00853)
Location: 140 Technology Drive, Liberty, SC 29657-3300, US

Plant Location: Same Address as Manufacturer

Manufacturer: Kemet Electronics Corp. (CAGE Code: 31433)
Location: P.O. Box 5928, 2835 Kemet Way, Greenville, SC 29606, US

Plant Location: Same Address as Manufacturer

Manufacturer: Vishay Israel, Ltd. (CAGE Code: SH905)
Location: Vishay Dimona, Dimona Industrial Zone, Dimona 86000, Israel

Plant Location: Same Address as Manufacturer

Manufacturer: Vishay Tansitor Electronics, Inc. (CAGE Code: 05079)
Location: P.O. Box 230, West Road, Bennington, VT 05201-9714, US

Plant Location: Same Address as Manufacturer

Category A
Distributor Locations:
1. Jaco Electronics, 1305 West 121st Avenue, Westminster, CO 80234, US
2. Jaco Electronics, 2432 W. Peoria Avenue, Suite 1344, Phoenix, AZ 85029, US
3. Jaco Electronics, 1541-A Parkway Loop, Garden Grove, CA 92641, US
4. Jaco Electronics, 10270 Old Columbia Road, Columbia, MD 21046, US
5. Jaco Electronics, 5206 Greens Dairy Road, Raleigh, NC 27604, US
6. Jaco Electronics, 10340 Viking Drive, Suite 115, Eden Prairie, MN 55344, US
7. Jaco Electronics, 4900 S.W. Griffith Drive, Suite 129, Beaverton, OR 97005, US
8. Jaco Electronics, 101 E. Commerce Drive, Schaumburg, IL 60173, US
9. Jaco Electronics, 1209 N. Glennville Drive, Richardson, TX 75081, US
10. Jaco Electronics, 1053 East Street, Tewksbury, MA 01876, US
11. Jaco Electronics, 2120-A Braker Lane, Austin, TX 78758, US
12. Jaco Electronics, 17220 127th Place, N.E., Woodinville, WA 98072, US
13. Jaco Electronics, 1610-A Berryessa Road, San Jose, CA 95133, US
14. Jaco Electronics, 9900 West Sample Road, Suite 404, Coral Springs, FL 33065, US
15. Jaco Electronics, 22815 Savi Ranch Parkway, Suite E, Yorba Linda, CA 92887, US
16. Jaco Electronics, 2282 Townsgate Road, Westlake Village, CA 91361, US
17. Mast Distributors, Inc., 710-2 Union Parkway, Ronkonkoma, NY 11779, US
18. New Yorker Electronics, 420 Center Avenue, Mamaroneck, NY 10543, US
19. Southwest Electronics, 1701 Greenville, #817, Richardson, TX 75061, US
20. Southwest Electronics, P.O. Box 848, Stafford, TX 77497, US
21. Southwest Electronics, P.O. Box 202681, Austin, TX 78720-2681, US
22. T.T.I., Inc., 4625 S. Wendler Drive, Suite 108, Tempe, AZ 85281, US
23. T.T.I., Inc., 5774 S. Semoran Boulevard, Orlando, FL 32809, US
24. T.T.I., Inc., 1 Executive Drive, Suite 9, Morrestown, NJ 08057, US
25. T.T.I., Inc., 8 Fairfield Boulevard, Wallingford, CT 06492, US
26. T.T.I., Inc., Two Highwood Drive, Tewksbury, MA 01876, US
27. T.T.I., Inc., Zeppelinstr. 4, D-83178 Pucheim, Munich, Germany
28. T.T.I., Inc., Frankenring 16, D-30853 Langenhagen, Germany
29. T.T.I., Inc., 921 South Second Street, Ronkonkoma, NY 11749, US
30. T.T.I., Inc., 690 Rowntree Diary Road, Unit 2, Woodbridge, Ontario L4L 5T7, Canada
31. T.T.I., Inc., Unit 3, Trada Business Campus, Stocking Lane, Hughendon Valley, High Wycombe Bucks HP14 4NB, Great Britain
32. T.T.I., Inc., 1868 Sources Blvd., Suite 318, Pointe Claire, Quebec H9R 5R2, Canada
33. T.T.I., Inc., 9577 N.E. 153rd Avenue, Redmond, WA 98052, US
34. T.T.I., Inc., 7185 S.W. Sandburg Road, Suite 202, Tigard, CA 97223, US
35. T.T.I., Inc., 6420 Dobbin Road, Columbia, MD 21045, US
36. T.T.I., Inc., 2445 S. 179th Street, Unit E., New Berlin, WI 53145, US
37. T.T.I., Inc., 6500 Poe Avenue, Suite 400, Dayton, OH 45114, US
38. T.T.I., Inc., 4700 Rockside Road, Suite 500, Independence, OH 44131, US
39. T.T.I., Inc., 10625 Richmond Avenue, Suite 100, Houston, TX 77042, US
40. T.T.I., Inc., 7359 Airport Freeway, Fort Worth, TX 76118, US
41. T.T.I., Inc., 10925 Valley View Road, Suite 100, Eden Prairie, MN 55344, US
42. T.T.I., Inc., 5050 Mark IV Parkway, Fort Worth, TX 76111, US
43. T.T.I., Inc., 9300 West 110th Street, #645, Overland Park, KS 66210, US
44. T.T.I., Inc., 1301 Basswood Road, Suite 350, Schaumburg, IL 60173, US

45. T.T.I., Inc., 1535 McCandless Drive, Milpitas, CA 95035, US
46. T.T.I., Inc., 6410 Atlantic Blvd., Suite 150, Norcross, GA 30071, US
47. T.T.I., Inc., 6510 W. 91st Avenue, Suite 400, Westminster, CO 80030, US
48. T.T.I., Inc., 15535 San Fernando Mission Blvd., Suite 300, Mission Hills, CA 91345, US
49. T.T.I., Inc., 1570 Brookhollow, Suite 103, Santa Ana, CA 92705, US
50. T.T.I., Inc., 4805 Green Road, Suite 120, Raleigh, NC 27616, US
51. T.T.I., Inc., 46700 Lakeview Boulevard, Fremont, CA 94538, US
52. T.T.I., Inc., 13220 Evening Creek Dr. S., Suite 101, San Diego, CA 92128, US

Category A
NON-STOCKING: NORMALLY DOES NOT STOCK PARTS IN QUANTITY
Distributor Locations:
1. New Yorker Electronics, 1103 W. Hibiscus Boulevard, Melbourne, FL 32901, US
2. New Yorker Electronics, Internal Division, Two Robbins Lane, Suite 201, Jericho, NY 11753, US
3. Spirit Electronics, 15150 N. Hayden Road, Suite 104, Scottsdale, AZ 88260, US

Category B
Distributor Locations:
1. Jaco Electronics, 145 Oser Avenue, Hauppauge, NY 11787, US
2. Sprague Sanford, 678 Main Street, Sanford, ME 04073, US
3. T.T.I., Inc., 2441 Northeast Parkway, Fort Worth, TX 76101-1896, US
4. Tansitor Electronics, Inc., 2813 West Road, Bennington, VT 05201, US