

QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
MIL-R-39015

RESISTOR, VARIABLE, WIREWOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY

GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by Specification MIL-R-39015. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.



THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE U.S. ARMY COMMUNICATIONS-ELECTRONICS COMMAND AND FORT MONMOUTH. The activity designated as agent for all contacts relative to this QPL is the Defense Supply Center Columbus (DSCC-VQ), Columbus, OH 43216-5000.

NOTE: All products listed on this QPL are available through distributors authorized by the manufacturer in accordance with Military Standard MIL-STD-790. Names and addresses of the distributors are listed in the back of this QPL. These lists are being furnished merely as an aid in identifying authorized sources of ER parts and the responsibility for complying with contractual provisions requiring use of such parts rests with the user of such parts. Such lists have been compiled from information furnished by the manufacturers of ER parts prior to release of this QPL for printing.

Inclusion on, or omission from, the list of a particular distributor cannot be relied upon as a guarantee of such distributor's status since the information upon which the list is based may not have been complete and since authorized distributors are subject to change by the manufacturer at any time. Inclusion of a firm on such list is not, under any circumstance, to be considered an endorsement of such firm or its products by the Department of Defense.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFICATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RTR12				
M39015/1-002PM thru	535-160HS P 201 thru	39015-043-96	/1	Vamistor Corp.
M39015/1-008PM	535-160HS P 203			
M39015/1-002LM thru	534-160HS L 201 thru	39015-044-96		
M39015/1-008LM	534-160HS L 203			
M39015/1-002YM thru	539-160HS Y 201 thru	39015-045-96		
M39015/1-008YM	539-160HS Y 203			
Res. temp. char. D, terms. L, P, and Y, res. values 200 ohms thru 20,000 ohms, life failure rate M.				
RTR22				
M39015/2-003LP thru 008LP	M3250L	39015-U002-93	/2	Bourns, Inc. (1)
M39015/2-003PP thru 008PP	M3250P			
M39015/2-003WP thru 008WP	M3250W			
M39015/2-003XP thru 008XP	M3250X			
Res. temp. char. D, terms. L, P, W, and X, res. values 500 ohms thru 20,000 ohms, life failure rates M and P.				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFI - CATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RTR22 M39015/2 -002PM thru M39015/2 -008PM M39015/2 -002LM thru M39015/2 -008LM Res. temp. char. D, terms. L and P, res. values 200 ohms thru 20,000 ohms, life failure rate M.	701-160HS P 201 thru 701-160HS P 203 553-160HS L 201 thru 553-160HS L 203	39015-046-96 39015-047-96	/2	Vamistor Corp.
RTR22 M39015/2 -002WM thru M39015/2 -008WM M39015/2 -002XM thru M39015/2 -008XM Res. temp. char. D, terms. W and X, res. values 100 ohms thru 10,000 ohms, life failure rate M.	555-160HS W 201 thru 555-160HS W 203 555-160HS X 2 01 thru 555-160HS X 203	39015-048-96 39015-048-96	/2	Vamistor Corp.
RTR24 M39015/3 -006PR thru 010PR M39015/3 -006WR thru 010WR M39015/3 -006XR thru 010XR Res. temp. char. D, terms. P, W, and X, res. values 500 ohms thru 10,000 ohms, life failure rates M, P, and R.	M3290P M3290W M3290X	39015-U001-93	/3	Bourns, Inc. (1)
RTR24 M39015/3 -007PR thru 010PR M39015/3 -007WR thru 010WR M39015/3 -007XR thru 010XR Res. temp. char. D, terms. P, W, and X, res. values 1,000 ohms thru 10,000 ohms, life failure rates M, P, and R.	A3290P A3290W A3290X	39015-201-95	/3	Bourns, Inc. (2)
RTR24 M39015/3 -007PM thru 010PM M39015/3 -007WM thru 010WM M39015/3 -007XM thru 010XM Res. temp. char. D, terms. P, W, and X, res. values 500 ohms, life failure rates M, P, and R.	A3290P A3290W A3290X	39015-201-95	/3	Bourns, Inc. (2)
RTR24 M39015/3 -004PM thru M39015/3 -010PM M39015/3 -004LM thru M39015/3 -010LM Res. temp. char. D, terms. L and P, res. values 100 ohms thru 10,000 ohms, life failure rate M.	544-160HS P 101 thru 544-160HS P 103 543-160HS L 101 thru 543-160HS L 103	39015-049-96 39015-050-96	/3	Vamistor Corp.
RTR24 M39015/3 -002WM thru M39015/3 -010WM M39015/3 -002XM thru M39015/3 -010XM Res. temp. char. D, terms. W and X, res. values 20 ohms thru 10,000 ohms, life failure rate M.	545-160HS W 200 thru 545-160HS W 103 545-160HS X 101 thru 545-160HS X 103	39015-051-96 39015-051-96	/3	Vamistor Corp.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
Bourns, Inc. Trimpot Products Division 1200 Columbia Avenue Riverside, CA 92507	32997
Plants: 1. Bourns Electronics, Ltd. Hillend Industrial Estate Dunfermline, Fife KY11 5JD Scotland	
2. Bourns de Mexico, S.A. Blvd. Aqua Caliente 4600 Local 13, Centro Industrial Barranquita Tijuana, B.C., Mexico CP 22400	
Vamistor Corp. 144 River Bend Drive Sevierville, TN 37876	
Plant: Same Address	56856

AUTHORIZED ER DISTRIBUTORS: (Category A unless otherwise specified)

MANUFACTURER: Bourns, Inc.
1200 Columbia Avenue
Riverside, CA 92507

* NS (NON -STOCKING: NORMALLY DOES NOT STOCK PARTS IN QUANTITY)

Advacom
5620 West Road
McKean, PA 16426

Avnet, Inc.
620 Industrial Drive
Oxford, NC 27565

Bell Military
446 Windsor Park Drive
Dayton, OH 45459

Gerber Electronics
128 Carnegie Row
Norwood, MA 02062

Mast Distributors, Inc.
710-218 Union Parkway
Ronkonkoma, NY 11779

Pioneer/Standard
9100 Gaither Road
Gaithersburg, MD 20877

Radio Electric Service Co.
4961 Mercantile Road
Baltimore, MD 22123

T.T.I., Inc.
3441 N.E. Parkway
Fort Worth, TX 76111