Specification Details: **Date: 3/12/2012**

Specification: MIL-DTL-55302
Title: Connectors, Printed Circuit Subassembly and Accessories
Federal Supply Class (FSC): 5935
Conventional: Yes
Specification contains quality assurance program: No
MIL-STD-790 Established Reliability & High Reliability: No
MIL-STD-690 Failure Rate Sampling Plans & Procedures: No
Weibull Graded: No
Specification contains space level reliability requirements: No
Specification allows test optimization: No

Contact Information:

Office of Primary Involvement: Passive Devices Branch, DLA Land and Maritime - VQP
Primary Qualifying Activity Contact: 614-692-0609, e-mail: vqp.do@dla.mil
Secondary Qualifying Activity Contact: 614-692-6608, e-mail: vqp.jf@dla.mil

Notes:

N/A

Part Configuration:

M55302/1-03

Specification Designator	Specification Sheet Number	Dash Number
M55302	/1	-03

PART LISTINGS

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/1-03 thru -05	615-1-( )	55302-1146-82; 55302-568-85	/1	Micross Components, Interconnect Products
M55302/2-03 thru -05	615-1-( )	55302-1146-82; 55302-568-85	/2	Micross Components, Interconnect Products
M55302/4-01 thru -06	200766-( )	55302-383-84	/4	AbelConn, LLC
M55302/4-01 thru -06	600-1-( ) P Series	55302-1063-79	/4	Micross Components, Interconnect Products
M55302/5-01 thru -06	ST600-1-( )	55302-1536-85; 55302-320-85	/5	Micross Components, Interconnect Products
M55302/6-01 thru -06	200767-( )	55302-383-84	/6	AbelConn, LLC
M55302/6-01 thru -06	600-1-( ) SD16 Series	55302-1063-79	/6	Micross Components, Interconnect Products
M55302/7-05	201141-05	55302-155-93	/7	AbelConn, LLC
M55302/7-01 thru -05	600-1-( ) P Series	55302-867-80	/7	Micross Components, Interconnect Products
M55302/8-05	201142-05	55302-155-9	/8	AbelConn, LLC
M55302/8-01 thru -05	610-1-( ) SD16 Series	55302-867-80	/8	Micross Components, Interconnect Products
M55302/16-01 thru -21	MS145-5-( ) RP ( ) Series	55302-120-79	/16	Micross Components, Interconnect Products
M55302/17-01 thru -63	MS145-5-( ) S ( ) Series	55302-120-79	/17	Micross Components, Interconnect Products
M55302/18-01 thru -21	MS145-5-( ) P ( ) Series	55302-120-79	/18	Micross Components, Interconnect Products
M55302/21-01 thru -02	HOMO92MEA( )X71H	55302-94-81	/21	IEH Corporation

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/21-01 thru -02	FHA0( )-92	55302-051-99; 55302-684-83	/21	Incon, Inc.
M55302/21-01 thru -02	610-1-92P( )	55302-947-82	/21	Micross Components, Interconnect Products
M55302/22-01 thru -03	( )OMO92FDA( )X71H	55302-1045-84; 55302-94-81	/22	IEH Corporation
M55302/22-01 thru -03	FHC( )-92	55302-051-99; 55302-355-89	/22	Incon, Inc.
M55302/22-01 thru -03	610-1-92SD( )	55302-947-82	/22	Micross Components, Interconnect Products
M55302/23-16 thru -30	( )530785-( )	55302-34-90; 55302-549-80	/23	TE Connectivity/AMP, Inc.
M55302/24-45 thru -88	( )5311( )-( )	55302-34-90; 55302-549-80	/24	TE Connectivity/AMP, Inc.
M55302/25-17 thru -32	5311( )-( )	55302-34-90	/25	TE Connectivity/AMP, Inc.
M55302/26-10 thru -22	( )530761-( )	55302-34-90; 55302-549-80	/26	TE Connectivity/AMP, Inc.
M55302/26-02	583706-2	55302-549-80	/26	TE Connectivity/AMP, Inc.
M55302/27-91 thru -190	530(XXX)-(X)	55302-34-90; 55302-410-80; 55302-701-76	/27	TE Connectivity/AMP, Inc.
M55302/27-190 thru -229	(X)-530(XXX)-(X)	55302-34-90; 55302-410-80; 55302-701-76	/27	TE Connectivity/AMP, Inc.
M55302/31-06	WBKY-(X)	55302-166-95	/31	AirBorn Operating LP
M55302/31-01 thru -10	5(XXXXX)-(X)	55302-18-89; 55302-34-90; 55302-549-80	/31	TE Connectivity/AMP, Inc.
M55302/31-01 thru -07	(X-)(XXXXXX)-(X)	55302-34-90; 55302-549-80	/31	TE Connectivity/AMP, Inc.
M55302/55	W(R)TA(10 thru 70) ( ) ( )	55302-1112-85; 55302-138-89; 55302-170-96; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83; 55302-358-92; 55302-446-86	/55	AirBorn Operating LP
Contact Types: -, L Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70 Terminal Types: A, B, C, D, E, F Hardware: H, L, M, S				
M55302/55	(UMG,HGM) (10 thru 70)	55302-1177-86	/55	IEH Corporation
Contact Types: -, L Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70 Terminal Types: A, B, C, D, E, F Hardware: H, L, M, S				
M55302/55	(FAR,FA) ( ) (10 thru 70)	55302-051-99; 55302-051-99; 55302-1155-85; 55302-1161-85; 55302-389-89; 55302-572-90	/55	Incon, Inc.
Contact Types: -, L Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70 Terminal Types: A, B, C, D, E, F Hardware: H, L, M, S				
M55302/55	(M,CM,LM,or LCM)(10 thru 70) S( ) ( ) (,-R4)	55302-1031-80; 55302-358-84; 55302-689-82; 55302-974-85; 55302-982-86	/55	Micross Components, Interconnect Products
Contact Types: -, L Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70 Terminal Types: A, B, C, D, E, F Hardware: H, L, M, S				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/55	UMR-(010 thru 070)FF ( )( )	55302-1099-79; 55302-2-91; 55302-250-02; 55302-54-90; 55302-836-87; 55302-97-90; 55302-980-87	/55	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: H, L, M, S				
M55302/56	W(R)TA(10 thru 70) ( )	55302-138-89; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83	/56	AirBorn Operating LP
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
M55302/56	HGM (10 thru 70)	55302-381-84	/56	IEH Corporation
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
M55302/56	(FB,FBR) ( ) 10 thru 70	55302-051-99; 55302-20-75; 55302-375-81; 55302-389-89; 55302-476-80; 55302-572-90	/56	Incon, Inc.
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
M55302/56	M(10 thru 70) P( ) S25 (,-R4)	55302-1031-80; 55302-358-84; 55302-974-85; 55302-982-86	/56	Micross Components, Interconnect Products
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
M55302/56	UMR(010 thru 070)MM (0, 2, 3, 4, 6) SL	55302-1099-79; 55302-250-02; 55302-54-90; 55302-836-87; 55302-97-90; 55302-980-87	/56	Micross Components, Interconnect Products
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, E, F				
M55302/57	W(R)TB(10 thru 70) PR7, PR9 JTB, JTA, SY and SY-1	55302-138-89; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83	/57	AirBorn Operating LP
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C				
Hardware: H, S, X, Y				
M55302/57-01 thru -02	TN1680	55302-895-75	/57	AirBorn Operating LP
M55302/57	HGM (10 thru 70)	55302-135-84; 55302-731-79	/57	IEH Corporation
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C				
Hardware: H, S, X, Y				
M55302/57-01	NS256-1	55302-731-79	/57	IEH Corporation
M55302/57	(FC,FCR,PBAWPO) (10 thru 70) ( )	55302-051-99; 55302-134-81; 55302-21-75; 55302-389-89; 55302-476-80	/57	Incon, Inc.
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C				
Hardware: H, S, X, Y				
M55302/57	MARP(10 thru 70) P( ) ( ) ( )	55302-1030-80; 55302-974-85	/57	Micross Components, Interconnect Products
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C				
Hardware: H, S, X, Y				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/57	URR(010 thru 070)FM( )( ) (1, 2, 3) (KH, KS, XF, YF)	55302-250-02; 55302-316-85; 55302-54-90; 55302-97-90	/57	Micross Components, Interconnect Products
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C				
Hardware: H, S, X, Y				
M55302/58	(WRTBX,WRTB,WTBX,WTB) (10 thru 70) ( ) ( ) (J,SY,SY-1,JTA and JTB)	55302-1112-85; 55302-138-89; 55302-170-96; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83; 55302-358-92; 55302-446-86	/58	AirBorn Operating LP
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F, H				
Hardware: F, H, S, X, Y				
M55302/58	(HGM,UGM) (10 thru 70)	55302-135-84; 55302-731-79	/58	IEH Corporation
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F, H				
Hardware: F, H, S, X, Y				
M55302/58	(FD,FDR) ( ) -10 thru 70	55302-051-99; 55302-1155-85; 55302-1161-85; 55302-389-89; 55302-572-90	/58	Incon, Inc.
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F, H				
Hardware: F, H, S, X, Y				
M55302/58	(MAR,CMAR,LMAR,LCMAR)(10 thru 70) S( ) ( ) (,-R4)	55302-1030-80; 55302-358-84; 55302-689-82; 55302-974-85; 55302-982-86	/58	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F, H				
Hardware: F, H, S, X, Y				
M55302/58	UER(010 thru 070)MF( )( ) (0, 2, 3, 4, 5, 6)(SF, KH, KS, XF, YF)	55302-1099-79; 55302-2-91; 55302-250-02; 55302-54-90; 55302-836-87; 55302-97-90; 55302-980-87	/58	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F, H				
Hardware: F, H, S, X, Y				
M55302/59	W(R)TB (90, 100, & 120) ( ) ( ) J, JTB and JTA	55302-138-89; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83	/59	AirBorn Operating LP
Number of Contacts: 90, 100, 120				
Terminal Types: A, B, C				
Hardware: F, H, S, X, Y				
M55302/59	HGM ( ) ( ) ( )	55302-793-84; 55302-799-78	/59	IEH Corporation
Number of Contacts: 90, 100, 120				
Terminal Types: A, B, C				
Hardware: F, H, S, X, Y				
M55302/59	FC(R) ( ) -90, 100 & 120	55302-051-99; 55302-21-79; 55302-375-81; 55302-389-89; 55302-476-80	/59	Incon, Inc.
Number of Contacts: 90, 100, 120				
Terminal Types: A, B, C				
Hardware: F, H, S, X, Y				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/59	MARP (90, 100 & 120) P( ) ( ) ( )	55302-358-84; 55302-974-85	/59	Micross Components, Interconnect Products
Number of Contacts: 90, 100, 120 Terminal Types: A, B, C Hardware: F, H, S, X, Y				
M55302/59	URR(090, 100, 120)FM( )( ) (1, 2, 3)	55302-192-88; 55302-250-02; 55302-54-90; 55302-97-90; 55302-980-87	/59	Micross Components, Interconnect Products
Number of Contacts: 90, 100, 120 Terminal Types: A, B, C Hardware: F, H, S, X, Y				
M55302/60	(WTB,WTBX,WRTB,WRTBX) (90, 100 & 120) ( ) ( ) J, SY and SY-1	55302-1112-85; 55302-138-89; 55302-170-96; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83; 55302-358-92; 55302-446-86	/60	AirBorn Operating LP
Number of Contacts: 90, 100, 120 Terminal Types: A, B, C, D, E Hardware: F, H, S, X, Y				
M55302/60	(H,U) GM ( ) F ( )	55302-800-78	/60	IEH Corporation
Number of Contacts: 90, 100, 120 Terminal Types: A, B, C, D, E Hardware: F, H, S, X, Y				
M55302/60	(FD,FDR) ( ) -90, 100, & 120	55302-051-99; 55302-1155-85; 55302-1161-85; 55302-389-89; 55302-572-90	/60	Incon, Inc.
Number of Contacts: 90, 100, 120 Terminal Types: A, B, C, D, E Hardware: F, H, S, X, Y				
M55302/60	UER(090, 100, 120)MF( )( ) (0, 2, 3, 4)	55302-192-88; 55302-2-91; 55302-250-02; 55302-54-90; 55302-97-90; 55302-980-87	/60	Micross Components, Interconnect Products
Number of Contacts: 90, 100, 120 Terminal Types: A, B, C, E Hardware: F, H, S, X, Y				
M55302/60	(MAR,CMAR,LMAR,LCMAR)(90, 100 & 120) S( ) ( )	55302-358-84; 55302-974-85	/60	Micross Components, Interconnect Products
Number of Contacts: 90, 100, 120 Terminal Types: A, B, C, D, E, F Hardware: F, H, S, X, Y				
M55302/61	(WTB,WRTB) (10 thru 70) ( ) J	55302-138-89; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83	/61	AirBorn Operating LP
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70 Terminal Types: A, B, C				
M55302/61	HGM (10 thru 70) ( )	55302-731-79	/61	IEH Corporation
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70 Terminal Types: A, B, C				
M55302/61	(FC,FCR) ( ) 10 thru 70	55302-051-99; 55302-22-75; 55302-375-81; 55302-389-89; 55302-467-80	/61	Incon, Inc.
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70 Terminal Types: A, B, C				
M55302/61	MARP (10 thru 70) P( ) S	55302-1030-80; 55302-974-85	/61	Micross Components, Interconnect Products
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70 Terminal Types: A, B, C				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/61	URR(010 thru 070)FM (1, 2, 3) SF	55302-250-02; 55302-316-85; 55302-54-90; 55302-97-90	/61	Micross Components, Interconnect Products
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C				
M55302/62	W(R)TAX (10 thru 70) ( ) ( ) JTB, JTL, JT and JTA	55302-1112-85; 55302-138-89; 55302-170-96; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83; 55302-358-92; 55302-446-86	/62	AirBorn Operating LP
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: H, L, M, S				
M55302/62	(HGM,UGM) (l0 thru 70) ( )	55302-731-79	/62	IEH Corporation
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: H, L, M, S				
M55302/62	(FB,FBR) ( ) -10 thru 70	55302-051-99; 55302-1155-85; 55302-1161-85; 55302-389-89; 55302-572-90	/62	Incon, Inc.
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: H, L, M, S				
M55302/62	(MR,CMR,LMR,LCMR)(10 thru 70) S( ) ( ) (,-R4)	55302-1031-80; 55302-358-84; 55302-689-82; 55302-974-85; 55302-982-86	/62	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: H, L, M, S				
M55302/62	UMR(010 thru 070)MF( )( ) (0, 2, 3, 4, 5, 6)	55302-1099-79; 55302-2-91; 55302-250-02; 55302-54-90; 55302-836-87; 55302-97-90; 55302-980-87	/62	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: H, L, M, S				
M55302/63	(WTA,WTAV,WRTA,WRTAV) (10 thru 70) ( ) ( )	55302-138-89; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83	/63	AirBorn Operating LP
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E				
Hardware: F, H, L, M, S, X, Y				
M55302/63	HGM (10 thru 70)	55302-1177-86	/63	IEH Corporation
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E				
Hardware: F, H, L, M, S, X, Y				
M55302/63	(FA,FAR) ( ) -10 thru 70	55302-051-99; 55302-134-81; 55302-23-75; 55302-375-81; 55302-389-89; 55302-476-80; 55302-572-90	/63	Incon, Inc.
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E				
Hardware: F, H, L, M, S, X, Y				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/63	MR(10 thru 70)P ( ) ( ) ( ) (,-R4)	55302-1031-80; 55302-358-84; 55302-974-85; 55302-982-86	/63	Micross Components, Interconnect Products
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E				
Hardware: F, H, L, M, S, X, Y				
M55302/63	UMR(010 thru 070)FM( )( ) (0, 2, 3, 5, 6) (SL, KH, KL, KM, KS, X, Y)	55302-1099-79; 55302-250-02; 55302-54-90; 55302-836-87; 55302-97-90; 55302-980-87	/63	Micross Components, Interconnect Products
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E				
Hardware: F, H, L, M, S, X, Y				
M55302/64	(WTA,WTAX,WRTA,WRTAX) (10 thru 70) ( ) ( ) ( )	55302-1112-85; 55302-138-89; 55302-170-96; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83; 55302-358-92; 55302-446-86	/64	AirBorn Operating LP
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: F, X, Y				
M55302/64	(HGM,UGM) (010 thru 070) ( ) ( )	55302-731-79	/64	IEH Corporation
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: F, X, Y				
M55302/64	(FB,FBR) ( ) -10 thru 70	55302-051-99; 55302-1155-85; 55302-1161-85; 55302-389-89; 55302-572-90	/64	Incon, Inc.
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: F, X, Y				
M55302/64	(MR,CMR,LMR,LCMR)(10 thru 70) S ( ) ( ) (,-R4)1	55302-1031-80; 55302-358-84; 55302-689-82; 55302-974-85; 55302-982-86	/64	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: F, X, Y				
M55302/64	UMR(010 thru 070)MF( )( ) (0, 2, 3, 5, 6) (SL,X,Y)	55302-1099-79; 55302-2-91; 55302-250-02; 55302-54-90; 55302-836-87; 55302-97-90; 55302-980-87	/64	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Terminal Types: A, B, C, D, E, F				
Hardware: F, X, Y				
M55302/65-01 thru -02	WTK2222S(A)	55302-262-92; 55302-319-83	/65	AirBorn Operating LP
M55302/65	W(R)TKA (10 thru 70) (S) J, JTB, JTA, SY and SY-1	5302-358-92; 55302-1112-85; 55302-138-89; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83	/65	AirBorn Operating LP
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Hardware: F, H, S, X, Y				
M55302/65-01 thru -02	E7950-G11	55302-051-99; 55302-1155-85	/65	Incon, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/65	FKDS (10 thru 70) ( )	55302-051-99; 55302-1155-85; 55302-1161-85; 55302-247-93	/65	Incon, Inc.
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Hardware: F, H, S, X, Y				
M55302/65-01 thru -02	(M,LIM)-S2A22	55302-667-87	/65	Micross Components, Interconnect Products
M55302/65	(L)CMARC ( )( )-A22	55302-667-87	/65	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Hardware: F, H, S, X, Y				
M55302/65-01 thru -02	310-2222-(XXX)	39029-1023-77	/65	Tri-Star Electronics
M55302/66	W(R)TDXA (10 thru 70) (S) J, JTB, JTL, and JTA, JT	55302-1112-85; 55302-138-89; 55302-262-92; 55302-267-83; 55302-273-89; 55302-319-83; 55302-358-92	/66	AirBorn Operating LP
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Hardware: F, H, L, M, S				
M55302/66	FKBS (10 thru 70)	55302-051-99; 55302-1155-85; 55302-1161-85; 55302-247-93	/66	Incon, Inc.
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Hardware: F, H, L, M, S				
M55302/66	(L)CMRC ( )( )-A22	55302-667-87	/66	Micross Components, Interconnect Products
Contact Types: -, L				
Number of Contacts: 10, 14, 20, 24, 26, 30, 36, 40, 44, 50, 54, 56, 60, 66, 70				
Hardware: F, H, L, M, S				
M55302/67-01 thru -02	10-398077-(X)	55302-910-75	/67	Amphenol Products
M55302/68-01 thru -02	10-398078-(X)	55302-910-75	/68	Amphenol Products
M55302/69-01 thru -02	10-398079-(X)	55302-910-75	/69	Amphenol Products
M55302/70-01 thru -02	10-398080-(X)	55302-910-75	/70	Amphenol Products
M55302/71-01 thru -02	10-398081-(X)	55302-910-75	/71	Amphenol Products
M55302/72-01 thru -02	10-398082-(X)( )( )	55302-910-75	/72	Amphenol Products
M55302/73-01 thru -02	10-398083-(X)( )( )	55302-910-75	/73	Amphenol Products
M55302/74-01 thru -04	10-398084-(X)	55302-910-75	/74	Amphenol Products
M55302/75-01 thru -02	10-398085-(X)	55302-910-75	/75	Amphenol Products
M55302/76-01 thru -02	10-398086-(X)	55302-910-75	/76	Amphenol Products
M55302/77-01 thru -02	10-(XXXXXX)-(X)	55302-910-75	/77	Amphenol Products
M55302/110-10 thru -18	531721-X	55302-701-76	/110	TE Connectivity/AMP, Inc.
M55302/110-19 thru -27	531722-X	55302-701-76	/110	TE Connectivity/AMP, Inc.
M55302/110-28 thru -31	1-531721-X	55302-701-76	/110	TE Connectivity/AMP, Inc.
M55302/110-32 thru -35	1-531722-X	55302-701-76	/110	TE Connectivity/AMP, Inc.
M55302/113-01 thru -105	(X-)(530XXX)-(X)	55302-1017-78	/113	TE Connectivity/AMP, Inc.
M55302/117-01 thru -11	WB(XX)(X)PR8	55302-166-95	/117	AirBorn Operating LP

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/117-01 thru -11	(X)-530743-(X)	44302-340-92; 55302-101-89; 55302-664-77	/117	TE Connectivity/AMP, Inc.
M55302/118-01 thru -22	WBB(XX)(X)PMT	55302-166-95	/118	AirBorn Operating LP
M55302/118-01 thru -22	(X)-53(XXXX)-(X)	55302-101-89; 55302-340-92; 55302-664-77	/118	TE Connectivity/AMP, Inc.
M55302/119-01 thru -14	WB(XX)(X)SD9(/)1(X)	55302-166-95	/119	AirBorn Operating LP
M55302/119-01 thru -14	(X-)53074(X)-(X)	55302-101-89; 55302-340-92; 55302-664-77	/119	TE Connectivity/AMP, Inc.
M55302/120-01	2-1532018-5	55302-1209-87	/120	TE Connectivity
M55302/121-01	4-1532018-5	55302-1209-87	/121	TE Connectivity
M55302/122-01	3-1532018-4	55302-1209-87	/122	TE Connectivity
M55302/123-01	4-1532018-9	55302-1209-87	/123	TE Connectivity
M55302/124-01 thru -02	0-1(XXXXXX)-(X)	55302-1209-87	/124	TE Connectivity
M55302/125-01	530725-3	55302-897-78	/125	TE Connectivity/AMP, Inc.
M55302/126-01	530726-3	55302-897-78	/126	TE Connectivity/AMP, Inc.
M55302/127	20(XXXX)-(XX)	55302-85-89	/127	AbelConn, LLC
Number of Contacts: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65				
PC Board Type: 1, 2, 3				
Plating Type: A, B, C				
M55302/127	5-104-(XX)-A-MIL	55302-29-88	/127	Cristek Interconnects, Inc.
Number of Contacts: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65				
PC Board Type: 1				
Plating Type: B				
M55302/127	(6-)(X)(XXXXX)-(X)	55302-646-80	/127	TE Connectivity/AMP, Inc.
Number of Contacts: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65				
PC Board Type: 1, 2, 3				
Plating Type: B				
M55302/128	20(XXXX)-(XX)	55302-85-89	/128	AbelConn, LLC
Number of Contacts: AA, AB, AC, AD, AE, AF, AG, AH, AJ, AK, AL, AM, AN, AP, AQ, AR, BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BN, BP, BQ, BR, CA, CB, CC, CD, CE, CF, CG, CH, CJ, CK, CL, CM, CN, CP, CQ, CR, DA, DB, DC, DD, DE, DF, DG, DH, DJ, DK, DL, DM, DN, DP, DQ, DR				
PC Board Type: 1				
Plating Type: A, B, C, D, E, F, G, H, I				
M55302/128	(XX)-(XXX)-(XX)-(X)-MIL	55302-29-88	/128	Cristek Interconnects, Inc.
Number of Contacts: AA, AB, AC, AD, AE, AF, AG, AH, AJ, AK, AL, AM, AN, AP, AQ, AR, BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BN, BP, BQ, BR, CA, CB, CC, CD, CE, CF, CG, CH, CJ, CK, CL, CM, CN, CP, CQ, CR, DA, DB, DC, DD, DE, DF, DG, DH, DJ, DK, DL, DM, DN, DP, DQ, DR				
PC Board Type: 1, 2, 3				
Plating Type: A, B, C, D, E, F, G, H, I				
M55302/128	(6-)(X)(XXXXX)-(X)	55302-646-80	/128	TE Connectivity/AMP, Inc.
Number of Contacts: AA, AB, AC, AD, AE, AF, AG, AH, AJ, AK, AL, AM, AN, AP, AQ, AR, BA, BB, BC, BD, BE, BF, BG, BH, BJ, BK, BL, BM, BN, BP, BQ, BR, CA, CB, CC, CD, CE, CF, CG, CH, CJ, CK, CL, CM, CN, CP, CQ, CR, DA, DB, DC, DD, DE, DF, DG, DH, DJ, DK, DL, DM, DN, DP, DQ, DR				
PC Board Type: 1				
Plating Type: A, B, C, D, E, F				
M55302/128	(1-)(102XXX)-(X)	55302-646-80	/128	TE Connectivity/AMP, Inc.
Number of Contacts: AK, AM, BH, BK, BM, BN, CG, CJ, DA, DB, DL				
PC Board Type: 2				
Plating Type: A, B, C, D, E, F				
M55302/129-01 thru -18	M55302/129-(XX) or (1-)(XXXXXX)-(X)	55302-735-80	/129	TE Connectivity/AMP, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/130-01 thru -46	M55302/130-(XX) or (1-)(XXXXXX)-(X)	55302-735-80	/130	TE Connectivity/AMP, Inc.
M55302/131-01 thru -02	10 8457 096 002 91(X)	55302-006-97	/131	AVX/Elco
M55302/132-04 thru -06	20 8457 096 00(X) 9(XX)	55302-006-97	/132	AVX/Elco
M55302/132-01 thru -02	20 8457 096 00(X) 9(XX)	55302-006-97	/132	AVX/Elco
M55302/133-01 thru -03	10 8457 064 002 90(X)	55302-006-97	/133	AVX/Elco
M55302/134-01 thru -08	20 8457 064 00(X) 90(X)	55302-006-97	/134	AVX/Elco
M55302/138	W(R)G160 ( ) ( ) SY, SY-1, J, JTA and JTB PR7, PR9, and PR11	55302-138-89; 55302-170-96; 55302-170-96; 55302-262-92; 55302-267-83; 55302-319-83	/138	AirBorn Operating LP
Number of Contacts: 160 Terminal Types: A, B, C Hardware: F, H, S, X, Y				
M55302/138	HGM160MEA ( ) ( )	55302-65-81; 55302-794-84	/138	IEH Corporation
Number of Contacts: 160 Terminal Types: A, B, C Hardware: F, H, S, X, Y				
M55302/138	FL(R) ( ) - 160	55302-051-99; 55302-376-81	/138	Incon, Inc.
Number of Contacts: 160 Terminal Types: A, B, C Hardware: F, H, S, X, Y				
M55302/138	3MARP160P( )( )	55302-982-86	/138	Micross Components, Interconnect Products
Number of Contacts: 160 Terminal Types: A, B, C Hardware: F, H, S, X, Y				
M55302/139	(WG160, WGX160, WRG160, WRGX160) ( ) ( ) ( )	55302-1112-85; 55302-138-89; 55302-262-92; 55302-267-83; 55302-319-83; 55302-358-92; 55302-446-86	/139	AirBorn Operating LP
Number of Contacts: 160 Terminal Types: A, B, C, D, E, F, H Hardware: F, H, S, X, Y				
M55302/139	(HGM, UMG)160FBA ( )	55302-65-81	/139	IEH Corporation
Number of Contacts: 160 Terminal Types: A, B, C, D, E, F, H Hardware: F, H, S, X, Y				
M55302/139	FM ( ) - 160	55302-051-99; 55302-1155-85; 55302-1161-85; 55302-572-90	/139	Incon, Inc.
Number of Contacts: 160 Terminal Types: A, B, C, D, E, F, H Hardware: F, H, S, X, Y				
M55302/139	LC3MAR160S( )( )	55302-983-86	/139	Micross Components, Interconnect Products
Number of Contacts: 160 Terminal Types: A, B, C, D, E, F, H Hardware: F, H, S, X, Y				
M55302/156-01 thru -30	(1-)5317(XX)-(X)	55302-317-87	/156	TE Connectivity/AMP, Inc.
M55302/157-02	10 8477 096 00(X) 90(X)	55302-006-97	/157	AVX/Elco
M55302/157-04	10 8477 096 00(X) 90(X)	55302-006-97	/157	AVX/Elco
M55302/158-01 thru -02	20 8477 096 002 90(X)	55302-006-97	/158	AVX/Elco

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
D55302/159	HPD, KA ( )/127 ( ) ( ) ( ) ( ) ( )	55302-163-83; 55302-282-84; 55302-335-89	/159	Hypertronics Corporation
Number of Contacts: 17, 29, 33, 41, 53, 65				
Terminal Types: A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R, S, T, U, V, W, Y, Z				
Hardware: B, F, G, J, P, T, U, V, W, X, Z				
D55302/160	HPD, KA ( )/127 ( ) ( ) ( ) ( ) ( )	55302-163-83; 55302-282-84; 55302-335-89	/160	Hypertronics Corporation
Number of Contacts: 72, 84, 96, 120				
Terminal Types: A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R, S, T, U, V, W, Y, Z				
Hardware: B, F, G, J, P, T, U, V, W, X, Z				
D55302/161	HPF 160 M(XX)LO 072	55302-282-84	/161	Hypertronics Corporation
Number of Contacts: 160				
Terminal Types: G, J, P, Q				
D55302/161	KA160.4/127CE(XX)21T(XX)(X)	55302-163-83	/161	Hypertronics Corporation
Number of Contacts: 160				
Terminal Types: G, J, P, Q				
Hardware: B				
D55302/161	HMG160(XX)2(X)BE	55302-167-96	/161	IEH Corporation
Number of Contacts: 160				
Terminal Types: G, J, N, P, Q, T, U, V, W, Z				
Hardware: B				
D55302/162	HPD, KA ( )/127BP ( ) ( ) ( ) ( ) ( )	55302-163-83; 55302-282-84	/162	Hypertronics Corporation
Number of Contacts: 17, 29, 33, 41, 53, 65				
Terminal Types: A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R, S, T, U, V, W, Y, Z				
Hardware: B, F, G, J, K, P, T, U, V, W, X, Y, Z				
D55302/163	HPD, KA ( )/127BP ( ) ( ) ( ) ( ) ( )	55302-163-83; 55302-282-84	/163	Hypertronics Corporation
Number of Contacts: 72, 84, 96, 120				
Terminal Types: A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R, S, T, U, V, W, Y, Z				
Hardware: B, F, G, J, K, P, T, U, V, W, X, Y, Z				
D55302/164	HPD, KA160/127C ( ) ( ) ( ) ( ) ( ) ( )	55302-163-83; 55302-282-84; 55302-335-89	/164	Hypertronics Corporation
Number of Contacts: 160				
Terminal Types: A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R, S, T, U, V, W, Y, Z				
Hardware: B, F, G, J, K, P, T, U, V, W, X, Z				
D55302/164	HMG160(M,F)(C,D,E,S,W)(10,11, 12,13,14,15,16)	55302-167-96	/164	IEH Corporation
Number of Contacts: 160				
Terminal Types: A, B, C, D, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, Y				
Hardware: B, F, G, J, K, P, T, U, V, W, X, Z				
M55302/166	10-50(XXXX)-(XX)(X)	55302-864-85	/166	Amphenol Products
Number of Contacts: A00, A10, A11, A12, A13, A14, A15, A16, A17, A18, A19, A20, A21, A22, A23, A24, A25, A26, A27, A28, A29, A30, A31, A32, A33, A34, A35, A36, A37, A38, A39, A40, A42, A42, A43, A44, A45, A46, A47, A48, A49, A50, A51, A52, A53, A54, A55, A56, A57, A58, A59, A60, A61, A62, A63, A64, A65, A66, A67, A68, A69, A70, A71, A72, A73, A74, A75, A76, A77, A78, A79, A80, A81, A82, A83, A84, A85, A86, A87, A88, A89, A90, A91, A92, A93, A94, A95, A96, A97, A98, A99, B00, B10, B11, B12, B13, B14, B15, B16, B17, B18, B19, B20, B21, B22, B23, B24, B25, B26, B27, B28, B29, B30, B31, B32, B33, B34, B35, B36, B37, B38, B39, B40, B41, B42, B43, B44, B45, B46, B47, B48, B49, B50, B51, B52, B53, B54, B55, B56, B57, B58, B59, B60, B61, B62, B63, B64, B65, B66, B67, B68, B69, B70, B71, B72, B73, B74, B75, B76, B77, B78, B79, B80, B81, B82, B83, B84, B85, B86, B87, B88, B89, B90, B91, B92, B93, B94, B95, B96, B97, B98, B99, C00, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99				
Contact Tails: W, X, Y, Z				
Plating Type: 1, 2				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/167	10-505(XXX)-(XX)(X)	55302-864-85	/167	Amphenol Products

Number of Contacts: A00, A10, A11, A12, A13, A14, A15, A16, A17, A18, A19, A20, A21, A22, A23, A24, A25, A26, A27, A28, A29, A30, A31, A32, A33, A34, A35, A36, A37, A38, A39, A40, A42, A42, A43, A44, A45, A46, A47, A48, A49, A50, A51, A52, A53, A54, A55, A56, A57, A58, A59, A60, A61, A62, A63, A64, A65, A66, A67, A68, A69, A70, A71, A72, A73, A74, A75, A76, A77, A78, A79, A80, A81, A82, A83, A84, A85, A86, A87, A88, A89, A90, A91, A92, A93, A94, A95, A96, A97, A98, A99, B00, B10, B11, B12, B13, B14, B15, B16, B17, B18, B19, B20, B21, B22, B23, B24, B25, B26, B27, B28, B29, B30, B31, B32, B33, B34, B35, B36, B37, B38, B39, B40, B41, B42, B43, B44, B45, B46, B47, B48, B49, B50, B51, B52, B53, B54, B55, B56, B57, B58, B59, B60, B61, B62, B63, B64, B65, B66, B67, B68, B69, B70, B71, B72, B73, B74, B75, B76, B77, B78, B79, B80, B81, B82, B83, B84, B85, B86, B87, B88, B89, B90, B91, B92, B93, B94, B95, B96, B97, B98, B99, C00, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99

Contact Tails: Y, Z

Plating Type: 1, 2

M55302/168	10-505(XXX)-(XX)(X)	55302-865-85	/168	Amphenol Products

Number of Contacts: A00, A10, A11, A12, A13, A14, A15, A16, A17, A18, A19, A20, A21, A22, A23, A24, A25, A26, A27, A28, A29, A30, A31, A32, A33, A34, A35, A36, A37, A38, A39, A40, A42, A42, A43, A44, A45, A46, A47, A48, A49, A50, A51, A52, A53, A54, A55, A56, A57, A58, A59, A60, A61, A62, A63, A64, A65, A66, A67, A68, A69, A70, A71, A72, A73, A74, A75, A76, A77, A78, A79, A80, A81, A82, A83, A84, A85, A86, A87, A88, A89, A90, A91, A92, A93, A94, A95, A96, A97, A98, A99, B00, B10, B11, B12, B13, B14, B15, B16, B17, B18, B19, B20, B21, B22, B23, B24, B25, B26, B27, B28, B29, B30, B31, B32, B33, B34, B35, B36, B37, B38, B39, B40, B41, B42, B43, B44, B45, B46, B47, B48, B49, B50, B51, B52, B53, B54, B55, B56, B57, B58, B59, B60, B61, B62, B63, B64, B65, B66, B67, B68, B69, B70, B71, B72, B73, B74, B75, B76, B77, B78, B79, B80, B81, B82, B83, B84, B85, B86, B87, B88, B89, B90, B91, B92, B93, B94, B95, B96, B97, B98, B99, C00, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99

Contact Tails: Y, Z

Plating Type: 1, 2

M55302/169	10-505(XXX)-(XX)(X)	55302-865-85	/169	Amphenol Products

Number of Contacts: A00, A10, A11, A12, A13, A14, A15, A16, A17, A18, A19, A20, A21, A22, A23, A24, A25, A26, A27, A28, A29, A30, A31, A32, A33, A34, A35, A36, A37, A38, A39, A40, A42, A42, A43, A44, A45, A46, A47, A48, A49, A50, A51, A52, A53, A54, A55, A56, A57, A58, A59, A60, A61, A62, A63, A64, A65, A66, A67, A68, A69, A70, A71, A72, A73, A74, A75, A76, A77, A78, A79, A80, A81, A82, A83, A84, A85, A86, A87, A88, A89, A90, A91, A92, A93, A94, A95, A96, A97, A98, A99, B00, B10, B11, B12, B13, B14, B15, B16, B17, B18, B19, B20, B21, B22, B23, B24, B25, B26, B27, B28, B29, B30, B31, B32, B33, B34, B35, B36, B37, B38, B39, B40, B41, B42, B43, B44, B45, B46, B47, B48, B49, B50, B51, B52, B53, B54, B55, B56, B57, B58, B59, B60, B61, B62, B63, B64, B65, B66, B67, B68, B69, B70, B71, B72, B73, B74, B75, B76, B77, B78, B79, B80, B81, B82, B83, B84, B85, B86, B87, B88, B89, B90, B91, B92, B93, B94, B95, B96, B97, B98, B99, C00, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99

Plating Type: 1, 2, 3, 4

M55302/170	10-505(XXX)-(XX)(X)	55302-865-85	/170	Amphenol Products

Number of Contacts: A00, A10, A11, A12, A13, A14, A15, A16, A17, A18, A19, A20, A21, A22, A23, A24, A25, A26, A27, A28, A29, A30, A31, A32, A33, A34, A35, A36, A37, A38, A39, A40, A42, A42, A43, A44, A45, A46, A47, A48, A49, A50, A51, A52, A53, A54, A55, A56, A57, A58, A59, A60, A61, A62, A63, A64, A65, A66, A67, A68, A69, A70, A71, A72, A73, A74, A75, A76, A77, A78, A79, A80, A81, A82, A83, A84, A85, A86, A87, A88, A89, A90, A91, A92, A93, A94, A95, A96, A97, A98, A99, B00, B10, B11, B12, B13, B14, B15, B16, B17, B18, B19, B20, B21, B22, B23, B24, B25, B26, B27, B28, B29, B30, B31, B32, B33, B34, B35, B36, B37, B38, B39, B40, B41, B42, B43, B44, B45, B46, B47, B48, B49, B50, B51, B52, B53, B54, B55, B56, B57, B58, B59, B60, B61, B62, B63, B64, B65, B66, B67, B68, B69, B70, B71, B72, B73, B74, B75, B76, B77, B78, B79, B80, B81, B82, B83, B84, B85, B86, B87, B88, B89, B90, B91, B92, B93, B94, B95, B96, B97, B98, B99, C00, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C31, C32, C33, C34, C35, C36, C37, C38, C39, C40, C41, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C55, C56, C57, C58, C59, C60, C61, C62, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C77, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C89, C90, C91, C92, C93, C94, C95, C96, C97, C98, C99

Contact Tails: X, Y, Z

Plating Type: 1, 2

M55302/171-01 thru -02	10-505588-(X)	55302-866-85	/171	Amphenol Products
M55302/172-01 thru -05	10-XXXXXX(-X)	55302-864-85	/172	Amphenol Products
M55302/173-24	533903-3	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-150	1-533903-0	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-31	533902-4	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-33	533903-4	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-37 thru -38	53390(X)-5	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-40	533902-5	55302-3382-12	/173	TE Connectivity/AMP, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/173-42	533903-5	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-46 thru -47	53390(X)-6	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-49	533902-6	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-51	533903-6	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-64 thru -65	53390(X)-7	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-67	533902-7	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-69	533903-7	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-01 thru -02	53390(X)-1	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-04	533902-1	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-06	533903-1	55302-3392-12	/173	TE Connectivity/AMP, Inc.
M55302/173-10 thru -11	53390(X)-2	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-13	533902-2	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-15	533903-2	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-19 thru -20	53390(X)-3	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-82 thru -83	53390(X)-8	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-85	533902-8	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-87	533903-8	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-127 thru -128	53390(X)-9	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-130	533902-9	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-132	533903-9	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-145 thru -146	1-53390(X)-0	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-148	1-533902-0	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/173-28 thru -29	53390(X)-4	55302-3382-12	/173	TE Connectivity/AMP, Inc.
M55302/176-01 thru -02	53390(X)-1	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-204	533927-1	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-06	533911-1	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-19 thru -20	53390(X)-2	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-22	533910-2	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-24	533911-2	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-37 thru -38	53390(X)-3	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-40	533910-3	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-42	533911-3	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-55 thru -56	53390(X)-4	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-58	533910-4	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-60	533911-4	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-64 thru -65	53390(X)-5	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-67	533910-5	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-69	533911-5	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-73 thru -74	53390(X)-6	55302-3382-12	/176	TE Connectivity/AMP, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/176-76	533910-6	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-78	533911-6	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-91 thru -92	53390(X)-7	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-94	533910-7	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-96	533911-7	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-100 thru -101	53390(X)-8	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-103	533910-8	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-105	533911-8	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-118 thru -119	53391(X)-1	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-121	533918-1	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-123	533919-1	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-136 thru -137	53391(X)-2	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-139	533918-2	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-163 thru -164	53391(X)-3	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-166	533918-3	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-168	533919-3	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-181 thru -182	53391(X)-4	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-184	533918-4	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-186	533919-4	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-202	533926-1	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/176-04	533910-1	55302-3382-12	/176	TE Connectivity/AMP, Inc.
M55302/177-01	533914-1	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-92	533931-3	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-09	533914-2	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-12	533915-2	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-17	533914-3	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-20	533915-3	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-25	533914-4	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-28 thru -29	53391(X)-4	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-32 thru -33	53391(X)-5	55302-3383-12	/177	TE Connectivity/AMP, Inc.
M55302/177-36	533915-6	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-41	533914-7	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-44 thru -45	53391(X)-(X)	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-48	533915-8	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-53	533922-1	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-56	533923-1	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-61	533922-2	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-64	533923-2	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-73	533922-3	55302-3382-12	/177	TE Connectivity/AMP, Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/177-76	533923-3	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-81	533922-4	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-84	533923-4	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-89	533930-3	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/177-04	533915-1	55302-3382-12	/177	TE Connectivity/AMP, Inc.
M55302/179-01 thru -02	53393(X)-1	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-195	533951-1	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-06	533935-1	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-19	533932-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-20	533933-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-22	533934-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-24	533935-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-37 thru -38	53393(X)-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-40	533934-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-42	533935-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-55 thru -56	53393(X)-4	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-58	533934-4	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-60	533935-4	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-64 thru -65	53393(X)-5	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-67	533934-5	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-69	533935-5	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-73 thru -74	53393(X)-6	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-76	533934-6	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-78	533935-6	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-82 thru -83	53393(X)-7	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/179-85	533934-7	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-87	533935-7	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-91 thru -92	53393(X)-8	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-94	533934-8	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-96	533935-8	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-100 thru -101	53393(X)-9	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-103	533934-9	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-105	533935-9	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-109 thru -110	1-53393(X)-0	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-112	1-533934-0	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-114	1-533935-0	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-127 thru -128	53394(X)-1	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-199 thru -200	53394(X)-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-202	533950-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-204	533951-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-226 thru -227	53394(X)-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-229	533950-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-231	533951-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-235 thru -236	53394(X)-4	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-238	533950-4	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-240	533951-4	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-253 thru -254	53394(X)-5	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-256	533950-5	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/179-258	533951-5	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-130	533942-1	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-132	533943-1	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-154 thru -155	53394(X)-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-157	533942-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-159	533943-2	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-181 thru -182	53394(X)-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-184	533942-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-186	533943-3	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-193	533950-1	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/179-04	533934-1	55302-3382-12	/179	TE Connectivity/AMP, Inc.
Plating Type: B				
M55302/190	RM222	55302-160-89; 55302-170-96; 55302-262-92	/190	AirBorn Operating LP
Contact Types: L				
Number of Contacts: 100				
Terminal Types: A, B, C, D, E, F, G, H				
Hardware: F, L, M, N, S, X, Y				
M55302/190	HLX R 2 100 ( )( )-9( )	55302-2709-10	/190	Amphenol/Socapex
Number of Contacts: 100				
Terminal Types: A, B, C, D, E, F, G, H				
Hardware: F, L, M, N, S, X, Y				
M55302/190	(HRMYURM) 100 ( ) ( ) A	55302-193-89	/190	IEH Corporation
Contact Types: L				
Number of Contacts: 100				
Terminal Types: A, B, C, D, E, F, G, H				
Hardware: F, L, M, N, S, X, Y				
M55302/190	AAD( ) ( ) ( )	55302-051-99; 55302-311-90	/190	Incon, Inc.
Contact Types: L				
Number of Contacts: 100				
Terminal Types: A, B, C, D, E				
Hardware: F, L, M, N, S, X, Y				
M55302/191	RM252	55302-160-89; 55302-170-96; 55302-262-92	/191	AirBorn Operating LP
Number of Contacts: 100				
Terminal Types: A, B, C				
Hardware: F, L, M, N, S, X, Y				
M55302/191	HLX P 2 100 YC( ) ( )-9( )	55302-2709-10	/191	Amphenol/Socapex
Number of Contacts: 100				
Terminal Types: A, B, C				
Hardware: F, L, M, N, S, X, Y				

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	SLASH SHEET	SUPPLIER'S NAME (ADDRESS ON LAST PAGE OF REPORT)
		PART I		
M55302/191	HRM100 ( ) ( ) A	55302-193-89	/191	IEH Corporation
Number of Contacts: 100 Terminal Types: A, B, C Hardware: F, L, M, N, S, X, Y				
M55302/191	AAE( ) ( )	55302-051-99; 55302-311-90; 55302-572-90	/191	Incon, Inc.
Number of Contacts: 100 Terminal Types: A, B, C Hardware: F, L, M, N, S, X, Y				
M55302/192	RM322	55302-160-89; 55302-170-96; 55302-262-92	/192	AirBorn Operating LP
Contact Types: L Number of Contacts: 122, 152 Terminal Types: A, B, C, D, E, F, G, H Hardware: F, L, M, N, S, X, Y				
M55302/192	HLX R 3 ( )( )-9( )	55302-2709-10	/192	Amphenol/Socapex
Number of Contacts: 122, 152 Terminal Types: A, B, C, D, E, F, G, H Hardware: F, L, M, N, S, X, Y				
M55302/192	(HRMYURM) ( ) ( ) ( ) A	55302-193-89	/192	IEH Corporation
Contact Types: L Number of Contacts: 122, 152 Terminal Types: A, B, C, D, E, F, G, H Hardware: F, L, M, N, S, X, Y				
M55302/192	AAA( ) ( ) ( )	55302-051-99; 55302-311-90; 55302-572-90	/192	Incon, Inc.
Contact Types: L Number of Contacts: 122, 152 Terminal Types: A, B, C, D, E Hardware: F, L, M, N, S, X, Y				
M55302/193	RM352	55302-160-89; 55302-262-92	/193	AirBorn Operating LP
Number of Contacts: 122, 152 Terminal Types: A, B, C Hardware: F, L, M, N, S, X, Y				
M55302/193	HLX P 3 ( ) YC( ) ( )-9( )	55302-2709-10	/193	Amphenol/Socapex
Number of Contacts: 122, 152 Terminal Types: A, B, C Hardware: F, L, M, N, S, X, Y				
M55302/193	HRM ( ) ( ) ( ) A	55302-193-89	/193	IEH Corporation
Number of Contacts: 122, 152 Terminal Types: A, B, C Hardware: F, L, M, N, S, X, Y				
M55302/193	AAB( ) ( ) A	55302-051-99; 55302-311-90	/193	Incon, Inc.
Number of Contacts: 122, 152 Terminal Types: A, B, C Hardware: F, L, M, N, S, X, Y				

Manufacturer: AbelConn, LLC (CAGE Code: 66886)
Location: 9210 Science Center Drive, New Hope, MN 55428-3635, US

Plants:
1. 400 Cokato Street, Cokato, MN 55121-4244, US

Authorized Distributors:
1. BTC Electronic Components, 5809 Departure Drive, Raleigh, NC 27616, US

Manufacturer: AirBorn Operating LP (CAGE Code: 10400)
Location: 4321 AirBorn Drive, Addison, TX 75001, US

Plants:
1. Plant: Same Address as Manufacturer
2. 216 West Royal Drive, Georgetown, TX US
3. FM 312-S, Winnsboro, TX US

Authorized Distributors:
1. Powell Electronics, 4848 South Island Drive, Philadelphia, PA 19153, US

Manufacturer: Amphenol Products (CAGE Code: 77820)
Location: Amphenol Connector Operations, 40-60 Delaware Avenue, Sidney, NY 13838-1395, US

Plants:
1. Plant: Same Address as Manufacturer
2. Amphenol Aerospace/Amphenol Connectors (Mexico), Productos de Memoria, SA de CV, Parque Industrial San Ramon, APDO Postal 205-A, Nogales, Sonora, Mexico 84000

Manufacturer: Amphenol/Socapex (CAGE Code: F6162)
Location: Promenade de l'Arve, B.P. 29, 74311, Thyez Cedex, France

Plants:
1. Plant: Same Address as Manufacturer

Manufacturer: AVX/Elco (CAGE Code: D2643)
Location: Benjamin Fox Strabe 1, D-57518 Betzdorf Germany, Germany

Plants:
1. Plant: Same Address as Manufacturer
2. AVX Czech Republic, ELCO Europe Division, Sokolovska 573, 686 01 Uherske Hradiste, Czech Republic

Manufacturer: Cristek Interconnects, Inc. (CAGE Code: 67720)
Location: 5395 E. Hunter Avenue, Anaheim, CA 92807, US

Plants:
1. Plant: Same Address as Manufacturer

Manufacturer: Hypertronics Corporation (CAGE Code: 50541)
Location: 2352 Main Street, Concord, MA 01742, US

Plants:
1. 16 Brent Drive, Hudson, MA 01749, US

Authorized Distributors:
1. Astrex, Inc., 205 Express Street, Plainview, NY 11803, US
2. BTC Electronic Components, 2709 Connector Drive, Wake Forest, NC 27587, US
3. Hypertac, Ltd., Waterloo Road, London NW2 7UH England, England

Manufacturer: IEH Corporation (CAGE Code: 97913)
Location: Industrial Electronic Hardware Corp., 140 58th Street, Suites 8E & F, Bay Ridge, NY 11220, US

Plants:
1. Plant: Same Address as Manufacturer

Authorized Distributors:
1. Air Electro, Inc., 7700 Gloria Avenue, Van Nuys, CA 91406, US
2. Linton Hardware Electronics Supply, Icn., 2675 Gravel Road, Fort Worth, TX 76118, US
3. Pioneer Standard Electronics, 60 Crossways Park West, Woodbury, NY 11797, US
4. Powell Electronics, Inc. (*), 2260 lundy Avenue, SanJose, CA 95131, US
5. Powell Electronics, Inc. (*), P.O. Box 8765, S. Island Rd. & Enterprise Ave., Philadelphia, PA 19101, US
6. Time Electronics (T), 150 C New Boston Street, Woburn, MA 01801, US

Manufacturer: Incon, Inc. (CAGE Code: 59350)
Location: 21 Flagstone Drive, Hudson, NH 03051, US

Plants:
1. Plant: Same Address as Manufacturer

Authorized Distributors:
1. Astrex, Inc., 205 Express Street, Plainview, NY 11803, US
2. CPN/DENELEX Group, 4880 North Hiatus Road, Sunrise, FL 33351, US
3. Powell Electronics, Inc. (*), P.O. Box 8765, S. Island Rd. & Enterprise Ave,, Philadelphia, PA 19101, US

Manufacturer: Micross Components, Interconnect Products (CAGE Code: 95238)
Location: 2294 N. Penn Road, Hatfield, PA 19940, US

Plants:
1. Plant: Same Address as Manufacturer

Authorized Distributors:
1. BTC Electronic Components, 5809 Departure Drive, Raleigh, NC 27616, US
2. CDM Electronics, 105-A Connecticut Drive, Burlington, NJ 08016, US
3. CPN/DENELEX Group, 4880 North Hiatus Road, Sunrise, FL 33351, US
4. Marsh Electronics, 25 Feldland Street, Bohemia, NY 11716, US
5. Stranco Products, Inc., 901 Lee Street, Elk Grove Village, IL 60007, US

Manufacturer: TE Connectivity (CAGE Code: 98278)
Location: 2901 Fulling Mill Road, Middletown, PA 17057, US

Plants:
1. TE Connectivity - Microdot, Ave. Obrero Mundial No. 9 Parque Industrial Dynatech C.P. 83200, Hermosillo, Sonora, Mexico

Manufacturer: TE Connectivity/AMP (CAGE Code: 77342)
Location: 8010 Piedmont Triad Parkway, Greensboro, NC 27402,

Manufacturer: Tri-Star Electronics (CAGE Code: 55104)
Location: 2201 Rosecrans Avenue, El Segundo, CA 90245, US